The exact value of the cosmological constant Λ

Ilija Barukčić^{1,*}

¹Internist, Horandstrasse, Jever, 26401, Germany *Barukcic@t-online.de

ABSTRACT

Aim: The theoretical value of the cosmological constant Λ and the problem associated with the same is reviewed again. **Methods:** The stress-energy-tensor was geometrized.

Results: Based on the geometrized stress-energy tensor, it was possible to calculate the exact value the cosmological constant.

Conclusion: The theoretical value of the cosmological constant Λ can be calculated very precisely.

Received: 16.05.2020 Accepted: 16.05.2020 Published: 16.05.2020

Introduction

One of the basic features of Einstein's theory of general relativity (GTR) and equally that what distinguishes GTR sharply from all other competing physical theories, is the geometrization of a physical interaction which opened the theoretical possibility to understand the gravitational field as something like the manifestation of space- time curvature.

Einstein's point of view was that the gravitational field can be described by using particular mathematical tools like a metric tensor $g_{\mu\nu}$. However, this does not imply that gravity is and has to be reduced to geometry in its own right.

In point of fact, Einstein's stress-energy momentum tensor of GTR is a weak spot of his theory because this field is thus far devoid¹ of any geometrical significance.

Various proposals for a unified field theory "a generalization of the theory of the gravitational field"² were influenced by the desired replacement of the stress-energy momentum tensor of matter by geometrical structures. In order to bring some order into the many different ways to include the electromagnetic field into a geometric setting, general relativity³ can serve as a point of departure for this undertaking. However, I do not see any reason to assume that 'geometrization " and 'unification 'are incompatible. Still, both need not to be conceptually identical. A complete geometrization of Einstein's gravitational field equations could eventually end up at a unified field theory in the sense of Weyl and Eddington's classical field theory in which all fundamental interactions are described by objects of space-time geometry. Besides of such fundamental problems, other more simple problems are not solved too. What is the value of the cosmological constant Λ^4 ? Trying to answer these and similar questions is the subject of many publications.

¹GOENNER, Hubert F. M.: On the History of Unified Field Theories, in: Living Reviews in Relativity 1 (2004).

²EINSTEIN, Albert: On the Generalized Theory of Gravitation, in: Scientific American (1950), 13–17.

³BARUKČIĆ, Ilija: The Geometrization of the Electromagnetic Field, in: Journal of Applied Mathematics and Physics 12 (2016), 2135–2171.

⁴EINSTEIN, Albert: Kosmologische Betrachtungen zur allgemeinen Relativitätstheorie, in: Sitzungsberichte der Königlich Preußischen Akademie der Wissenschaften (Berlin), Seite 142-152. (1917); EINSTEIN, A. / DE SITTER, W.: On the Relation between the Expansion and the Mean Density of the Universe, in: Proceedings of the National Academy of Sciences of the United States of America 3 (1932), 213–214.

Material and methods

The Royal Society of London and the Royal Astronomical Society announced at their joint meeting on the sixth of November 1919 that astronomical observations made by a special British team during the solar eclipse on May 29 provided the first empirical test of the validity of Einstein's general theory of relativity. In order to obtain a kind of a deeper knowledge of the foundations of nature and physics as such it seems therefore that the basic concepts should be in accordance with Einstein's general of relativity⁵ from the beginning. In point of fact, attempts to extend general relativity's geometrization of gravitational force to non-gravitational interactions, in particular, to electromagnetism⁶, were not in vain.

Definitions

Definition 3.1 (Anti tensor). Let $a_{\mu\nu}$ denote a certain tensor. Let $b_{\mu\nu}$ denote another tensor. Let $E_{\mu\nu}$ denote a thrid tensor. Let the relationship $a_{\mu\nu} + b_{\mu\nu} \equiv E_{\mu\nu}$ be given. The anti tensor of a tensor, i. e. $a_{\mu\nu}$ is denoted in general as $\underline{a}_{\mu\nu}$ and defined as

$$\underline{a}_{\mu\nu} \equiv E_{\mu\nu} - a_{\mu\nu} \equiv b_{\mu\nu} \tag{1}$$

There are circumstances were an anti-tensor is identical with an anti-symmetrical tensor, but both are not identical as such.

Definition 3.2 (Einstein's field equations). Let $R_{\mu\nu}$ denote the Ricci tensor⁷ of 'Einstein's general theory of relativity'⁸, a geometric object developed by Gregorio Ricci-Curbastro (1853 – 1925) able to measure of the degree to which a certain geometry of a given metric differs from that of ordinary Euclidean space. Let R denote the Ricci scalar, the trace of the Ricci curvature tensor with respect to the metric and equally the simplest curvature invariant of a Riemannian manifold. Ricci scalar curvature is the contraction of the Ricci tensor and is written as R without subscripts or arguments. Let Λ denote the Einstein's cosmological constant. Let $\underline{\Lambda}$ denote the "**anti cosmological constant**"⁹. Let $g_{\mu\nu}$ metric tensor of Einstein's general theory of relativity. Let $G_{\mu\nu}$ denote Einstein's curvature tensor. Let $\underline{G}_{\mu\nu}$ denote the "anti tensor of non-energy, the anti-tensor of the stress-energy tensor of energy. Let $\underline{E}_{\mu\nu}$ denote the four basic fields of nature were $a_{\mu\nu}$ is the stress-energy tensor of ordinary matter, $b_{\mu\nu}$ is the stress-energy tensor of the electromagnetic field. Let c denote the speed of the light in vacuum, let γ denote Newton's gravitational "**constant**"¹¹. Let π denote the number pi. Einstein's field equation, published by Albert Einstein¹² for the first time in 1915, and finally 1916¹³ but later with the "**cosmological constant**"¹⁴ term are determined as

$$R_{\mu\nu} - \left(\left(\frac{R}{2}\right) \times g_{\mu\nu}\right) + \left(\Lambda \times g_{\mu\nu}\right) \equiv \left(\frac{4 \times 2 \times \pi \times \gamma}{c^4}\right) \times T_{\mu\nu} \equiv E_{\mu\nu}$$
(2)

The stress-energy tensor of energy $E_{\mu\nu}$ is determined in detail as follows.

$$E_{\mu\nu} \equiv \left(\frac{4 \times 2 \times \pi \times \gamma}{c^4}\right) \times T_{\mu\nu}$$

$$\equiv R_{\mu\nu} - \left(\left(\frac{R}{2}\right) \times g_{\mu\nu}\right) + (\Lambda \times g_{\mu\nu})$$

$$\equiv G_{\mu\nu} + (\Lambda \times g_{\mu\nu})$$

$$\equiv R_{\mu\nu} - \underline{E}_{\mu\nu}$$

$$\equiv a_{\mu\nu} + b_{\mu\nu}$$

(3)

⁵EINSTEIN, A.: Die Grundlage der allgemeinen Relativitätstheorie, in: Annalen der Physik (1916), 769–822.

⁶BARUKČIĆ, I.: The Geometrization of the Electromagnetic Field (2016).

⁷RICCI, M. M. G. / LEVI-CIVITA, T.: Méthodes de calcul différentiel absolu et leurs applications, in: Mathematische Annalen 1 (1900), 125–201.

⁸EINSTEIN, A.: Die Grundlage der allgemeinen Relativitätstheorie (1916).

⁹BARUKČIĆ, Ilija: Anti Einstein – Refutation of Einstein's General Theory of Relativity, in: International Journal of Applied Physics and Mathematics 1 (2015), 18–28.

¹⁰Idem: Unified Field Theory, in: Journal of Applied Mathematics and Physics 08 (2016), 1379–1438.

¹¹Idem: Anti Newton - Refutation Of The Constancy Of Newton's Gravitatkional Constant G: List of Abstracts, in: Quantum Theory: from Problems to Advances (QTPA 2014) : Växjö, Sweden, June 9-12, 2014 (2014), 63; idem: Anti Einstein – Refutation of Einstein's General Theory of Relativity (2015); idem: Newton's Gravitational Constant Big G Is Not a Constant, in: Journal of Modern Physics 06 (2016), 510–522; idem: Unified Field Theory (2016).

¹²EINSTEIN, Albert: Die Feldgleichungen der Gravitation, in: Sitzungsberichte der Königlich Preußischen Akademie der Wissenschaften (Berlin), Seite 844-847. (1915).

¹³EINSTEIN, A.: Die Grundlage der allgemeinen Relativitätstheorie (1916).

¹⁴EINSTEIN, A.: Kosmologische Betrachtungen zur allgemeinen Relativitätstheorie (1917); EINSTEIN, A. / DE SITTER, W.: On the Relation between the Expansion and the Mean Density of the Universe (1932); EINSTEIN, A.: Elementary Derivation of the Equivalence of Mass and Energy, in: Bulletin of the American Mathematical Society 4 (1935), 223–230.

However, the left-hand side of the Einstein's field equations represents only part (Ricci curvature) of the geometric structure (Weyl curvature).

Definition 3.3 (The tensor of non-energy). Under conditions of Einstein's general¹⁵ theory of relativity, the tensor of non-energy or the anti tensor of the stress energy tensor is defined/determined as follows:

$$\underline{E}_{\mu\nu} \equiv R_{\mu\nu} - \left(\frac{4 \times 2 \times \pi \times \gamma}{c^4}\right) \times T_{\mu\nu} \equiv \left(\left(\frac{R}{2}\right) \times g_{\mu\nu}\right) - \left(\Lambda \times g_{\mu\nu}\right) \equiv \left(\left(\frac{R}{2} - \Lambda\right) \times g_{\mu\nu}\right) \equiv c_{\mu\nu} + d_{\mu\nu} \tag{4}$$

Definition 3.4 (The anti Einstein's curvature tensor or the tensor or non-curvature). Under conditions of Einstein's general¹⁶ theory of relativity, the tensor of non-curvature is defined/derived/determined as follows:

$$\underline{G}_{\mu\nu} \equiv R_{\mu\nu} - G_{\mu\nu} \equiv R_{\mu\nu} - \left(R_{\mu\nu} - \left(\left(\frac{R}{2}\right) \times g_{\mu\nu}\right)\right) \equiv \left(\frac{R}{2}\right) \times g_{\mu\nu} \equiv b_{\mu\nu} + d_{\mu\nu}$$
(5)

Definition 3.5 (The tensor $d_{\mu\nu}$ (neither curvature nor momentum)). Under conditions of Einstein's general¹⁷ theory of relativity, the tensor of neither curvature nor momentum is defined/determined as follows:

$$d_{\mu\nu} \equiv \left(\left(\frac{R}{2}\right) \times g_{\mu\nu} \right) - b_{\mu\nu} \equiv \left(\left(\frac{R}{2}\right) \times g_{\mu\nu} \right) - \left(\Lambda \times g_{\mu\nu}\right) - c_{\mu\nu} \tag{6}$$

Definition 3.6 (The tensor $c_{\mu\nu}$). Under conditions of Einstein's general¹⁸ theory of relativity, the tensor of non-momentum and curvature is defined/determined as follows:

$$c_{\mu\nu} \equiv b_{\mu\nu} - \left(\Lambda \times g_{\mu\nu}\right) \tag{7}$$

Definition 3.7 (The tensor $\mathbf{b}_{\mu\nu}$). The co-variant stress-energy tensor of the electromagnetic field, in this context denoted by $\mathbf{b}_{\mu\nu}$, is of order two and its components can be displayed by a 4 × 4 matrix too. Under conditions of Einstein's general¹⁹ theory of relativity, the tensor $\mathbf{b}_{\mu\nu}$ denotes the stress-energy tensor of the electromagnetic field²⁰ expressed more compactly and in a coordinate-independent is

$$b_{\mu\nu} \equiv \left(\frac{1}{4 \times \pi} \times \left(\left(F_{\mu c} \times F_{\nu d} \times g^{cd} \right) - \left(\frac{1}{4} \times g_{\mu\nu} \times F_{de} \times F^{de} \right) \right) \right)$$
(8)

where $F_{de}\xspace$ is called the (traceless) Faraday/electromagnetic/field strength tensor.

Definition 3.8 (The stress-energy tensor of ordinary matter $a_{\mu\nu}$). Under conditions of Einstein's general²¹ theory of relativity, the stress-energy tensor of ordinary matter $a_{\mu\nu}$ is defined/derived/determined as follows:

$$a_{\mu\nu} \equiv \left(\left(\frac{4 \times 2 \times \pi \times \gamma}{c^4} \right) \times T_{\mu\nu} \right) - b_{\mu\nu} \equiv G_{\mu\nu} + \left(\Lambda \times g_{\mu\nu} \right) - b_{\mu\nu} \tag{9}$$

¹⁵EINSTEIN, A.: Die Feldgleichungen der Gravitation (1915); EINSTEIN, A.: Die Grundlage der allgemeinen Relativitätstheorie (1916); EINSTEIN, A.: Kosmologische Betrachtungen zur allgemeinen Relativitätstheorie (1917); EINSTEIN, A. / DE SITTER, W.: On the Relation between the Expansion and the Mean Density of the Universe (1932); EINSTEIN, A.: Elementary Derivation of the Equivalence of Mass and Energy (1935).

¹⁶EINSTEIN, A.: Die Feldgleichungen der Gravitation (1915); EINSTEIN, A.: Die Grundlage der allgemeinen Relativitätstheorie (1916); EINSTEIN, A.: Kosmologische Betrachtungen zur allgemeinen Relativitätstheorie (1917); EINSTEIN, A. / DE SITTER, W.: On the Relation between the Expansion and the Mean Density of the Universe (1932); EINSTEIN, A.: Elementary Derivation of the Equivalence of Mass and Energy (1935).

¹⁷EINSTEIN, A.: Die Feldgleichungen der Gravitation (1915); EINSTEIN, A.: Die Grundlage der allgemeinen Relativitätstheorie (1916); EINSTEIN, A.: Kosmologische Betrachtungen zur allgemeinen Relativitätstheorie (1917); EINSTEIN, A. / DE SITTER, W.: On the Relation between the Expansion and the Mean Density of the Universe (1932); EINSTEIN, A.: Elementary Derivation of the Equivalence of Mass and Energy (1935).

¹⁸EINSTEIN, A.: Die Feldgleichungen der Gravitation (1915); EINSTEIN, A.: Die Grundlage der allgemeinen Relativitätstheorie (1916); EINSTEIN, A.: Kosmologische Betrachtungen zur allgemeinen Relativitätstheorie (1917); EINSTEIN, A. / DE SITTER, W.: On the Relation between the Expansion and the Mean Density of the Universe (1932); EINSTEIN, A.: Elementary Derivation of the Equivalence of Mass and Energy (1935).

¹⁹EINSTEIN, A.: Die Feldgleichungen der Gravitation (1915); EINSTEIN, A.: Die Grundlage der allgemeinen Relativitätstheorie (1916); EINSTEIN, A.: Kosmologische Betrachtungen zur allgemeinen Relativitätstheorie (1917); EINSTEIN, A. / DE SITTER, W.: On the Relation between the Expansion and the Mean Density of the Universe (1932); EINSTEIN, A.: Elementary Derivation of the Equivalence of Mass and Energy (1935).

²⁰HUGHSTON, L. P. / TOD, K. P.: An introduction to general relativity (London Mathematical Society student texts 5), Cambridge ; New York 1990, p. 38. ²¹EINSTEIN, A.: Die Feldgleichungen der Gravitation (1915); EINSTEIN, A.: Die Grundlage der allgemeinen Relativitätstheorie (1916); EINSTEIN, A.: Kosmologische Betrachtungen zur allgemeinen Relativitätstheorie (1917); EINSTEIN, A. / DE SITTER, W.: On the Relation between the Expansion and the Mean Density of the Universe (1932); EINSTEIN, A.: Elementary Derivation of the Equivalence of Mass and Energy (1935).

or

$$a_{\mu\nu} \equiv R_{\mu\nu} - \left(\left(\frac{R}{2}\right) \times g_{\mu\nu} \right) + \left(\Lambda \times g_{\mu\nu} \right) - \left(\frac{1}{4 \times \pi} \times \left(\left(F_{\mu c} \times F_{\nu d} \times g^{cd}\right) - \left(\frac{1}{4} \times g_{\mu\nu} \times F_{de} \times F^{de}\right) \right) \right)$$
(10)

Definition 3.9 (The Ricci tensor $\mathbf{R}_{\mu\nu}$). Under conditions of Einstein's general²² theory of relativity, the Ricci tensor is defined/detrived/determined as follows:

$$R_{\mu\nu} \equiv \left(\left(\frac{4 \times 2 \times \pi \times \gamma}{c^4} \right) \times T_{\mu\nu} \right) + \left(\left(\left(\frac{R}{2} \right) \times g_{\mu\nu} \right) - \left(\Lambda \times g_{\mu\nu} \right) \right)$$
(11)

Definition 3.10 (**The Ricci scalar R**). Under conditions of Einstein's general²³ theory of relativity, the Ricci scalar curvature R as the trace of the Ricci curvature tensor $R_{\mu\nu}$ with respect to the metric is determined at each point in space-time by lamda Λ and anti-lamda²⁴ $\underline{\Lambda}$ as

$$R \equiv g^{\mu\nu} \times R_{\mu\nu} \equiv (\Lambda) + (\underline{\Lambda}) \tag{12}$$

A Ricci scalar curvature R which is positive at a certain point indicates that the volume of a small ball about the point has smaller volume than a ball of the same radius in Euclidean space. In contrast to this, a Ricci scalar curvature R which is negative at a certain point indicates that the volume of a small ball is larger than it would be in Euclidean space. In general it is

$$R \times g_{\mu\nu} \equiv \left(\Lambda \times g_{\mu\nu}\right) + \left(\underline{\Lambda} \times g_{\mu\nu}\right) \tag{13}$$

The cosmological constant can also be written algebraically as part of the stress-energy tensor, a second order tensor as the source of gravity (energy density).

Table 1 provides an overview of the definitions of the four basic²⁵ fields of nature.

		Curvature		
		YES	NO	
Momentum	YES	a _{µv}	b _{μv}	$E_{\mu\nu}$
	NO	$c_{\mu\nu}$	d _{μv}	$\underline{E}_{\mu\nu}$
		$G_{\mu\nu}$	$\underline{G}_{\mu\nu}$	$R_{\mu\nu}$

Table 1. Einstein field equations and the four basic fields of nature

Definition 3.11 (The inverse metric tensor $g^{\mu\nu}$ and the metric tensor $g_{\mu\nu}$). Under conditions of Einstein's general²⁶ theory of relativity, it is²⁷:

$$g_{\mu\nu} \times g^{\mu\nu} \equiv +4 \tag{14}$$

or

$$\frac{1}{g_{\mu\nu} \times g^{\mu\nu}} \equiv \frac{1}{4} \tag{15}$$

²²EINSTEIN, A.: Die Feldgleichungen der Gravitation (1915); EINSTEIN, A.: Die Grundlage der allgemeinen Relativitätstheorie (1916); EINSTEIN, A.: Kosmologische Betrachtungen zur allgemeinen Relativitätstheorie (1917); EINSTEIN, A. / DE SITTER, W.: On the Relation between the Expansion and the Mean Density of the Universe (1932); EINSTEIN, A.: Elementary Derivation of the Equivalence of Mass and Energy (1935).

²³EINSTEIN, A.: Die Feldgleichungen der Gravitation (1915); EINSTEIN, A.: Die Grundlage der allgemeinen Relativitätstheorie (1916); EINSTEIN, A.: Kosmologische Betrachtungen zur allgemeinen Relativitätstheorie (1917); EINSTEIN, A. / DE SITTER, W.: On the Relation between the Expansion and the Mean Density of the Universe (1932); EINSTEIN, A.: Elementary Derivation of the Equivalence of Mass and Energy (1935).

²⁴BARUKČIĆ, I.: Anti Einstein – Refutation of Einstein's General Theory of Relativity (2015).

²⁵Idem: Unified Field Theory (2016); idem: The Geometrization of the Electromagnetic Field (2016).

²⁶EINSTEIN, A.: Die Feldgleichungen der Gravitation (1915); EINSTEIN, A.: Die Grundlage der allgemeinen Relativitätstheorie (1916); EINSTEIN, A.: Kosmologische Betrachtungen zur allgemeinen Relativitätstheorie (1917); EINSTEIN, A. / DE SITTER, W.: On the Relation between the Expansion and the Mean Density of the Universe (1932); EINSTEIN, A.: Elementary Derivation of the Equivalence of Mass and Energy (1935).

²⁷Idem: Die Grundlage der allgemeinen Relativitätstheorie (1916), p. 796.

where $g^{\mu\nu}$ is the matrix inverse of the metric tensor $g_{\mu\nu}$. The inverse metric tensor or the metric tensor, which is always symmetric, allow tensors to be transformed into each other.

Einstein's point of view is that "... in the general theory of relativity ... must be ... the tensor $g_{\mu\nu}$ of the gravitational potential"²⁸

Definition 3.12 (Laue's scalar T). Max von Laue (1879-1960) proposed the meanwhile so called Laue scalar²⁹ (criticised³⁰ by Einstein) as the contraction of the the stress–energy momentum tensor $T_{\mu\nu}$ denoted as T and written without subscripts or arguments. Under conditions of Einstein's general³¹ theory of relativity, it is

$$T \equiv g^{\mu\nu} \times T_{\mu\nu} \tag{16}$$

where $T_{\mu\nu}$ "denotes the co-variant energy tensor of matter"³². In other words, "Considered phenomenologically, this energy tensor is composed of that of the electromagnetic field and of matter in the narrower sense."³³

³²EINSTEIN, A.: The meaning of relativity. Four lectures delivered at Princeton University, May, 1921 (1923), p. 88.

³³Ibid., p. 93.

²⁸EINSTEIN, Albert: The meaning of relativity. Four lectures delivered at Princeton University, May, 1921, Princeton 1923, p. 88.

²⁹LAUE, M.: Zur Dynamik der Relativitätstheorie, in: Annalen der Physik 8 (1911), 524–542.

³⁰EINSTEIN, Albert / GROSSMANN, Marcel: Entwurf einer verallgemeinerten Relativitätstheorie und einer Theorie der Gravitation: Physikalischer Teil von Albert Einstein. Mathematischer Teil von Marcel Grossmann, Leipzig 1913.

³¹EINSTEIN, A.: Die Feldgleichungen der Gravitation (1915); EINSTEIN, A.: Die Grundlage der allgemeinen Relativitätstheorie (1916); EINSTEIN, A.: Kosmologische Betrachtungen zur allgemeinen Relativitätstheorie (1917); EINSTEIN, A. / DE SITTER, W.: On the Relation between the Expansion and the Mean Density of the Universe (1932); EINSTEIN, A.: Elementary Derivation of the Equivalence of Mass and Energy (1935).

3.1 Axioms

3.2 Axioms in general

Axioms³⁴ and rules which are chosen carefully can be of use to avoid logical inconsistency and equally preventing science from supporting particular ideologies. Rightly or wrongly, long lasting advances in our knowledge of nature are enabled by suitable axioms³⁵ too. Einstein himself brings it again to the point.³⁶

"Die wahrhaft großen Fortschritte der Naturerkenntnis sind auf einem der Induktion fast diametral entgegengesetzten Wege entstanden."³⁷

In general, Einstein himself advocated basic laws (axioms) and conclusions derived from the same as a logical foundation of any 'theory'.

"Grundgesetz (Axiome) und Folgerungen zusammen bilden das was man eine 'Theorie'nennt. "³⁸

Aristotle himself already cited the law of excluded middle and the law of contradiction as examples of axioms. However, **lex identitatis** is an axiom too, which possess the potential to serve as the most basic and equally the most simple axiom of science. Something which is really just itself is equally different from everything else. In point of fact, is such an equivalence which everything has to itself inherent or must the same be constructed by human mind and consciousness. Following Wilhelm Gottfried Leibniz:

"Chaque chose est ce qu'elle est. Et dans autant d'exemples qu'on voudra A est A, B est B. "³⁹

or A = A, B = B or +1 = +1. In this context, lex contradictionis, the negative of lex identitatis, or +0 = +1 is of no minor importance too.

3.2.1 Axiom I. Lex identitatis

To say that +1 is identical to +1 is to say that both are the same. AXIOM 1. LEX IDENTITATIS.

$$\left(g_{\mu\nu} \times g^{\mu\nu}\right) - 3 \equiv +1\tag{17}$$

or

 $+1 \equiv +1$

However, even such a numerical identity which seems in itself wholly unproblematic, for it indicates just to a relation which something has to itself and nothing else, is still subject to controversy. Another increasingly popular view is that the same numerical identity implies the controversial view that we are talking about two different numbers +1. The one +1 is on the left side on the equation, the other +1 is on the right side of an equation. The basicness of the relation of identity implies the contradiction too while circularity is avoided. In other words, how can the same +1 be identical with itself and be equally different from itself? We may usefully state that identity is an utterly problematic notion and might be the most troublesome of all.

(18)

³⁴HILBERT, David: Axiomatisches Denken, in: Mathematische Annalen 1 (1917), 405–415.

³⁵EASWARAN, Kenny: The Role of Axioms in Mathematics, in: Erkenntnis 3 (2008), 381–391.

³⁶see EINSTEIN, Albert: Induktion and Deduktion in der Physik, in: Berliner Tageblatt and Handelszeitung (1919), Suppl. 4, hier p. 17.

$$(g_{\mu\nu} \times g^{\mu\nu} - 3) - (g_{\mu\nu} \times g^{\mu\nu} - 3) \equiv +1$$
(19)

or

$$+0 \equiv +1 \tag{20}$$

A considerable obstacle to understanding contemporary usage of the term contradiction, however, is that contradiction does not seem to be a unitary one. How can something be both, itself (**a path is a straight line** from the standpoint of a co-moving observer at a certain point in space-time) **and** the other of itself, its own opposition (**the same path is not a straight line**, the same path is curved, from the standpoint of a stationary observer **at a certain point in space-time**)⁴⁰. We may simply deny the existence of objective or of any other contradictions. Furthermore, even if it remains especially according to Einstein's special theory of relativity that it is not guaranteed that the notion of an absolute contradiction is justified, Einstein's special theory of relativity insist that contradictions are objective and real. That this is so highlights the fact that from the standpoint of a co-moving observer, under certain circumstances, **a path is a straight line** and nothing else. However, under the same circumstances of special theory of relativity where the relative velocity v > 0, from the standpoint of a stationary observer **the same path is a not a straight line, the path is curved**. The justified question is, why should and how can an identical be a contradictory too?

3.2.3 Axiom III. Lex negationis AXIOM 3. LEX NEGATIONIS.

$$eg(+0) = (+1)$$
(21)

where \neg denotes the (natural/logical) process of negation.

⁴⁰BARUKČIĆ, Ilija: Aristotle's law of contradiction and Einstein's special theory of relativity, in: Journal of Drug Delivery and Therapeutics 2 (2019), 125–143.

Results

Theorem 3.1 (The geometrical form of the stress-energy tensor $T_{\mu\nu}$).

The starting point of Einstein's theory of general relativity is that gravity as such is a property of space-time geometry. Consequently, Einstein published a geometric theory of gravitation⁴¹ while Einstein's initial hope to construct a purely geometric theory of gravitation in which even the sources of gravitation themselves would be of geometric origin has still not been fulfilled. Einstein's field equations have a source term, the stress-energy tensor of matter, radiation and vacuum et cetera, which is of order two and is still devoid of any geometry and free of any geometrical significance. **CLAIM**.

In general, the completely geometrical form of the stress-energy momentum tensor of Einstein's theory of general relativity is given by

$$\left(\frac{4 \times 2 \times \pi \times \gamma}{c^4}\right) \times T_{\mu\nu} \equiv \left(\frac{2 \times \pi \times \gamma}{c^4}\right) \times g_{\mu\nu} \times T \tag{22}$$

PROOF BY MODUS PONENS.

If the premise of modus ponens

$$\underbrace{+1 = +1}_{(Premise)} \tag{23}$$

is true, then the following conclusion

$$\left(\frac{4 \times 2 \times \pi \times \gamma}{c^4}\right) \times T_{\mu\nu} \equiv \left(\frac{2 \times \pi \times \gamma}{c^4}\right) \times g_{\mu\nu} \times T \tag{24}$$

is also true, the absence of any technical errors presupposed. The premise

$$(+1) = (+1)$$
 (25)

is true. Multiplying this premise by Einstein's stress-energy tensor of general relativity, we obtain

$$(+1) \times \left(\frac{4 \times 2 \times \pi \times \gamma}{c^4}\right) \times T_{\mu\nu} \equiv (+1) \times \left(\frac{4 \times 2 \times \pi \times \gamma}{c^4}\right) \times T_{\mu\nu}$$
(26)

or

$$\left(\frac{4 \times 2 \times \pi \times \gamma}{c^4}\right) \times T_{\mu\nu} \equiv \left(\frac{4 \times 2 \times \pi \times \gamma}{c^4}\right) \times T_{\mu\nu}$$
⁽²⁷⁾

Rearranging equation according to definition 3.2 it is

$$\left(\frac{4 \times 2 \times \pi \times \gamma}{c^4}\right) \times T_{\mu\nu} \equiv \left(\frac{2 \times \pi \times \gamma}{c^4}\right) \times 4 \times T_{\mu\nu}$$
⁽²⁸⁾

According to definition 3.11 this equation simplifies as

$$\left(\frac{4 \times 2 \times \pi \times \gamma}{c^4}\right) \times T_{\mu\nu} \equiv \left(\frac{2 \times \pi \times \gamma}{c^4}\right) \times \left(g_{\mu\nu} \times g^{\mu\nu}\right) \times T_{\mu\nu}$$
(29)

or as

$$\left(\frac{4 \times 2 \times \pi \times \gamma}{c^4}\right) \times T_{\mu\nu} \equiv \left(\frac{2 \times \pi \times \gamma}{c^4}\right) \times g_{\mu\nu} \times \left(g^{\mu\nu} \times T_{\mu\nu}\right) \tag{30}$$

In accordance with the definition 3.12 we obtain the desired geometrical representation of the stress-energy momentum tensor. In other words, the conclusion that

$$\left(\frac{4 \times 2 \times \pi \times \gamma}{c^4}\right) \times T_{\mu\nu} \equiv \left(\frac{2 \times \pi \times \gamma}{c^4}\right) \times g_{\mu\nu} \times T \tag{31}$$

⁴¹EINSTEIN, A.: Die Grundlage der allgemeinen Relativitätstheorie (1916).

is true. QUOD ERAT DEMONSTRANDUM.

Remark. From the geometrical point of view the stress–energy momentum tensor $T_{\mu\nu}$ is more or less identical with the metric, enriched only by view constants and a scalar as

$$\left(\frac{2 \times \pi \times \gamma \times T}{c^4}\right) \times g_{\mu\nu} \tag{32}$$

However, describing the fundamental stress–energy momentum tensor $T_{\mu\nu}$, the source term of the gravitational field in Einstein's general theory of relativity, as an inherent geometrical structure, as being determined and dependent on the metric field $g_{\mu\nu}$ is associated with several and far reaching consequences. The properties of energy, momentum, mass, stress et cetera need no longer to be seen as intrinsic properties of matter. Theoretically, the properties which material systems posses could be determined in virtue of their relation to space-time structures too. The question could arise whether the energy tensor $T_{\mu\nu}$ at the end could be in different aspects less fundamental than the metric field $g_{\mu\nu}$ itself. Is and why is matter more fundamental⁴² than space-time? In contrast to such a position, is the assumption justified that without the space-time structure encoded in the metric **no** energy tensor? To bring it to the point, can space-time (and its geometric structure) exist without matter and if yes, what kind of existence could this be? Einstein's starting point was to derive space-time structure from the properties of material systems. In contrast to this position, theorem 3.1 allow us to see that, on the contrary, the energy tensor depend on the metric field and is completely determined by the metric field. Consequently, the matter fields themselves are derivable from the structure of space-time or the very definition of an energy tensor is determined by space-time structures too. Thus far, the question is not answered definitely, which came first, either space-time structure or energy tensor. So it is reasonable to ask, is the energy-momentum tensor of matter only dependent on the structure of space-time or even determined by the structure of space-time or both or none? In other words, granddaddies either chicken or the egg dilemma is asking for an innovative and a comprehensive solution and may end up in an Anti-Machian theory. However, this leads us at this point too far afield.

⁴²LEHMKUHL, D.: Mass-Energy-Momentum: Only there Because of Spacetime?, in: The British Journal for the Philosophy of Science 3 (2011), 453–488; LEHMKUHL, Dennis: Why Einstein did not believe that general relativity geometrizes gravity, in: Studies in History and Philosophy of Science Part B: Studies in History and Philosophy of Modern Physics (2014), 316–326.

Theorem 3.2 (EINSTEIN'S FIELD EQUATION'S COMPLETELY GEOMETRIZED).

Now, we can derive a completely geometrical form of Einstein's field equation's. **CLAIM**.

In general, the completely geometrical form of Einstein's field equation's⁴³ is given by

$$R_{\mu\nu} - \left(\left(\frac{R}{2}\right) \times g_{\mu\nu}\right) + \left(\Lambda \times g_{\mu\nu}\right) \equiv \left(\frac{2 \times \pi \times \gamma}{c^4}\right) \times g_{\mu\nu} \times T$$
(33)

PROOF BY MODUS PONENS.

If the premise of modus ponens

$$\underbrace{+1 = +1}_{(Premise)} \tag{34}$$

is true, then the following conclusion

$$R_{\mu\nu} - \left(\left(\frac{R}{2}\right) \times g_{\mu\nu}\right) + \left(\Lambda \times g_{\mu\nu}\right) \equiv \left(\frac{2 \times \pi \times \gamma}{c^4}\right) \times g_{\mu\nu} \times T$$
(35)

is also true, again the absence of any technical errors presupposed. The premise

$$(+1) = (+1)$$
 (36)

is true. Multiplying this premise by Einstein's stress-energy tensor of general relativity, we obtain

$$(+1) \times \left(\frac{4 \times 2 \times \pi \times \gamma}{c^4}\right) \times T_{\mu\nu} \equiv (+1) \times \left(\frac{4 \times 2 \times \pi \times \gamma}{c^4}\right) \times T_{\mu\nu} \tag{37}$$

or

$$\left(\frac{4 \times 2 \times \pi \times \gamma}{c^4}\right) \times T_{\mu\nu} \equiv \left(\frac{2 \times \pi \times \gamma}{c^4}\right) \times 4 \times T_{\mu\nu}$$
(38)

Rearranging equation according to the definition 3.2 it is

$$R_{\mu\nu} - \left(\left(\frac{R}{2}\right) \times g_{\mu\nu}\right) + \left(\Lambda \times g_{\mu\nu}\right) \equiv \left(\frac{2 \times \pi \times \gamma}{c^4}\right) \times 4 \times T_{\mu\nu}$$
(39)

According to theorem 3.1 the equation can be simplified. Consequently, the conclusion is true that

$$R_{\mu\nu} - \left(\left(\frac{R}{2}\right) \times g_{\mu\nu}\right) + \left(\Lambda \times g_{\mu\nu}\right) \equiv \left(\frac{2 \times \pi \times \gamma}{c^4}\right) \times g_{\mu\nu} \times T \tag{40}$$

QUOD ERAT DEMONSTRANDUM.

⁴³EINSTEIN, A.: Die Grundlage der allgemeinen Relativitätstheorie (1916); EINSTEIN, A.: Kosmologische Betrachtungen zur allgemeinen Relativitätstheorie (1917); EINSTEIN, A. / DE SITTER, W.: On the Relation between the Expansion and the Mean Density of the Universe (1932).

Theorem 3.3 (EINSTEIN'S COSMOLOGICAL CONSTANT Λ).

Now, we can derive a completely geometrical form of Einstein's field equation's.

CLAIM.

In general, the completely geometrical form of Einstein's field equation's⁴⁴ is given by

$$\Lambda \equiv \left(\left(\frac{2 \times \pi \times \gamma}{c^4} \right) \times T \right) + \left(\frac{R}{4} \right) \tag{41}$$

PROOF BY MODUS PONENS.

If the premise of modus ponens

$$\underbrace{+1 = +1}_{(Premise)} \tag{42}$$

is true, then the following conclusion

$$\Lambda \equiv \left(\left(\frac{2 \times \pi \times \gamma}{c^4} \right) \times T \right) + \left(\frac{R}{4} \right) \tag{43}$$

is also true, again the absence of any technical errors presupposed. The premise

$$(+1) = (+1)$$
 (44)

is true. Multiplying this premise by Einstein's stress-energy tensor of general relativity, we obtain

$$(+1) \times \left(\frac{4 \times 2 \times \pi \times \gamma}{c^4}\right) \times T_{\mu\nu} \equiv (+1) \times \left(\frac{4 \times 2 \times \pi \times \gamma}{c^4}\right) \times T_{\mu\nu}$$
(45)

or

$$\left(\frac{4 \times 2 \times \pi \times \gamma}{c^4}\right) \times T_{\mu\nu} \equiv \left(\frac{2 \times \pi \times \gamma}{c^4}\right) \times 4 \times T_{\mu\nu} \tag{46}$$

Rearranging equation according to the definition 3.2 it is

$$R_{\mu\nu} - \left(\left(\frac{R}{2}\right) \times g_{\mu\nu}\right) + \left(\Lambda \times g_{\mu\nu}\right) \equiv \left(\frac{2 \times \pi \times \gamma}{c^4}\right) \times 4 \times T_{\mu\nu}$$
(47)

According to the theorem 3.1 the equation can be simplified. According to the theorem 3.2, we obtain the geometrized Einstein's field equation as

$$R_{\mu\nu} - \left(\left(\frac{R}{2}\right) \times g_{\mu\nu}\right) + \left(\Lambda \times g_{\mu\nu}\right) \equiv \left(\frac{2 \times \pi \times \gamma}{c^4}\right) \times g_{\mu\nu} \times T$$
(48)

Rearranging this equation it is

$$\left(\Lambda \times g_{\mu\nu}\right) \equiv \left(\left(\frac{2 \times \pi \times \gamma}{c^4}\right) \times g_{\mu\nu} \times T\right) + \left(\left(\frac{R}{2}\right) \times g_{\mu\nu}\right) - \left(R_{\mu\nu}\right)$$
(49)

Rearranging terms, it is

$$\left(\Lambda \times g_{\mu\nu}\right) \equiv \left(\left(\left(\frac{2 \times \pi \times \gamma}{c^4}\right) \times T\right) + \left(\frac{R}{2}\right)\right) \times g_{\mu\nu} - \left(R_{\mu\nu}\right)$$
(50)

Multiplying by the inverse metric $g^{\mu\nu}$ we obtain

$$\left(\Lambda \times g_{\mu\nu}\right) \times g^{\mu\nu} \equiv \left(\left(\left(\frac{2 \times \pi \times \gamma}{c^4}\right) \times T\right) + \left(\frac{R}{2}\right)\right) \times g_{\mu\nu} \times g^{\mu\nu} - \left(R_{\mu\nu}\right) \times g^{\mu\nu}$$
(51)

⁴⁴EINSTEIN, A.: Die Grundlage der allgemeinen Relativitätstheorie (1916); EINSTEIN, A.: Kosmologische Betrachtungen zur allgemeinen Relativitätstheorie (1917); EINSTEIN, A. / DE SITTER, W.: On the Relation between the Expansion and the Mean Density of the Universe (1932).

According to the definition 3.10 and the definition 3.11, this equation simplifies as

$$(\Lambda \times 4) \equiv \left(\left(\left(\frac{2 \times \pi \times \gamma}{c^4} \right) \times T \right) + \left(\frac{R}{2} \right) \right) \times 4 - (R)$$
(52)

Dividing the equation by 4 yields

$$\Lambda \equiv \left(\left(\left(\frac{2 \times \pi \times \gamma}{c^4} \right) \times T \right) + \left(\frac{R}{2} \right) \right) - \left(\frac{R}{4} \right)$$
(53)

or

$$\Lambda \equiv \left(\left(\left(\frac{2 \times \pi \times \gamma}{c^4} \right) \times T \right) + \left(\frac{2 \times R}{2 \times 2} \right) \right) - \left(\frac{R}{4} \right)$$
(54)

or

$$\Lambda \equiv \left(\left(\frac{2 \times \pi \times \gamma}{c^4} \right) \times T \right) + \left(\frac{2 \times R}{4} \right) - \left(\frac{R}{4} \right)$$
(55)

The exact value of Einstein's cosmological constant can be calculated as

$$\Lambda \equiv \left(\left(\frac{2 \times \pi \times \gamma}{c^4} \right) \times T \right) + \left(\frac{R}{4} \right) \tag{56}$$

with the consequence that the conclusion is true.

QUOD ERAT DEMONSTRANDUM.

Theorem 3.4 (ANTI COSMOLOGICAL CONSTANT $\underline{\Lambda}$).

The value of the anti-cosmological constant can be calculated very precisely.

CLAIM.

In general, the value of the anti-cosmological constant $\underline{\Lambda}^{45}$ is given by

$$\underline{\Lambda} \equiv R - \left(\left(\left(\frac{2 \times \pi \times \gamma}{c^4} \right) \times T \right) + \left(\frac{R}{4} \right) \right)$$
(57)

PROOF BY MODUS PONENS.

If the premise of modus ponens

$$\underbrace{+1 = +1}_{(Premise)}$$
(58)

is true, then the following conclusion

$$\underline{\Lambda} \equiv R - \left(\left(\left(\frac{2 \times \pi \times \gamma}{c^4} \right) \times T \right) + \left(\frac{R}{4} \right) \right)$$
(59)

is also true, again the absence of any technical errors presupposed. The premise

$$(+1) = (+1) \tag{60}$$

is true. Multiplying this premise by Ricci scalar (see definition 3.10), we obtain

$$(+1) \times (\mathbf{R}) \equiv (+1) \times (\mathbf{R}) \tag{61}$$

or

$$R \equiv R \tag{62}$$

Adding Λ and subtracting Λ , the cosmological constant, it is

$$R - \Lambda + \Lambda \equiv R - \Lambda + \Lambda \tag{63}$$

or

$$R - \Lambda + \Lambda \equiv R \tag{64}$$

According to our definition 3.10 it is

$$\underline{\Lambda} + \underline{\Lambda} \equiv R \tag{65}$$

or

$$\underline{\Lambda} \equiv R - \Lambda \tag{66}$$

The exact value of the cosmological constant was calculated by theorem 3.3. The value of the cosmological constant Λ can be inserted into the equation before. The exact value of the anti cosmological constant can be calculated as

$$\underline{\Lambda} \equiv R - \left(\left(\left(\frac{2 \times \pi \times \gamma}{c^4} \right) \times T \right) + \left(\frac{R}{4} \right) \right)$$
(67)

with the consequence that the conclusion is true.

QUOD ERAT DEMONSTRANDUM.

⁴⁵EINSTEIN, A.: Die Grundlage der allgemeinen Relativitätstheorie (1916); EINSTEIN, A.: Kosmologische Betrachtungen zur allgemeinen Relativitätstheorie (1917); EINSTEIN, A. / DE SITTER, W.: On the Relation between the Expansion and the Mean Density of the Universe (1932).

Discussion

Einstein was one of the first to use explicitly the term "**unified field theory**"in the title⁴⁶ of a publication in 1925. In the following, Einstein himself published more than thirty technical papers on this topic. However, Einstein's unified field theory program, besides of his justified insistence on the possibility and desirability of a unified field theory, required a substantial amount of new mathematical preliminaries and methods⁴⁷ and was on the level of the mathematical possibilities at his time technically in vain.

At the heart of this enterprise was the trial to geometrize all fundamental interactions and to provide a completely geometrized⁴⁸ theory of relativity was endangered by the cosmological constant Λ , the energy density of space, or vacuum energy, and the uncertainties associated with the same. To day, there is some experimental evidence (Perlmutter et al.⁴⁹ **Supernova Cosmology Project** and Riess et al.⁵⁰ **High-Z Supernova Search Team**) that the expansion of the universe is accelerating, implying the possibility of a positive nonzero value for the cosmological constant Λ . Meanwhile we posses the theoretical possibility to calculate the value of the cosmological constant Λ very precisely.

Conclusion

In combination with other already published⁵¹ papers, Einstein's general theory of relativity is completely geometrized. The theoretical value of the cosmological constant Λ was calculated very precisely.

References

- GOENNER, Hubert F. M.: On the History of Unified Field Theories, in: Living Reviews in Relativity 1 (2004) URL: https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5256024/ (visited on 12/18/2019).
- EINSTEIN, Albert: On the Generalized Theory of Gravitation, in: Scientific American (1950), 13–17 URL: http://adsabs. harvard.edu/abs/1950SciAm.182d..13E (visited on 02/12/2019).
- BARUKČIĆ, Ilija: The Geometrization of the Electromagnetic Field, in: Journal of Applied Mathematics and Physics 12 (2016), 2135–2171.
- EINSTEIN, Albert: Kosmologische Betrachtungen zur allgemeinen Relativitätstheorie, in: Sitzungsberichte der Königlich Preußischen Akademie der Wissenschaften (Berlin), Seite 142-152. (1917) URL: http://adsabs.harvard.edu/ abs/1917SPAW......142E (visited on 02/12/2019).
- EINSTEIN, A. / DE SITTER, W.: On the Relation between the Expansion and the Mean Density of the Universe, in: Proceedings of the National Academy of Sciences of the United States of America 3 (1932), 213–214 URL: https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1076193/ (visited on 02/12/2019).
- EINSTEIN, A.: Die Grundlage der allgemeinen Relativitätstheorie, in: Annalen der Physik (1916), 769–822 URL: http://adsabs.harvard.edu/abs/1916AnP...354..769E (visited on 03/07/2019).
- RICCI, M. G. / LEVI-CIVITA, T.: Méthodes de calcul différentiel absolu et leurs applications, in: Mathematische Annalen 1 (1900), 125–201 URL: https://doi.org/10.1007/BF01454201 (visited on 05/13/2020).
- BARUKČIĆ, Ilija: Anti Einstein Refutation of Einstein's General Theory of Relativity, in: International Journal of Applied Physics and Mathematics 1 (2015), 18–28.
- Idem: Unified Field Theory, in: Journal of Applied Mathematics and Physics 08 (2016), 1379–1438 URL: https://www.scirp.org/journal/PaperInformation.aspx?PaperID=69478&#abstract (visited on 01/12/2019).
- Idem: Anti Newton Refutation Of The Constancy Of Newton's Gravitatkional Constant G: List of Abstracts, in: Quantum Theory: from Problems to Advances (QTPA 2014) : Växjö, Sweden, June 9-12, 2014 (2014), 63.
- Idem: Newton's Gravitational Constant Big G Is Not a Constant, in: Journal of Modern Physics 06 (2016), 510–522.

⁴⁶EINSTEIN, A.: Einheitliche Feldtheorie von Gravitation und Elektrizität, in: Preussische Akademie der Wissenschaften, Phys.-math. Klasse, Sitzungsberichte (1925), 414–419. (_eprint: https://onlinelibrary.wiley.com/doi/pdf/10.1002/3527608958.ch30)

⁴⁷BARUKČIĆ, I.: Unified Field Theory (2016); idem: The Geometrization of the Electromagnetic Field (2016).

⁴⁸EINSTEIN, A.: On the Generalized Theory of Gravitation (1950).

⁴⁹PERLMUTTER, S.: Measurements of Omega and Lambda from 42 High-Redshift Supernovae, in: The Astrophysical Journal 2 (1999), 565. (Publisher: IOP Publishing)

⁵⁰RIESS, Adam G.: Observational Evidence from Supernovae for an Accelerating Universe and a Cosmological Constant, in: The Astronomical Journal 3 (1998), 1009. (Publisher: IOP Publishing)

⁵¹BARUKČIĆ, I.: Unified Field Theory (2016); idem: The Geometrization of the Electromagnetic Field (2016).

- EINSTEIN, A.: Elementary Derivation of the Equivalence of Mass and Energy, in: Bulletin of the American Mathematical Society 4 (1935), 223–230 URL: https://projecteuclid.org/download/pdf_1/euclid.bams/1183498131.
- HUGHSTON, L. P. / TOD, K. P.: An introduction to general relativity (London Mathematical Society student texts 5), Cambridge ; New York 1990.
- EINSTEIN, Albert: The meaning of relativity. Four lectures delivered at Princeton University, May, 1921, Princeton 1923 (visited on 03/07/2019).
- LAUE, M.: Zur Dynamik der Relativitätstheorie, in: Annalen der Physik 8 (1911), 524–542 URL: https://onlinelibrary. wiley.com/doi/pdf/10.1002/andp.19113400808 (visited on 05/16/2020).
- EINSTEIN, Albert / GROSSMANN, Marcel: Entwurf einer verallgemeinerten Relativitätstheorie und einer Theorie der Gravitation: Physikalischer Teil von Albert Einstein. Mathematischer Teil von Marcel Grossmann, Leipzig 1913.
- HILBERT, David: Axiomatisches Denken, in: Mathematische Annalen 1 (1917), 405–415 URL: https://doi.org/10. 1007/BF01457115 (visited on 05/30/2019).
- EASWARAN, Kenny: The Role of Axioms in Mathematics, in: Erkenntnis 3 (2008), 381–391 URL: https://doi.org/10. 1007/s10670-008-9106-1 (visited on 12/08/2019).
- EINSTEIN, Albert: Induktion and Deduktion in der Physik, in: Berliner Tageblatt and Handelszeitung (1919), Suppl. 4 URL: https://einsteinpapers.press.princeton.edu/vol7-trans/124.
- LEIBNIZ, Gottfried Wilhelm: Oeuvres philosophiques latines & françoises de feu Mr. de Leibnitz, Amsterdam (NL) 1765 URL: https://archive.org/details/oeuvresphilosoph00leibuoft/page/n9 (visited on 01/16/2019).
- BARUKČIĆ, Ilija: Aristotle's law of contradiction and Einstein's special theory of relativity, in: Journal of Drug Delivery and Therapeutics 2 (2019), 125–143 URL: http://jddtonline.info/index.php/jddt/article/view/2389 (visited on 03/16/2019).
- LEHMKUHL, D.: Mass-Energy-Momentum: Only there Because of Spacetime?, in: The British Journal for the Philosophy of Science 3 (2011), 453–488 URL: https://academic.oup.com/bjps/article-lookup/doi/10.1093/bjps/axr003 (visited on 05/16/2020).
- LEHMKUHL, Dennis: Why Einstein did not believe that general relativity geometrizes gravity, in: Studies in History and Philosophy of Science Part B: Studies in History and Philosophy of Modern Physics (2014), 316–326 URL: http://www.sciencedirect.com/science/article/pii/S1355219813000695 (visited on 07/14/2019).
- EINSTEIN, A.: Einheitliche Feldtheorie von Gravitation und Elektrizität, in: Preussische Akademie der Wissenschaften, Phys.math. Klasse, Sitzungsberichte (1925), 414–419 (visited on 05/16/2020). (_eprint: https://onlinelibrary.wiley.com/doi/pdf/10.1002/3527608
- PERLMUTTER, S.: Measurements of Omega and Lambda from 42 High-Redshift Supernovae, in: The Astrophysical Journal 2 (1999), 565 URL: https://iopscience.iop.org/article/10.1086/307221/meta (visited on 05/16/2020). (Publisher: IOP Publishing)
- RIESS, Adam G.: Observational Evidence from Supernovae for an Accelerating Universe and a Cosmological Constant, in: The Astronomical Journal 3 (1998), 1009 URL: https://iopscience.iop.org/article/10.1086/300499/ meta (visited on 05/16/2020). (Publisher: IOP Publishing)

Acknowledgements

None.

Author contributions statement

Ilija Barukčić is the only author of this manuscript.

Conflict of Interest Statement

Ilija Barukčić declares that the research was conducted in the absence of any commercial or financial relationships that could be construed as a potential conflict of interest. There are no conflict of interest exists according to the guidelines of the International Committee of Medical Journal Editors.

Financial support and sponsorship

Nil.