

Supplement Formulas of the Fine-structure Constant α , New Formulas of Euler Number e and their Relationships with Nuclides

Gang Chen[†], Tianman Chen, Tianyi Chen

Guangzhou Huifu Research Institute Co., Ltd., Guangzhou, P. R. China

7-20-4, Greenwich Village, Wangjianglu 1, Chengdu, P. R. China

[†]Correspondence to: gang137.chen@connect.polyu.hk

Dedicated to Prof. Albert Sun-Chi Chan on the occasion of his 70th birthday

Abstract

This paper is a subsequent paper to the paper “Chen’s Formulas of the Fine-structure Constant” (viXra:2002.0203) for giving some supplements. In the previous paper, many formulas of the fine-structure constant α based on the most important key number 112 had been given. In this paper, some new formulas of α based on a subsequent key number 173 were deduced, some formulas of α were expressed with large integers, some new formulas of Euler number e and their relationships with nuclides were given, the relationships of some formulas of 2π with nuclides were revealed, the relationships between some constants (e , γ , γ_c , γ_g and γ_{cg}) and nuclides were disclosed, a picture showing the unification of mathematics and physics through α was depicted, the most important formula of the speed of light in atomic unites c_{au} was revised to be more reasonable, a Fibonacci sequence containing 173 and its relationships with nuclides were proposed, the meanings of the values of α and c_{au} were discovered, and some formulas of α based on 137 were presented.

Keywords: formulas of the fine-structure constant α , formulas of Euler number e ; the speed of light; the unification of mathematics and physics; relationships; nuclides.


1. Construct formulas of α with 173 instead of 112

Referring to $_{112}\text{Cn}_{173}$, $_{137}\text{Fy}_{209}$ and $_{173}\text{Ch}_{261,262}$ presented in the previous paper “Chen’s Formulas of the Fine-structure Constant” (viXra:2002.0203)¹, the natural end of elements is $_{112}\text{Cn}$, the Fynmann end of elements is $_{137}\text{Fy}$, and the end of ideal extended elements is $_{173}\text{Ch}$. We had already constructed formulas of α with 112 which

is double of the most stable number 56 in the world of nuclides according to our Chirality and Poetry Model of Atomic Nuclei², and 173 seems to be a subsequent stable number connected to 112, so it should be possible to construct some reasonable (but may less important) formulas of α with 173 instead of 112 as follows. And the factors in these formulas are supposed to relate to nuclides as in the previous paper¹.


$$\alpha_{1-(173)} = \frac{8}{e^2 \frac{e^2}{\left(\frac{2}{1}\right)^3} \frac{e^2}{\left(\frac{3}{2}\right)^5} \frac{e^2}{\left(\frac{4}{3}\right)^7} \dots \frac{e^2}{\left(\frac{20}{19}\right)^{39}}} \frac{1}{173 + \frac{1}{31} - \frac{1}{10 \cdot 227 - \frac{103}{7 \cdot 193} \text{ or } \frac{60}{6 \cdot 131 + 1} \text{ or } \frac{112}{13 \cdot 113}}}$$

$$= 1/137.035999037435$$




$$\alpha_{1-(173)-Wallis} = \frac{2}{\left(2 \frac{2}{3} \frac{4}{3} \frac{4}{5} \frac{6}{5} \frac{6}{7} \frac{8}{7} \dots \frac{58}{59} \frac{4 \cdot 3 \cdot 5}{2 \cdot 29 + 1}\right)} \frac{1}{173 + \frac{1}{31} - \frac{1}{8 \cdot 11 \cdot 23 + \frac{171}{2 \cdot 112}}}$$

$$= 1/137.035999037435$$




$$\alpha_{1-(173)-GL} = \frac{1}{1 - \frac{1}{3} + \frac{1}{5} - \frac{1}{7} + \dots + \frac{1}{2 \cdot 2 \cdot 19 + 1}} \frac{1}{173 + \frac{1}{14} - \frac{1}{4 \cdot 61} + \frac{1}{2 \cdot 173 \cdot 191 + \frac{1}{50}}}$$

$$= 1/137.035999037435$$



$$\alpha_{1-(173)-NC} = \frac{8}{(2\pi)_{NC-1}} \frac{1}{173 + \frac{1}{10} - \frac{1}{17 \cdot 31} + \frac{1}{2 \cdot 47 \cdot 53 \cdot 127}} = 1/137.035999037435$$


$$= \frac{8}{6 + \frac{1}{3}} \frac{1}{173 + \frac{1}{10} - \frac{9 \cdot 19 \cdot (3 \cdot 11 \cdot 112 + 1)}{2 \cdot 17 \cdot 31 \cdot 47 \cdot 53 \cdot 127}} = \frac{24}{19} \frac{1}{173 + \frac{1}{10} - \frac{171 \cdot (2 \cdot 43^2 - 1)}{2 \cdot 17 \cdot 31 \cdot 47 \cdot 53 \cdot 127}}$$



Note: $(2\pi)_{NC} = 6 + \sum_{n=1}^k \frac{(-1)^{n+1}}{n(n+1/2)(n+1)}$


$$\alpha_{1-15(173)} = \frac{7 \cdot 17}{3 \cdot 5 \cdot e^2 \frac{e^2}{\left(\frac{2}{1}\right)^3} \frac{e^2}{\left(\frac{3}{2}\right)^5} \frac{e^2}{\left(\frac{4}{3}\right)^7} \dots \frac{e^2}{\left(\frac{2 \cdot (6 \cdot 47 - 1)}{6 \cdot 11 \cdot 17 + 1}\right)^{3 \cdot 7 \cdot 107}}} \frac{1}{173 + \frac{1}{20 \cdot (138 + 1) \cdot 227}}$$

$$= 1/137.035999037435$$




$$\alpha_{1-15(173)-Wallis} = \frac{7 \cdot 17}{4 \cdot 3 \cdot 5 \cdot \left(2 \frac{2}{3} \frac{4}{3} \frac{4}{5} \frac{6}{5} \dots \frac{3370}{3371} \frac{4 \cdot 3 \cdot 281}{2 \cdot 5 \cdot 337 + 1}\right)} \frac{1}{173 + \frac{1}{11 \cdot 103 \cdot (18 \cdot 31 - 1) + \frac{7}{10}}}$$

$$= 1/137.035999037435$$




$$\alpha_{1-15(173)-GL} = \frac{7 \cdot 17}{8 \cdot 3 \cdot 5 \cdot \left(1 - \frac{1}{3} + \frac{1}{5} - \frac{1}{7} + \dots + \frac{1}{2 \cdot 2 \cdot 29 \cdot 37 + 1}\right)} \frac{1}{173 + \frac{1}{2 \cdot 19 \cdot 23 \cdot 157 - \frac{10}{13}}}$$

$$= 1/137.035999037435$$




$$\alpha_{1-15(173)-NC} = \frac{7 \cdot 17}{3 \cdot 5 \cdot (2\pi)_{NC-9}} \frac{1}{173 + \frac{1}{2 \cdot 41} - \frac{1}{2 \cdot 9 \cdot (2 \cdot 199 - 1) - \frac{29}{139}}}$$

$$= 1/137.035999037435$$




$$\alpha_{1-59(173)} = \frac{4 \cdot 9 \cdot 13}{59 \cdot e^2 \frac{e^2}{\left(\frac{2}{1}\right)^3} \frac{e^2}{\left(\frac{3}{2}\right)^5} \frac{e^2}{\left(\frac{4}{3}\right)^7} \dots \frac{e^2}{\left(\frac{2 \cdot (8 \cdot 13 \cdot 137 + 1)}{3 \cdot 7 \cdot 23 \cdot 59}\right)^{5 \cdot (82 \cdot 139 + 1)}}} \frac{1}{173 + \frac{2 \cdot 9 \cdot 11 \cdot 59}{5 \cdot 10^{11}}}$$

$$= 1/137.035999037435$$




$$\alpha_{1-59(173)-Wallis} = \frac{9 \cdot 13}{59 \cdot \left(2 \frac{2}{3} \frac{4}{3} \frac{4}{5} \frac{6}{5} \dots \frac{85482}{85483} \frac{4 \cdot 7 \cdot 43 \cdot 71}{2 \cdot 27 \cdot (2 \cdot 7 \cdot 113 + 1)}\right)} \frac{1}{173 + \frac{9 \cdot 7 \cdot 71}{4 \cdot 10^{11}}}$$

$$= 1/137.035999037435$$




$$\alpha_{1-59(173)-GL} = \frac{9 \cdot 13}{2 \cdot 59 \cdot (1 - \frac{1}{3} + \frac{1}{5} - \frac{1}{7} + \dots + \frac{1}{2 \cdot 4 \cdot 3 \cdot 5 \cdot (4 \cdot 227 - 1) + 1})} \frac{1}{173 + \frac{9 \cdot 79}{4 \cdot 10^{10}}}$$

$$= 1/137.035999037435$$




$$\alpha_{1-59(173)-NC} = \frac{4 \cdot 9 \cdot 13}{59 \cdot (2\pi)_{NC-23}} \frac{1}{173 + \frac{1}{32 \cdot 9 \cdot (10 \cdot 19 + 1) - \frac{29}{2 \cdot 17}}} = 1/137.035999037435$$




$$\alpha_{2-1(173)} = \frac{e^2 \frac{e^2}{(\frac{2}{-})^3} \frac{e^2}{(\frac{3}{-})^5} \frac{e^2}{(\frac{4}{-})^7} \dots \frac{e^2}{(\frac{37}{-})^{73}}}{5} \frac{1}{173 - \frac{1}{5 \cdot 11} + \frac{1}{2 \cdot 7 \cdot (2 \cdot 17^2 - 1) + \frac{2 \cdot 47}{3 \cdot 103} \text{ or } \frac{5 \cdot 23}{14 \cdot 27}}}$$

$$= 1/137.035999111818$$




$$\alpha_{2-1(173)-Wallis} = \frac{4 \cdot (2 \frac{2}{3} \frac{4}{3} \frac{4}{5} \frac{6}{5} \dots \frac{108}{109} \frac{2 \cdot 5 \cdot 11}{2 \cdot 2 \cdot 27 + 1})}{5} \frac{1}{173 - \frac{1}{7 \cdot 13} + \frac{1}{4 \cdot 25 \cdot 19 \cdot 23 - \frac{10}{71}}}$$

$$= 1/137.035999111818$$




$$\alpha_{2-1(173)-GL} = \frac{8 \cdot (1 - \frac{1}{3} + \frac{1}{5} - \frac{1}{7} + \dots + \frac{1}{2 \cdot 4 \cdot 17 + 1})}{5} \frac{1}{173 - \frac{1}{128 \cdot 7} + \frac{1}{5 \cdot 11^2 \cdot 19 \cdot 73}}$$

$$= 1/137.035999111818$$




$$\alpha_{2-1(173)-NC} = \frac{(2\pi)_{NC-3}}{5} \frac{1}{173-1+\frac{1}{2}-\frac{1}{10}+\frac{1}{2\cdot 5\cdot 23}-\frac{1}{4\cdot 9\cdot 7\cdot (400+1)}+\frac{1}{10}}$$

$$= 1/137.035999111818$$




$$\alpha_{2-44(173)} = \frac{4\cdot 11\cdot e^2 \frac{e^2}{\left(\frac{2}{1}\right)^3} \frac{e^2}{\left(\frac{3}{2}\right)^5} \frac{e^2}{\left(\frac{4}{3}\right)^7} \dots \frac{e^2}{\left(\frac{3\cdot (8\cdot 131+1)}{2\cdot 11^2\cdot 13}\right)^{7\cdot 29\cdot 31}}}{3\cdot 7\cdot 3} \frac{1}{173-\frac{1}{11\cdot 29\cdot (62\cdot 59+1)}+\frac{5}{6}}$$

$$= 1/137.035999111818$$




$$\alpha_{2-44(173)-Wallis} = \frac{16\cdot 11\cdot \left(2\frac{2}{3}\frac{4}{3}\dots\frac{9440}{9441}\frac{9442}{2\cdot 16\cdot 5\cdot 59+1}\right)}{3\cdot 7\cdot 3} \frac{1}{173-\frac{1}{59\cdot (2\cdot 3\cdot 7\cdot 13\cdot 17+1)}-\frac{4}{11}}$$

$$= 1/137.035999111818$$




$$\alpha_{2-44(173)-GL} = \frac{32\cdot 11\cdot \left(1-\frac{1}{3}+\frac{1}{5}-\dots+\frac{1}{2\cdot 10\cdot (14\cdot 43-1)+1}\right)}{3\cdot 7\cdot 3} \frac{1}{173-\frac{1}{(8\cdot 61-1)\cdot (42\cdot 23-1)}}$$

$$= 1/137.035999111818$$




$$\alpha_{2-44(173)-NC} = \frac{4\cdot 11\cdot (2\pi)_{11}}{3\cdot 7\cdot 3} \frac{1}{173-\frac{1}{7\cdot 113}+\frac{2\cdot 7\cdot 29\cdot 31\cdot 47}{25\cdot 10^{11}}} = 1/137.035999111818$$




$$\alpha_{2-45(173)} = \frac{9 \cdot 5 \cdot e^2 \frac{e^2}{\left(\frac{2}{1}\right)^3} \frac{e^2}{\left(\frac{3}{2}\right)^5} \frac{e^2}{\left(\frac{4}{3}\right)^7} \dots \frac{e^2}{\left(\frac{8 \cdot 5 \cdot 27}{13 \cdot 83}\right)^{17 \cdot 127}}}{2 \cdot 112} \frac{1}{173 - \frac{1}{2 \cdot 151 \cdot 173 - \frac{9}{8 \cdot 5}}}$$

$$= 1/137.035999111818$$




$$\alpha_{2-45(173)-Wallis} = \frac{9 \cdot 5 \cdot \left(2 \frac{2}{3} \frac{4}{3} \dots \frac{3236}{3237} \frac{2 \cdot (20 \cdot 81 - 1)}{2 \cdot 2 \cdot (8 \cdot 101 + 1) + 1}\right)}{8 \cdot 7} \frac{1}{173 - \frac{1}{8 \cdot 101 \cdot (4 \cdot 9 \cdot 13 - 1) - \frac{2}{15}}}$$

$$= 1/137.035999111818$$




$$\alpha_{2-45(173)-GL} = \frac{9 \cdot 5 \cdot \left(1 - \frac{1}{3} + \frac{1}{5} - \dots + \frac{1}{2 \cdot 2 \cdot (10 \cdot 103 + 1) + 1}\right)}{4 \cdot 7} \frac{1}{173 - \frac{1}{4 \cdot 17 \cdot (44 \cdot 13 - 1) - \frac{32}{3 \cdot 19}}}$$

$$= 1/137.035999111818$$



$$\alpha_{2-45(173)-NC} = \frac{9 \cdot 5 \cdot (2\pi)_7}{2 \cdot 112} \frac{1}{173 - \frac{1}{3 \cdot 17 \cdot 59 + \frac{121}{320}}} = \frac{9 \cdot 5 \cdot (2\pi)_7}{2 \cdot 112} \frac{1}{173 - \frac{1}{2 \cdot 5 \cdot 7 \cdot 43 - \frac{199}{320}}}$$


$$= 1/137.035999111818$$



$$\alpha_{2-87(173)} = \frac{3 \cdot 29 \cdot e^2 \frac{e^2}{\left(\frac{2}{1}\right)^3} \frac{e^2}{\left(\frac{3}{2}\right)^5} \frac{e^2}{\left(\frac{4}{3}\right)^7} \dots \frac{e^2}{\left(\frac{341846}{341845}\right)^{683691}}}{14 \cdot 31 - 1} \frac{1}{173 - \frac{14560}{10^{13}}}$$

$$= \frac{3 \cdot 29 \cdot e^2 e^2 \frac{e^2}{\left(\frac{2}{1}\right)^3} \frac{e^2}{\left(\frac{3}{2}\right)^5} \frac{e^2}{\left(\frac{4}{3}\right)^7} \dots \frac{e^2}{\left(\frac{2 \cdot 59 \cdot (2 \cdot 9 \cdot 7 \cdot 23 - 1)}{5 \cdot 7 \cdot (24 \cdot 11 \cdot 37 - 1)}\right)^{3 \cdot (4 \cdot 163 + 1) \cdot (12 \cdot 29 + 1)}}}{2 \cdot 7 \cdot 31 - 1} \frac{1}{173 - \frac{112 \cdot 13}{10^{12}}}$$


$$= 1/137.035999111818$$



$$\alpha_{2-87(173)-Wallis} = \frac{4 \cdot 87 \cdot \left(2 \frac{2}{3} \frac{4}{3} \frac{4}{5} \frac{6}{5} \dots \frac{1044088}{1044089} \frac{1044090}{1044089+1}\right)}{433} \frac{1}{173 - \frac{434 \text{ or } 435}{10^{13}}}$$


$$= \frac{4 \cdot 3 \cdot 29 \cdot \left(2 \frac{2}{3} \frac{4}{3} \frac{4}{5} \frac{6}{5} \dots \frac{1044088}{1044089} \frac{2 \cdot 81 \cdot 5 \cdot (23 \cdot 56 + 1)}{2 \cdot 4 \cdot 19 \cdot (4 \cdot 17 \cdot 101 + 1)}\right)}{2 \cdot 7 \cdot 31 - 1} \frac{1}{173 - \frac{7 \cdot 31}{5 \cdot 10^{12}} \text{ or } \frac{3 \cdot 29}{2 \cdot 10^{12}}}$$

$$= 1/137.035999111818$$




$$\alpha_{2-87(173)-GL} = \frac{8 \cdot 3 \cdot 29 \cdot \left(1 - \frac{1}{3} + \frac{1}{5} - \frac{1}{7} + \dots + \frac{1}{2 \cdot 16 \cdot (72 \cdot (2 \cdot 17^2 - 1) + 1)}\right)}{2 \cdot 7 \cdot 31 - 1} \frac{1}{173 - \frac{137}{125 \cdot 10^{11}}}$$

$$= 1/137.035999111818$$




$$\alpha_{2-87(173)-NC} = \frac{3 \cdot 29 \cdot (2\pi)_{NC-55}}{2 \cdot 7 \cdot 31 - 1} \frac{1}{173 - \frac{1}{2 \cdot 3 \cdot 7 \cdot 29 \cdot 61 + \frac{7}{4 \cdot 3}}} = 1/137.035999111818$$




$$\alpha_{2-89(173)} = \frac{89 \cdot e^2 \frac{e^2}{\left(\frac{2}{1}\right)^3} \frac{e^2}{\left(\frac{3}{2}\right)^5} \frac{e^2}{\left(\frac{4}{3}\right)^7} \dots \frac{e^2}{\left(\frac{3 \cdot 13 \cdot 41}{2 \cdot 17 \cdot 47}\right)^{23 \cdot (138+1)}}}{2 \cdot 13 \cdot 17 + 1} \frac{1}{173 - \frac{1}{7 \cdot 17 \cdot (4 \cdot 11 \cdot 29 + 1) + \frac{2}{25}}}$$

$$= 1/137.035999111818$$




$$\alpha_{2-89(173)\text{-Wallis}} = \frac{4 \cdot 89 \cdot \left(2 \frac{2}{3} \frac{4}{3} \frac{4}{5} \frac{6}{5} \dots \frac{4794}{4795} \frac{4 \cdot 11 \cdot 109}{2 \cdot 3 \cdot 17 \cdot 47 + 1}\right)}{4 \cdot 3 \cdot 37 - 1} \frac{1}{173 - \frac{1}{2 \cdot 49 \cdot (32 \cdot 113 + 1) + \frac{7}{8}}}$$

$$= 1/137.035999111818$$




$$\alpha_{2-89(173)\text{-GL}} = \frac{8 \cdot 89 \cdot \left(1 - \frac{1}{3} + \frac{1}{5} - \dots + \frac{1}{2 \cdot 4 \cdot 7 \cdot 109 + 1}\right)}{4 \cdot 3 \cdot 37 - 1} \frac{1}{173 - \frac{1}{9 \cdot (4 \cdot 5 \cdot 49 \cdot 47 + 1) + \frac{3}{8}}}$$

$$= 1/137.035999111818$$



$$\alpha_{2-89(173)\text{-NC}} = \frac{89 \cdot (2\pi)_{\text{NC-9}}}{4 \cdot 3 \cdot 37 - 1} \frac{1}{173 - \frac{1}{9 \cdot 25} + \frac{1}{13 \cdot (2 \cdot 3 \cdot 7 \cdot 19^2 - 1) + \frac{6}{17}}}$$


$$= 1/137.035999111818$$



$$\alpha_{2-131(173)}$$


$$= \frac{131 \cdot e^2 \frac{e^2}{\left(\frac{2}{1}\right)^3} \frac{e^2}{\left(\frac{3}{2}\right)^5} \frac{e^2}{\left(\frac{4}{3}\right)^7} \dots \frac{e^2}{\left(\frac{4 \cdot 3 \cdot 13 \cdot 59}{2 \cdot 43 \cdot 107 + 1}\right)^{79 \cdot (8 \cdot 29 + 1)}}}{4 \cdot 163} \frac{1}{173 - \frac{4 \cdot 59 \cdot (2 \cdot 11 \cdot 19 + 1)}{25 \cdot 10^{11}}}$$

$$= 1/137.035999111818$$




$$\alpha_{2-131(173)\text{-Wallis}} = \frac{131 \cdot \left(2 \frac{2}{3} \frac{4}{3} \dots \frac{27610}{27611} \frac{4 \cdot 9 \cdot 13 \cdot 59}{2 \cdot 2 \cdot 5 \cdot 11 \cdot (4 \cdot 9 \cdot 7 - 1) + 1}\right)}{163} \frac{1}{173 - \frac{8 \cdot 67 \cdot 157}{25 \cdot 10^{11}}}$$

$$= 1/137.035999111818$$




$$\alpha_{2-131(173)\text{-GL}} = \frac{2 \cdot 131 \cdot \left(1 - \frac{1}{3} + \frac{1}{5} - \dots + \frac{1}{2 \cdot 2 \cdot 11 \cdot 17 \cdot 47 + 1}\right)}{163} \frac{1}{173 - \frac{11 \cdot 67 \cdot 97}{4 \cdot 10^{11}}}$$

$$= 1/137.035999111818$$



$$\alpha_{2-131(173)\text{-NC}} = \frac{131 \cdot (2\pi)_{\text{NC}-17}}{4 \cdot 163} \frac{1}{173 - \frac{1}{20 \cdot 64} + \frac{49 \cdot (12 \cdot 269 + 1)}{25 \cdot 10^{11}}}$$


$$= 1/137.035999111818$$



$\alpha_{2-175(173)}$


$$= \frac{7 \cdot 25 \cdot e^2 \cdot \frac{e^2}{\left(\frac{2}{1}\right)^3} \cdot \frac{e^2}{\left(\frac{3}{2}\right)^5} \cdot \frac{e^2}{\left(\frac{4}{3}\right)^7} \cdots \frac{e^2}{\left(\frac{4 \cdot 3 \cdot 11 \cdot 47 - 1}{14 \cdot (2 \cdot 13 \cdot 17 + 1)}\right)^{15 \cdot (14 \cdot 59 + 1)}}}{13 \cdot 67} \cdot \frac{1}{173 - \frac{1}{2 \cdot 167 \cdot (32 \cdot 3 \cdot 49 - 1)}}$$

$$= 1/137.035999111818$$

 $\alpha_{2-175(173)-Wallix}$


$$= \frac{4 \cdot 7 \cdot 25 \cdot \left(2 \frac{2 \ 4 \ 4 \ 6 \ 6 \ 8}{3 \ 3 \ 5 \ 5 \ 7 \ 7} \cdots \frac{18606}{19607} \frac{16 \cdot (2 \cdot 7 \cdot 83 + 1)}{2 \cdot 3 \cdot 7 \cdot (2 \cdot 13 \cdot 17 + 1) + 1}\right)}{13 \cdot 67} \cdot \frac{1}{173 - \frac{1}{5 \cdot (16 \cdot 9 \cdot 5 \cdot 17 \cdot 41 + 1)}}$$

$$= 1/137.035999111818$$


 $\alpha_{2-175(173)-GL}$

$$= \frac{8 \cdot 7 \cdot 25 \cdot \left(1 - \frac{1}{3} + \frac{1}{5} - \cdots + \frac{1}{2 \cdot 2 \cdot (2 \cdot 9 \cdot 7 \cdot 47 + 1) + 1}\right)}{13 \cdot 67} \cdot \frac{1}{173 - \frac{1}{5 \cdot 59 \cdot (4 \cdot 5 \cdot 13 \cdot 17 + 1)}}$$

$$= 1/137.035999111818$$



$$\alpha_{2-175(173)-NC} = \frac{7 \cdot 25 \cdot (2\pi)_{NC-15}}{13 \cdot 67} \cdot \frac{1}{173 - \frac{1}{2 \cdot (3 \cdot 128 - 1)} + \frac{1}{125 \cdot 7 \cdot 29^2}} = 1/137.035999111818$$




2. Formulas of α_{1-7-NC} and $\alpha_{2-13-NC}$ expressed with large integers

$$\begin{aligned}
 \alpha_{1-7-NC} &= \frac{36}{7 \cdot (2\pi)_{NC-3}} \frac{1}{112 + \frac{1}{4 \cdot 7} - \frac{1}{2 \cdot 5 \cdot (3 \cdot 7)^2 - \frac{113}{7 \cdot 17}}} \\
 &= \frac{36}{7 \cdot (6 + \sum_{n=1}^3 \frac{(-1)^{n+1}}{n(n+1/2)(n+1)})} \frac{1}{112 + \frac{1}{4 \cdot 7} - \frac{1}{2 \cdot 5 \cdot (3 \cdot 7)^2 - \frac{113}{7 \cdot 17}}} \\
 &= \frac{36}{7 \cdot (6 + \frac{1}{1 \cdot \frac{3}{2} \cdot 2} - \frac{1}{2 \cdot \frac{5}{2} \cdot 3} + \frac{1}{3 \cdot \frac{7}{2} \cdot 4})} \frac{1}{112 + \frac{1}{4 \cdot 7} - \frac{1}{2 \cdot 5 \cdot (3 \cdot 7)^2 - \frac{113}{7 \cdot 17}}} \\
 &= \frac{36}{7 \cdot (6 + \frac{1}{3} - \frac{1}{15} + \frac{1}{42})} \frac{1}{112 + \frac{1}{4 \cdot 7} - \frac{1}{2 \cdot 5 \cdot (3 \cdot 7)^2 - \frac{113}{7 \cdot 17}}} \\
 &= \frac{36}{7 \cdot (6 + \frac{61}{210})} \frac{1}{112 + \frac{1}{4 \cdot 7} - \frac{1}{2 \cdot 5 \cdot (3 \cdot 7)^2 - \frac{113}{7 \cdot 17}}} \\
 &= \frac{36}{7 \cdot (\frac{44}{7} + \frac{1}{210})} \frac{1}{112 + \frac{1}{4 \cdot 7} - \frac{1}{2 \cdot 5 \cdot (3 \cdot 7)^2 - \frac{113}{7 \cdot 17}}} \\
 &= \frac{36}{44 + \frac{1}{30}} \frac{1}{112 + \frac{1}{4 \cdot 7} - \frac{1}{41 \cdot 67 \cdot 191}} \\
 &= \frac{1080}{1321} \frac{1}{112 + \frac{5 \cdot 11 \cdot 9479}{4 \cdot 7 \cdot 41 \cdot 67 \cdot 191}} = \frac{1080}{1321} \frac{28 \cdot 41 \cdot 67 \cdot 191}{81 \cdot 89 \cdot 229 \cdot 997} \\
 &= \frac{2^5 \cdot 5 \cdot 7 \cdot (2^3 \cdot 5 + 1)(2 \cdot 3 \cdot 11 + 1)(2 \cdot 5 \cdot 19 + 1)}{3 \cdot (2^3 \cdot 11 + 1)(2^3 \cdot 3 \cdot 5 \cdot 11 + 1)(4 \cdot 3 \cdot 19 + 1)(4 \cdot 3 \cdot 83 + 1)} \\
 &= 1/137.035999037435
 \end{aligned}$$

$^{10,11}_5 B_{5,6}$	$^{14,15}_7 N_{7,8}$	$^{19}_9 F_{10}$	$^{20,21,22}_{10} Ne_{10,11,12}$	$^{23}_{11} Na_{12}$	$^{28,29,30}_{14} Si_{14,15,16}$	$^{35,37}_{17} Cl_{18,20}$	$^{39,40,41}_{19} K_{20,21,22}$
$^{45}_{21} Sc_{24}$	$^{46,47,48,49,50}_{22} Ti_{24,25,26,27,28}$	$^{58,60,61,62,64}_{28} Ni_{30,32,33,34,36}$	$^{64,66,67,68,70}_{30} Zn_{34,36,37,38,40}$	$^{73}_{32} Ge_{41}$			
$^{79,81}_{35} Br_{44,46}$	$^{82,83,84}_{36} Kr_{46,47,48}$	$^{89}_{39} Y_{50}$	$^{96,98,99,100,101,102,104}_{44} Ru_{52,54,55,56,57,58,60}$	$^{112,113}_{48} Cd_{64,65}$			
$^{113,115}_{49} In_{64,66}$	$^{112-120,122,124}_{50} Sn_{62-70,72,74}$	$^{136,137,138}_{56} Ba_{80,81,82}$	$^{140,142}_{58} Ce_{82,84}$	$^{151,153}_{63} Eu_{88,90}$	$^{165}_{67} Ho_{98}$		
$^{164,166,167,168,170}_{68} Er_{96,98,99,100,102}$	$^{169}_{69} Tm_{100}$	$^{185,11-17}_{75} Re_{110,112}$	$^{188,9-21}_{76} Os_{112,113}$	$^{191,193}_{77} Ir_{114,116}$			
$^{199,200,201}_{80} Hg_{119,120,121}$	$^{208}_{82} Pt_{126}$	$^{11-19}_{83} Bi^*_{126}$	$^{11-19}_{84} Po^*_{125}$	$^{222}_{86} Rn^*_{136}$	$^{223}_{87} Fr^*_{136}$	$^{226}_{88} Ra^*_{138}$	$^{227}_{89} Ac^*_{138}$
$^{15-19}_{112} Cn^*_{173}$	$^{22-13}_{113} Nh^{ie}_{173}$	$^{318,11-29,320}_{127} Ch^*_{191,192,193}$	$^{344,2-173,348}_{136,137,138} Fy^{ie}_{208,11-19,210}$	$^{22-17}_{148} Ch^*_{226}$	$^{380}_{151} Ch^*_{229}$		

$$\alpha_{2-13-NC} = \frac{13 \cdot (2\pi)_{NC-5}}{100} \frac{1}{112 - \frac{1}{4 \cdot 9} + \frac{1}{1600} - \frac{1}{2(2 \cdot 7 \cdot 199 \cdot 257 + 1)}}$$

$$= 1/137.035999111818$$



$$(2\pi)_{NC-5} = 6 + \sum_{n=1}^5 \frac{(-1)^{n+1}}{n(n+1/2)(n+1)} = 6 + \frac{1}{1 \cdot 3} - \frac{1}{3 \cdot 5} + \frac{1}{2 \cdot 3 \cdot 7} - \frac{1}{2 \cdot 3^2 \cdot 5} + \frac{1}{3 \cdot 5 \cdot 11}$$

$$= 6 + \frac{2 \cdot 3 \cdot 5 \cdot 7 \cdot 11}{2 \cdot 3^2 \cdot 5 \cdot 7 \cdot 11} - \frac{2 \cdot 3 \cdot 7 \cdot 11}{2 \cdot 3^2 \cdot 5 \cdot 7 \cdot 11} + \frac{3 \cdot 5 \cdot 11}{2 \cdot 3^2 \cdot 5 \cdot 7 \cdot 11} - \frac{7 \cdot 11}{2 \cdot 3^2 \cdot 5 \cdot 7 \cdot 11} + \frac{2 \cdot 3 \cdot 7}{2 \cdot 3^2 \cdot 5 \cdot 7 \cdot 11}$$


$$= 6 + \frac{2310 - 462 + 165 - 77 + 42}{2 \cdot 3^2 \cdot 5 \cdot 7 \cdot 11} = 6 + \frac{1978}{2 \cdot 3^2 \cdot 5 \cdot 7 \cdot 11} = 6 + \frac{989}{5 \cdot 7 \cdot 9 \cdot 11} = \frac{29 \cdot 751}{5 \cdot 7 \cdot 9 \cdot 11}$$

$$\alpha_{2-13-NC} = \frac{13 \cdot 29 \cdot (2 \cdot 3 \cdot 5^3 + 1)}{2^2 \cdot 5^3 \cdot 7 \cdot 9 \cdot 11} \frac{1}{112 - \frac{1}{4 \cdot 9} + \frac{1}{1600} - \frac{1}{2(2 \cdot 7 \cdot 199 \cdot 257 + 1)}}$$

$$= \frac{13 \cdot 29 \cdot (2 \cdot 3 \cdot 5^3 + 1)}{2^2 \cdot 5^3 \cdot 7 \cdot 9 \cdot 11} \frac{1}{112 - \frac{1}{2} \left(\frac{1}{2 \cdot 9} - \frac{1}{800} + \frac{1}{(2 \cdot 7 \cdot 199 \cdot 257 + 1)} \right)}$$

$$= \frac{13 \cdot 29 \cdot (2 \cdot 3 \cdot 5^3 + 1)}{2^2 \cdot 3^2 \cdot 5^3 \cdot 7 \cdot 11} \frac{1}{112 - \frac{13 \cdot 19 \cdot (2 \cdot 17^2 \cdot 37 \cdot 53 + 1)}{2^6 \cdot 3^2 \cdot 5^2 \cdot (2 \cdot 7 \cdot 199 \cdot 257 + 1)}}$$

$$= 1/137.035999111818$$



3. Deduction of new formulas of e

Define $\infty = \lim_{n \rightarrow \infty} n$

$$e = \left(1 + \frac{1}{\infty}\right)^\infty = 1 + \frac{\infty}{1! \infty} + \frac{\infty(\infty-1)}{2! \infty^2} + \frac{\infty(\infty-1)(\infty-2)}{3! \infty^3} + \dots$$

$$= \left(1 + \frac{1}{1!} + \frac{1}{2!} + \frac{1}{3!} + \dots\right) + \left(\frac{1}{2!} + \frac{1+2}{3!} + \frac{1+2+3}{4!} + \dots\right) \frac{1}{\infty} +$$

$$\left[\frac{1 \cdot 2}{3!} + \frac{1 \cdot 2 + (1+2)3}{4!} + \frac{1 \cdot 2 + (1+2)3 + (1+2+3)4}{5!} + \dots\right] \frac{1}{\infty^2} +$$

$$\left\{\frac{1 \cdot 2 \cdot 3}{4!} + \frac{1 \cdot 2 \cdot 3 + [1 \cdot 2 + (1+2)3]4}{5!} + \dots\right\} \frac{1}{\infty^3} + \dots$$

3-1. There are or should be some formulas as follows.

$$e = 1 + \frac{1}{1!} + \frac{1}{2!} + \frac{1}{3!} + \dots = 1 + \sum_{k=1}^{\infty} \frac{1}{k!} = 2.718281828459045\dots$$

$$e = 2\left(\frac{1}{2!} + \frac{1+2}{3!} + \frac{1+2+3}{4!} + \dots\right) = 2\sum_{k=2}^{\infty} \frac{\sum_{l=1}^{k-1} l}{k!} = 1 + \sum_{k=1}^{\infty} \frac{1}{k!}$$

$$e = \frac{24}{11} \left[\frac{1 \cdot 2}{3!} + \frac{1 \cdot 2 + (1+2)3}{4!} + \frac{1 \cdot 2 + (1+2)3 + (1+2+3)4}{5!} + \dots \right] = \frac{24}{11} \sum_{k=3}^{\infty} \frac{\sum_{l=2}^{k-1} l \sum_{m=1}^{l-1} m}{k!}$$

$$e = \frac{16}{7} \left\{ \frac{1 \cdot 2 \cdot 3}{4!} + \frac{1 \cdot 2 \cdot 3 + [1 \cdot 2 + (1+2)3]4}{5!} + \dots \right\} = \frac{16}{7} \sum_{k=4}^{\infty} \frac{\sum_{l_1=3}^{k-1} l_1 \sum_{l_2=2}^{l_1-1} l_2 \sum_{m=1}^{l_2-1} m}{k!}$$

$$\frac{1}{e} = 1 - \frac{1}{1!} + \frac{1}{2!} - \frac{1}{3!} + \dots = 1 + \sum_{k=1}^{\infty} \frac{(-1)^k}{k!} = 1/2.718281828459045\dots$$

$$\frac{1}{e} = 2\left(\frac{1}{2!} - \frac{1+2}{3!} + \frac{1+2+3}{4!} - \dots\right) = 2\sum_{k=2}^{\infty} \frac{(-1)^{k-2} \sum_{l=1}^{k-1} l}{k!} = 1 + \sum_{k=1}^{\infty} \frac{(-1)^k}{k!}$$

$$\frac{1}{e} = \frac{24}{5} \left[\frac{1 \cdot 2}{3!} - \frac{1 \cdot 2 + (1+2)3}{4!} + \frac{1 \cdot 2 + (1+2)3 + (1+2+3)4}{5!} - \dots \right] = \frac{24}{5} \sum_{k=3}^{\infty} \frac{(-1)^{k-3} \sum_{l=2}^{k-1} l \sum_{m=1}^{l-1} m}{k!}$$

$$\frac{1}{e} = \frac{48}{5} \left\{ \frac{1 \cdot 2 \cdot 3}{4!} - \frac{1 \cdot 2 \cdot 3 + [1 \cdot 2 + (1+2)3]4}{5!} + \dots \right\} = \frac{48}{5} \sum_{k=4}^{\infty} \frac{(-1)^{k-4} \sum_{l_1=3}^{k-1} l_1 \sum_{l_2=2}^{l_1-1} l_2 \sum_{m=1}^{l_2-1} m}{k!}$$

3-2. There are or should be some general formulas as follows.

$$e^x = 1 + \frac{x}{1!} + \frac{x^2}{2!} + \frac{x^3}{3!} + \dots = 1 + \sum_{k=1}^{\infty} \frac{x^k}{k!} = 1 + x\left(\frac{1}{1!} + \frac{x}{2!} + \frac{x^2}{3!} + \dots\right) = 1 + x \sum_{k=1}^{\infty} \frac{x^{k-1}}{k!}$$

$$e^x = 2\left[\frac{1}{2!} + \frac{1+2}{3!}x + \frac{1+2+3}{4!}x^2 + \dots\right] = 2\left(\frac{1}{2!} + \sum_{k=3}^{\infty} \frac{x^{k-2} \sum_{m=1}^{k-1} m}{k!}\right) = 2\sum_{k=2}^{\infty} \frac{x^{k-2} \sum_{m=1}^{k-1} m}{k!}$$

$$e^x = \frac{8}{x+8/3} \left[\frac{1 \cdot 2}{3!} + \frac{1 \cdot 2 + (1+2)3}{4!}x + \dots \right] = \frac{8}{x+8/3} \sum_{k=3}^{\infty} \frac{x^{k-3} \sum_{l=2}^{k-1} l \sum_{m=1}^{l-1} m}{k!}$$

$$e^x = \frac{6 \cdot 8}{(x+2)(x+6)} \left\{ \frac{1 \cdot 2 \cdot 3}{4!} + \frac{1 \cdot 2 \cdot 3 + [1 \cdot 2 + (1+2)3]4}{5!}x + \dots \right\}$$

$$= \frac{6 \cdot 8}{(x+2)(x+6)} \sum_{k=4}^{\infty} \frac{x^{k-4} \sum_{l_1=3}^{k-1} l_1 \sum_{l_2=2}^{l_1-1} l_2 \sum_{m=1}^{l_2-1} m}{k!} \quad (x \in \mathbb{R}, 0^0 = 1)$$

3-3. There should be some special zero points for the above formulas as follows.


$$\begin{aligned} \sum_{k=3}^{\infty} \frac{\left(-\frac{8}{3}\right)^{k-3} \sum_{l=2}^{k-1} \sum_{m=1}^{l-1} m}{k!} &= \frac{1 \cdot 2}{3!} + \frac{1 \cdot 2 + (1+2)3}{4!} \left(-\frac{8}{3}\right) + \\ &\frac{1 \cdot 2 + (1+2)3 + (1+2+3)4}{5!} \left(-\frac{8}{3}\right)^2 + \dots = 0 \\ \sum_{k=4}^{\infty} \frac{(-2)^{k-4} \sum_{l_1=3}^{k-1} \sum_{l_2=2}^{l_1-1} \sum_{m=1}^{l_2-1} m}{k!} &= \frac{1 \cdot 2 \cdot 3}{4!} + \frac{1 \cdot 2 \cdot 3 + [1 \cdot 2 + (1+2)3]4}{5!} (-2) + \\ &\frac{1 \cdot 2 \cdot 3 + [1 \cdot 2 + (1+2)3]4 + [1 \cdot 2 + (1+2)3 + (1+2+3)4]5}{6!} (-2)^2 + \dots = 0 \\ \sum_{k=4}^{\infty} \frac{(-6)^{k-3} \sum_{l_1=3}^{k-1} \sum_{l_2=2}^{l_1-1} \sum_{m=1}^{l_2-1} m}{k!} &= \frac{1 \cdot 2 \cdot 3}{4!} + \frac{1 \cdot 2 \cdot 3 + [1 \cdot 2 + (1+2)3]4}{5!} (-6) + \\ &\frac{1 \cdot 2 \cdot 3 + [1 \cdot 2 + (1+2)3]4 + [1 \cdot 2 + (1+2)3 + (1+2+3)4]5}{6!} (-6)^2 + \dots = 0 \end{aligned}$$

3-4. There should be some special extended formulas as follows.

$$\begin{aligned} e &= \frac{5760}{2447} \sum_{k=5}^{\infty} \frac{\sum_{l_1=4}^{k-1} \sum_{l_2=3}^{l_1-1} \sum_{l_3=2}^{l_2-1} \sum_{m=1}^{l_3-1} m}{k!} = \frac{2^7 \cdot 3^2 \cdot 5}{2 \cdot 9 \cdot 136 - 1} \sum_{k=5}^{\infty} \frac{\sum_{l_1=4}^{k-1} \sum_{l_2=3}^{l_1-1} \sum_{l_3=2}^{l_2-1} \sum_{m=1}^{l_3-1} m}{k!} \\ \frac{1}{e} &= \frac{5760}{337} \sum_{k=5}^{\infty} \frac{(-1)^{k-5} \sum_{l_1=4}^{k-1} \sum_{l_2=3}^{l_1-1} \sum_{l_3=2}^{l_2-1} \sum_{m=1}^{l_3-1} m}{k!} = \frac{2^7 \cdot 3^2 \cdot 5}{3 \cdot 112 + 1} \sum_{k=5}^{\infty} \frac{(-1)^{k-5} \sum_{l_1=4}^{k-1} \sum_{l_2=3}^{l_1-1} \sum_{l_3=2}^{l_2-1} \sum_{m=1}^{l_3-1} m}{k!} \\ e &= \frac{2304}{959} \sum_{k=6}^{\infty} \frac{\sum_{l_1=5}^{k-1} \sum_{l_2=4}^{l_1-1} \sum_{l_3=3}^{l_2-1} \sum_{l_4=2}^{l_3-1} \sum_{m=1}^{l_4-1} m}{k!} = \frac{2^8 \cdot 3^2}{7 \cdot 137} \sum_{k=6}^{\infty} \frac{\sum_{l_1=5}^{k-1} \sum_{l_2=4}^{l_1-1} \sum_{l_3=3}^{l_2-1} \sum_{l_4=2}^{l_3-1} \sum_{m=1}^{l_4-1} m}{k!} \\ \frac{1}{e} &= \frac{3840}{137} \sum_{k=6}^{\infty} \frac{(-1)^{k-6} \sum_{l_1=5}^{k-1} \sum_{l_2=4}^{l_1-1} \sum_{l_3=3}^{l_2-1} \sum_{l_4=2}^{l_3-1} \sum_{m=1}^{l_4-1} m}{k!} = \frac{2^8 \cdot 3 \cdot 5}{137} \sum_{k=6}^{\infty} \frac{(-1)^{k-6} \sum_{l_1=5}^{k-1} \sum_{l_2=4}^{l_1-1} \sum_{l_3=3}^{l_2-1} \sum_{l_4=2}^{l_3-1} \sum_{m=1}^{l_4-1} m}{k!} \end{aligned}$$

4. Relationships between the new formulas of e and nuclides





$$e = \frac{8 \cdot 3}{11} \sum_{k=3}^{\infty} \frac{\sum_{l=2}^{k-1} \sum_{m=1}^{l-1} m}{k!} \quad \frac{1}{e} = \frac{8 \cdot 3}{5} \sum_{k=3}^{\infty} \frac{(-1)^{k-3} \sum_{l=2}^{k-1} \sum_{m=1}^{l-1} m}{k!}$$



$$e = \frac{16}{7} \sum_{k=4}^{\infty} \frac{\sum_{l_1=3}^{k-1} \sum_{l_2=2}^{l_1-1} \sum_{m=1}^{l_2-1} m}{k!}$$



$$\frac{1}{e} = \frac{16 \cdot 3}{5} \sum_{k=4}^{\infty} \frac{(-1)^{k-4} \sum_{l_1=3}^{k-1} \sum_{l_2=2}^{l_1-1} \sum_{m=1}^{l_2-1} m}{k!}$$

$$\frac{1}{e^4} = -12 \sum_{k=4}^{\infty} \frac{(-4)^{k-4} \sum_{l_1=3}^{k-1} \sum_{l_2=2}^{l_1-1} \sum_{m=1}^{l_2-1} m}{k!}$$



$$e = \frac{5760}{2447} \sum_{k=5}^{\infty} \frac{\sum_{l_1=4}^{k-1} \sum_{l_2=3}^{l_1-1} \sum_{l_3=2}^{l_2-1} \sum_{m=1}^{l_3-1} m}{k!} = \frac{2^7 \cdot 3^2 \cdot 5}{2 \cdot 9 \cdot 136 - 1} \sum_{k=5}^{\infty} \frac{\sum_{l_1=4}^{k-1} \sum_{l_2=3}^{l_1-1} \sum_{l_3=2}^{l_2-1} \sum_{m=1}^{l_3-1} m}{k!}$$

$$\frac{1}{e} = \frac{5760}{337} \sum_{k=5}^{\infty} \frac{(-1)^{k-5} \sum_{l_1=4}^{k-1} \sum_{l_2=3}^{l_1-1} \sum_{l_3=2}^{l_2-1} \sum_{m=1}^{l_3-1} m}{k!} = \frac{2^7 \cdot 3^2 \cdot 5}{3 \cdot 112 + 1} \sum_{k=5}^{\infty} \frac{(-1)^{k-5} \sum_{l_1=4}^{k-1} \sum_{l_2=3}^{l_1-1} \sum_{l_3=2}^{l_2-1} \sum_{m=1}^{l_3-1} m}{k!}$$





$$e = \frac{2304}{959} \sum_{k=6}^{\infty} \frac{\sum_{l_1=5}^{k-1} \sum_{l_2=4}^{l_1-1} \sum_{l_3=3}^{l_2-1} \sum_{l_4=2}^{l_3-1} \sum_{m=1}^{l_4-1} m}{k!}$$

$$= \frac{2^8 \cdot 3^2}{7 \cdot 137} \sum_{k=6}^{\infty} \frac{\sum_{l_1=5}^{k-1} \sum_{l_2=4}^{l_1-1} \sum_{l_3=3}^{l_2-1} \sum_{l_4=2}^{l_3-1} \sum_{m=1}^{l_4-1} m}{k!}$$

$$\frac{1}{e} = \frac{3840}{137} \sum_{k=6}^{\infty} \frac{(-1)^{k-6} \sum_{l_1=5}^{k-1} \sum_{l_2=4}^{l_1-1} \sum_{l_3=3}^{l_2-1} \sum_{l_4=2}^{l_3-1} \sum_{m=1}^{l_4-1} m}{k!}$$

$$= \frac{2^8 \cdot 3 \cdot 5}{137} \sum_{k=6}^{\infty} \frac{(-1)^{k-6} \sum_{l_1=5}^{k-1} \sum_{l_2=4}^{l_1-1} \sum_{l_3=3}^{l_2-1} \sum_{l_4=2}^{l_3-1} \sum_{m=1}^{l_4-1} m}{k!}$$



5. Relationships between formulas of 2π and nuclides

$$\pi = \frac{22}{7} - \int_0^1 \frac{x^4(1-x)^4}{1+x^2} dx \quad 2\pi = \frac{4 \cdot 11}{7} - 2 \int_0^1 \frac{x^4(1-x)^4}{1+x^2} dx$$

$^{14,15}_7N_{7,8}$ $^{23}_{11}Na_{12}$ $^{28,29,30}_{14}Si_{14,15,16}$ $^{46,47,48,49,50}_{22}Sc_{24,25,26,27,28}$ $^{58,60,61,62,64}_{28}Ni_{30,32,33,34,36}$ $^{77}_{34}Se_{43}$
 $^{88}_{38}Sr_{50}$ $^{96,98,99,100,102,104}_{44}Ru_{52,54,55,56,58,60}$ $^{150}_{62}Sm_{88}$ $^{226}_{88}Ra_{138}^*$

$$\pi = \frac{355}{113} - \frac{1}{3164} \int_0^1 \frac{x^8(1-x)^8(25+816x^2)}{1+x^2} dx$$

$$2\pi = \frac{2 \cdot 5 \cdot 71}{113} - \frac{1}{2 \cdot 7 \cdot 113} \int_0^1 \frac{x^8(1-x)^8(25+16 \cdot 3 \cdot 17x^2)}{1+x^2} dx$$

$^{14,15}_7N_{7,8}$ $^{16,17,18}_8O_{8,9,10}$ $^{31}_{15}P_{16}$ $^{32,33,34,36}_{16}S_{16,17,18,20}$ $^{35,37}_{17}Cl_{18,20}$ $^{55}_{25}Mn_{30}$ $^{69,71}_{31}Ga_{38,40}$ $^{112,113}_{48}Cd_{64,65}$
 $^{77,78,80,82}_{34}Se_{43,44,46,48}$ $^{118,119}_{50}Sn_{68,69}$ $^{121,122}_{51}Sb_{70,72}$ $^{136,137,138}_{56}Ba_{80,81,82}$ $^{168}_{68}Er_{100}$ $^{169}_{69}Tm_{100}$ $^{175,116}_{71}Lu_{104,105}$
 $^{170,171,172,173,176}_{70}Yb_{100,101,102,103,106}$ $^{189}_{76}Os_{113}$ $^{226}_{88}Ra_{138}^*$ $^{257}_{100}Fm_{157}$ $^{259}_{102}Fm_{157}^*$ $^{4 \cdot 71, 2 \cdot 11 \cdot 13}_{113}Nh_{171,173}^{ie}$ $^{2 \cdot 11 \cdot 17}_{148}Ch_{226}^{ie}$

6. Relationships between γ , e , γ_c , γ_g and γ_{cg} and nuclides

$$\text{Euler-Mascheroni constant } \gamma = \lim_{N \rightarrow \infty} \left(\sum_{n=1}^N \frac{1}{n} - \ln n \right) = 0.5772156649 \dots$$

$$\gamma = 0.5772156649 \dots \approx \frac{3 \cdot 5}{2 \cdot 13} \approx \frac{3 \cdot 41}{71}$$

$^{11}_5B_6$ $^{12,13}_6C_{6,7}$ $^{31}_{15}P_{16}$ $^{39}_{19}K_{20}$ $^{54,56,57,58}_{26}Fe_{28,30,31,32}$
 $^{64,66}_{30}Zn_{34,36}$ $^{69,71}_{31}Ga_{38,40}$ $^{89}_{39}Y_{50}$ $^{93}_{41}Nb_{52}$ $^{121,3 \cdot 41}_{51}Sb_{70,72}$ $^{3 \cdot 41}_{52}Te_{71}$ $^{175,176}_{71}Lu_{104,105}$ $^{18 \cdot 17, 4 \cdot 77}_{123}Ch_{183,185}^{ie}$

$$e = 2.718281828 \dots \approx \frac{3 \cdot 29}{32} \approx \frac{193}{71}$$

$^{48}_{22}Ti_{26}$ $^{53}_{24}Cr_{29}$ $^{54,56,57,58}_{26}Fe_{28,30,31,32}$ $^{63,65}_{29}Cu_{34,36}$ $^{87,84}_{36}Kr_{47,48}$ $^{85,87}_{37}Rb_{48,50}$ $^{106,112,113,116}_{48}Cd_{58,64,65,68}$
 $^{113,115}_{49}In_{64,66}$ $^{175,176}_{71}Lu_{104,105}$ $^{191,193}_{77}Ir_{114,116}$ $^{4 \cdot 71, 286}_{113}Nh_{171,173}^*$ $^{11 \cdot 29, 320}_{127}Ch_{3 \cdot 64, 193}^{ie}$ $^{434}_{173}Ch_{9 \cdot 29}^{ie}$

$$e^2 \approx \frac{37}{5} \approx \frac{7 \cdot 19}{2 \cdot 9}$$

$^{10,11}_5B_{5,6}$ $^{14,15}_7N_{7,8}$ $^{19}_9F_{10}$ $^{28,29,30}_{14}Si_{14,15,16}$ $^{35,37}_{17}Cl_{18,20}$ $^{38}_{18}Ar_{20}$ $^{67,68}_{30}Zn_{37,38}$ $^{85,87}_{37}Rb_{48,50}$ $^{84,87}_{38}Sr_{46,49}$
 $^{7 \cdot 19}_{55}Cs_{78}$ $^{9 \cdot 19}_{70}Yb_{101}$ $^{185,187}_{75}Tm_{110,112}$ $^{284,286}_{113}Nh_{9 \cdot 19, 173}^{ie}$ $^{4 \cdot 77}_{123}Ch_{185}^{ie}$ $^{312}_{125}Ch_{187}^{ie}$ $^{3 \cdot 112}_{133}Ch_{7 \cdot 29}^{ie}$ $^{429,430}_{171}Ch_{258,7 \cdot 37}^{ie}$

$$e^\gamma = 1.7810724 \dots \approx \frac{3 \cdot 19}{32} \approx \frac{7 \cdot 43}{167}$$

7_3Li_4 $^{48}_{22}Ti_{26}$ $^{54,56,57,58}_{26}Fe_{28,30,31,32}$ $^{70}_{32}Ge_{38}$ $^{77}_{34}Se_{43}$ $^{84}_{36}Kr_{48}$ $^{86,87}_{38}Sr_{48,49}$ $^{99}_{43}Tc_{56}^*$ $^{112,113,114}_{48}Cd_{64,65,66}$
 $^{167,168}_{68}Er_{99,100}$ $^{171}_{70}Yb_{101}$ $^{15 \cdot 19}_{112}Cn_{173}^*$ $^{284,22 \cdot 13}_{113}Nh_{9 \cdot 19, 173}^{ie}$ $^{33 \cdot 13, 430}_{171}Ch_{258,259}^{ie}$ $^{22 \cdot 19}_{167}Ch_{251}^{ie}$

$$e^{\gamma_c} = e^{0.0810614668 \dots} = 1.08443755 \dots \approx \frac{7 \cdot 11}{71} \approx \frac{5 \cdot 131}{4 \cdot 151}$$

$^{69,71}_{31}Ga_{38,40}$ $^{121,123}_{51}Sb_{70,72}$ $^{175,176}_{71}Lu_{104,105}$ $^{77}_{34}Se_{43}$ $^{131}_{54}Xe_{77}$ $^{151,153}_{63}Eu_{88,90}$ $^{191,193}_{77}Ir_{114,116}$ $^{247}_{96}Cm_{151}^*$

$$e^{2\gamma_c} = e^{2 \times 0.0810614668 \dots} = 1.17600480 \dots \approx \frac{4 \cdot 5}{17} \approx \frac{3 \cdot 49}{125} \approx \frac{167}{2 \cdot 71}$$

^{35,37}₁₇Cl_{18,20} ⁴⁹Ti₂₇ ⁶⁸Ga₃₈ ^{69,71}Ga_{38,40} ^{85,87}Rb₃₇ ⁸⁷Sr₄₉ ^{113,115}In_{64,66} ¹¹⁸Sn₆₈ ^{121,123}Sb₅₁ ^{70,72}
¹²⁵Te₇₃ ¹⁴⁷Sm₈₅ ^{167,168}Er_{99,100} ^{175,176}Lu_{104,105} ²⁰⁹Po₈₄ ²¹⁰At₈₅ ³¹²Ch₁₁₇^{ie} ¹²⁻³¹Ch₁₂₅^{ie} ⁴¹⁸Ch₁₆₇^{ie}

$$2(1 - \gamma_c) = 2(1 - 0.0810614668 \dots) \approx \frac{4 \cdot 17}{37} \quad \text{Note: } 2\pi = \left(\frac{e}{e^{\gamma_c}}\right)^2$$

^{35,37}₁₇Cl_{18,20} ^{64,67,68}Zn_{34,37,38} ⁷⁴Se₄₀ ^{85,87}Rb_{38,40} ¹¹⁸Sn₆₈ ¹⁴⁵Nd₈₅ ¹⁶⁸Er₁₀₀ ^{185,187}Tm_{110,112}
²¹⁰At₈₅^{*} ⁴⁻⁷⁷Ch₁₂₃^{ie} ³¹²Ch₁₂₅^{ie}

$$2(1 - \gamma_g) = 2(1 - 0.7742086474 \dots) \approx \frac{2 \cdot 7}{31} \quad \text{Note: } \frac{\pi}{2} = \left(\frac{e}{e^{\gamma_g}}\right)^2$$

^{14,15}₇N_{7,8} ^{28,29,30}Si_{14,15,16} ³¹P₁₆ ^{54,56,57,58}Fe_{26,28,30,31,32} ⁶²Ni₂₈³⁴ ^{69,71}Ga_{31,38,40} ^{147,148,150,152}Sm_{62,85,86,88,90}

$$e^{2\gamma_{cg}} \approx \frac{17}{3 \cdot 5} \approx \frac{127}{112} \approx \frac{144}{127}, \quad 2\gamma_{cg} = 2 \times 0.0628164798 \dots \approx \frac{23}{3 \cdot 61} \approx \frac{8 \cdot 3}{191} \approx \frac{25}{199} \quad \frac{\pi}{2} = \left(\frac{e^{\gamma/2}}{e^{\gamma_{cg}}}\right)^2$$

^{50,51}₂₃V_{27,28} ⁵³Cr₂₉ ⁶⁴Zn₃₀ ^{83,84}Kr₃₆ ¹¹²Cd_{47,48} ¹²⁷I₅₃ ¹⁴⁴Nd₆₀ ^{3-61,186}W₇₄ ^{185,187}Tm_{110,112} ¹⁹⁹Hg₈₀ ⁷⁻¹⁷
^{191,193}Ir₇₇ ^{209,210}Bi₈₃^{*} ²³⁷Np₉₃^{*} ²⁸⁵Cn₁₁₂^{*} ¹⁸⁻¹⁷Ch₁₂₃^{ie} ^{6-53,11-29,320}Ch₁₂₇^{ie} ³²⁸Ch₁₂₉^{ie} ⁶⁻⁶¹Ch₁₄₄^{ie}

7. Integrated Relationships between 2π , γ , e , γ_c , γ_g and γ_{cg} and nuclides

As we had demonstrated that 2π is directly and indirectly related to nuclides in the previous paper¹, it should be reasonable for some constants comparable to 2π such as γ , e , e^γ , $2(1-\gamma_c)$, $2(1-\gamma_g)$ and $2\gamma_{cg}$ to directly relate to nuclides. The above examples exhibit not only the relationships between the above constants and nuclides respectively, but also the integrated relationships between them and nuclides. For example, it seems they cooperatively define all the 4 stable isotopes of Fe as follows.

$$\gamma \approx \frac{3 \cdot 5}{2 \cdot 13} \quad e \approx \frac{3 \cdot 29}{32} \quad e^\gamma \approx \frac{3 \cdot 19}{32} \quad 2(1 - \gamma_g) \approx \frac{2 \cdot 7}{31}$$

^{54,56,57,58}₂₆Fe_{28,30,31,32}

The following is another example of this kind of integrated relationships.

$$2\pi = \frac{4 \cdot 11}{7} - 2 \int_0^1 \frac{x^4(1-x)^4}{1+x^2} dx$$

$$2\pi = \frac{2 \cdot 5 \cdot 71}{113} - \frac{1}{2 \cdot 7 \cdot 113} \int_0^1 \frac{x^8(1-x)^8(25+16 \cdot 3 \cdot 17x^2)}{1+x^2} dx$$

$$2\pi \approx \frac{4 \cdot 157}{100}, \quad \gamma \approx \frac{3 \cdot 5}{2 \cdot 13} \approx \frac{3 \cdot 41}{71}, \quad e \approx \frac{3 \cdot 29}{32} \approx \frac{193}{71}, \quad e^2 \approx \frac{37}{5} \approx \frac{7 \cdot 19}{2 \cdot 9}, \quad e^\gamma \approx \frac{3 \cdot 19}{32} \approx \frac{7 \cdot 43}{167}$$


$$e^{\gamma_c} \approx \frac{7 \cdot 11}{71} \approx \frac{5 \cdot 131}{4 \cdot 151}, \quad e^{2\gamma_c} \approx \frac{4 \cdot 5}{17} \approx \frac{3 \cdot 49}{125} \approx \frac{167}{2 \cdot 71}, \quad e^{2\gamma_{cg}} \approx \frac{17}{3 \cdot 5} \approx \frac{127}{112} \approx \frac{127}{16 \cdot 9}$$

$$2(1-\gamma_c) \approx \frac{4 \cdot 17}{37}, \quad 2(1-\gamma_g) \approx \frac{2 \cdot 7}{31}, \quad 2\gamma_{cg} \approx \frac{23}{3 \cdot 61} \approx \frac{8 \cdot 3}{191} \approx \frac{25}{199}$$

²³Na₁₂ ^{35,37}Cl_{17,20} ^{48,49}Ti_{26,27} ^{50,51}V_{27,28} ⁵³Cr₂₉ ⁶¹Ni₃₃ ⁶⁴Zn₃₄ ^{69,71}Ga_{38,40} ⁷⁷Se₄₃ ^{85,87}Rb_{48,50}
⁸⁷Sr₄₉ ⁹³Nb₅₂ ⁹⁵Mo₅₃ ^{98,99}Tc*_{55,56} ¹⁰⁰Ru₅₆ ¹¹²⁻¹¹⁴Cd₆₄₋₆₆ ^{113,115}In_{64,66} ^{121,123}Sb_{70,72} ^{3-41,125}Te_{71,73}
¹²⁷I₇₄ ¹³¹Xe₇₇ ¹³⁶⁻¹³⁸Ba₈₀₋₈₂ ¹⁴⁴Nd₈₄ ^{5-29,146,3-49}Pm*_{84,85,86} ^{144,147-150,152,154}Sm_{82,85-88,90,92} ¹⁵⁷Gd₉₃
¹⁶²Dy₉₆ ^{166,167,168,170}Er_{98,99,100,102} ¹⁶⁹Tm₁₀₀ ^{168,170-174,176}Yb_{98,100-104,106} ^{175,176}Lu_{104,105} ^{3-61,6-31}W_{109,112}
^{185,187}Tm_{110,112} ^{188,189}Os_{112,113} ^{191,193}Ir_{114,116} ¹⁹⁹Hg₇₋₁₇ ^{209,210}Po*_{126,127} ²⁰⁹Po*₁₂₅ ²¹⁰At*₁₂₅ ⁶⁻³⁷Rn*₁₃₆
²²³Fr*₁₃₆ ²⁻¹¹⁶Ra*₈₈ ²³⁷Np*₁₄₄ ²⁴³Am*₁₄₈ ¹³⁻¹⁹Cm*₁₅₁ ²⁵⁷Fm*₁₅₇ ⁶⁻⁴³Md*₁₀₁ ⁷⁻³⁷No*₁₅₇ ^{9-29,262}Lr*₁₀₃ ^{158,159}
²⁸¹Ds*₁₇₁ ¹⁵⁻¹⁹Cn*₁₁₂ ^{4-71,22-13}Nh^{ie}₁₁₃ ^{18-17,4-77}Ch^{ie}₁₂₃ ^{3-61,185}Ch^{ie}₁₂₅ ³¹²Ch^{ie}₁₈₇ ^{6-53,11-29,320}Ch^{ie}₁₂₇ ^{191,3-64,193}Ch^{ie}₁₂₉ ³²⁸Ch^{ie}₁₉₉
⁴⁻⁸³Ch^{ie}₁₃₁ ^{8-43,2-173,12-29}Fy^{ie}_{16,13,11,19,210} ⁶⁻⁶¹Ch^{ie}₁₄₄ ¹²⁻³¹Ch^{ie}₁₄₇ ²²⁻¹⁷Ch^{ie}₁₄₈ ³⁸⁰Ch^{ie}₁₅₁ ⁴⁰⁰Ch^{ie}₁₅₇ ²²⁻¹⁹Ch^{ie}₁₆₇ ²⁵¹
^{33-13,430}Ch^{ie}₁₇₁ ^{6-43,7-37}Ch^{ie}₁₇₂ ^{430,432}Ch^{ie}₁₇₂ ^{6-43,260}Ch^{ie}₁₇₃ ^{14-31,15-29}Ch^{ie}₁₇₃ ^{9-29,262}

These relationships are marvelous, they should not be just coincidences, and they should be science. This mechanism is analogous to that between DNA and protein.

8. Unification of Mathematics and Physics



Unification of Mathematics and Physics through α

Dr. Gang Chen, 2020/7/20-21

Fig. 1

Mathematics and science are usually regarded to be independent to each other, although mathematics is used as tool or language of science. It seems science has mathematic properties, so on the other hand, does mathematics has science features? We found the fine-structure constant α could act as a bridge between mathematics and physics (**Fig. 1**). For example, Schrödinger equation of hydrogen atom could be

simplified to a reasonable and pure mathematic equation through α (red color parts).

9. Formula of the Speed of Light in Atomic Unites

In the previous paper¹, many formulas of the speed of light in atomic unites c_{au} had been deduced. Among them the most important should be the following formula.

$$\begin{aligned} c_{au}^2 &= \frac{1}{\alpha_c^2} = \frac{1}{\alpha_1 \alpha_2} = \frac{2\pi a_0}{\lambda_e} \frac{\lambda_e}{2\pi r_e} = \frac{a_0}{r_e} = \left(\frac{c}{v_e}\right)^2 \\ &= 137.035999037435 \times 137.035999111818 = 137.035999074627^2 \\ &= 112 \times \left(168 - \frac{1}{3} + \frac{1}{12 \cdot 47} - \frac{1}{6 \cdot 29 \cdot 53 \cdot 59 - 79 / 47}\right) \end{aligned}$$

Here, we try to revise it to the following more reasonable form.

$$\begin{aligned} c_{au}^2 &= \frac{1}{\alpha_c^2} = \frac{1}{\alpha_1 \alpha_2} = \frac{2\pi a_0}{\lambda_e} \frac{\lambda_e}{2\pi r_e} = \frac{a_0}{r_e} = \left(\frac{c}{v_e}\right)^2 \\ &= 137.035999037435 \times 137.035999111818 = 137.035999074627^2 \\ &= 112 \times \left(168 - \frac{1}{3} + \frac{1}{12 \cdot 47} - \frac{1}{14 \cdot 112 \cdot (2 \cdot 173 + 1) + \frac{2 \cdot 5}{3 \cdot 11}}\right) \\ &= 112 \times 167.668437878402 = 18778.865042381 \end{aligned}$$

⁷ Li ₄	^{10,11} B _{5,6}	^{12,13} C _{6,7}	^{14,15} N _{7,8}	^{20,21,22} Ne _{10,11,12}	²³ Na ₁₂	^{24,25,26} Mg _{12,13,14}	^{28,29,30} Si _{14,15,16}
³¹ P ₁₆	^{32,33} S _{16,17}	^{47,49} Ti _{22,25,27}	⁵⁵ Mn _{25,30}	^{54,56,57,58} Fe _{26,28,30,31,32}	^{63,65} Cu _{29,34,36}	^{58,60,61,64} Ni _{28,30,32,33,36}	
^{64,66,68} Zn _{30,34,36,38}	^{69,71} Ga _{31,38,40}	^{70,72} Ge _{32,38,40}	⁷⁵ As _{33,42}	^{83,84} Kr _{36,47,48}	^{98,99} Tc _{43,55,56} *	^{98,99,100} Ru _{44,54,55,56}	
^{107,109} Ag _{47,60,62}	^{110,112-114} Cd _{48,62,64-66}	^{113,115} In _{49,64,66}	¹³¹ Xe _{54,77}	¹³³ Cs _{55,78}	¹³⁷ Ba _{56,81}	¹⁵⁸ Gd _{64,94}	¹⁶⁸ Er _{68,100}
¹⁶⁹ Tm _{69,100}	¹⁷³ Yb _{70,103}	^{185,187} Re _{75,110,112}	^{4-47,189} Os _{76,112,113}	²⁰⁹ Bi _{83,126} *	²⁰⁹ Po _{84,125} *	²⁴⁴ Pa _{94,150} *	²⁸⁵ Cn _{112,173} *
²⁸⁶ Nh _{113,173} ^{ie}	^{288,289} Mc _{115,173,174} ^{ie}	³¹² Ch _{125,187} ^{ie}	³¹⁴ Ch _{126,4-47} ^{ie}	²⁻¹⁷³ Fy _{137,209} ^{ie}	^{418,420} Ch _{168,250,252} ^{ie}	^{14-31,15-29} Ch _{173,261,2-131} ^{ie}	

10. Fibonacci Sequence He and its relationships with nuclides

We noticed $0.618 \times (112 + 168) = 0.618 \times 280 \approx 173$, so we construct the following

Fibonacci sequence and present its relationships with nuclides.

Fibonacci Sequence He: 2 7 9 16 25 41 66 107 173 280

^{1,2} H _{1,0,1}	⁴ He ₂	⁷ Li ₃	⁹ Be ₄	^{14,15} N _{7,8}	^{16,17,18} O _{8,9,10}	¹⁹ F ₉	²⁵ Mg ₁₂	^{28,29,30} Si _{14,15,16}	³¹ P ₁₅
³² S ₁₆	⁴¹ K ₁₉	^{46,47,48,49,50} Ti _{22,24,25,26,27,28}	⁵⁵ Mn _{25,30}	⁶⁶ Zn ₃₀	⁷³ Ge ₃₂	⁹³ Nb ₄₁	^{106,108} Pd _{46,62}		
^{107,109} Ag _{47,60,62}	^{106,108,112,113,114,116} Cd _{48,58,60,64,65,66,68}	^{113,115} In _{49,64,66}	¹¹⁶ Sn ₅₀	¹⁶³ Dy ₆₆	¹⁷³ Yb ₇₀				
¹⁷⁹ Hf _{72,107}	¹⁸⁰ Ta _{73,107}	²⁶² Lr _{103,159} *	²⁷⁰ Bh _{107,163} *	²⁸⁵ Cn _{112,173} *	²⁸⁶ Nh _{113,173} ^{ie}	²⁸⁸ Nh _{115,173} ^{ie}	^{434,435} Ch _{173,261,262} ^{ie}		

11. The Meanings of the Values of the Fine-structure Constant

$$\alpha_1 = \frac{1}{137.035999037435} = \frac{1}{137 + \frac{1}{27} - \frac{1}{9 \cdot 107} + \frac{1}{4 \cdot 79 \cdot (2 \cdot 23 \cdot 163 + 1)}}$$

${}^7_3\text{Li}$, ${}^9_4\text{Be}$, ${}^{19}_9\text{F}$, ${}^{23}_{11}\text{Na}$, ${}^{27}_{13}\text{Al}$, ${}^{46,47,49}_{22}\text{Ti}$, ${}^{50,51}_{23}\text{V}$, ${}^{59}_{27}\text{Co}$, ${}^{64,66}_{30}\text{Zn}$, ${}^{79,80}_{35}\text{Br}$, ${}^{92}_{40}\text{Zr}$,
 ${}^{105,106,108}_{46}\text{Pd}$, ${}^{107,109}_{47}\text{In}$, ${}^{5-27,136,137,6-23}_{56}\text{Ba}$, ${}^{3-47}_{59}\text{Pr}$, ${}^{156,157,158}_{64}\text{Gd}$, ${}^{162,163}_{66}\text{Dy}$,
 ${}^{168}_{68}\text{Er}$, ${}^{169}_{69}\text{Tm}$, ${}^{179,180}_{72}\text{Hf}$, ${}^{180,181}_{73}\text{Ta}$, ${}^{197}_{79}\text{Au}$, ${}^{226}_{88}\text{Ra}^*$, ${}^{227}_{89}\text{Ac}^*$, ${}^{5-47,238}_{92}\text{U}^*$,
 ${}^{247}_{97}\text{Bk}^*$, ${}^{243}_{98}\text{Am}^*$, ${}^{257}_{100}\text{Fm}^*$, ${}^{270}_{107}\text{Bh}^*$, ${}^{344,2-173,348}_{136,137,138}\text{Fy}^{ie}$, ${}^{400}_{157}\text{Ch}^{ie}$, ${}^{410}_{163}\text{Ch}^{ie}$

$$\alpha_2 = \frac{1}{137.035999111818} = \frac{1}{137 + \frac{1}{27} - \frac{1}{9 \cdot 107} + \frac{1}{5 \cdot 17 \cdot 137 \cdot 173}}$$

${}^{10,11}_5\text{B}$, ${}^{19}_9\text{F}$, ${}^{27}_{13}\text{Al}$, ${}^{31}_{15}\text{P}$, ${}^{35,37}_{17}\text{Cl}$, ${}^{49}_{22}\text{Ti}$, ${}^{50,3-17}_{23}\text{V}$, ${}^{85,87}_{37}\text{Rb}$, ${}^{107,109}_{47}\text{In}$, ${}^{131}_{54}\text{Xe}$, ${}^{173}_{70}\text{Yb}$,
 ${}^{5-27,8-17,137,138}_{56}\text{Ba}$, ${}^{179,180}_{72}\text{Hf}$, ${}^{180,181}_{73}\text{Ta}$, ${}^{210}_{85}\text{At}$, ${}^{222}_{86}\text{Rn}^*$, ${}^{223}_{87}\text{Fr}^*$, ${}^{2-131}_{103}\text{Lr}^*$,
 ${}^{270}_{107}\text{Bh}^*$, ${}^{15-19}_{112}\text{Cn}^*$, ${}^{284}_{113}\text{Nh}^{ie}$, ${}^{288,17^2}_{115}\text{Mc}^{ie}$, ${}^{344,2-173,348}_{136,137,138}\text{Fy}^{ie}$, ${}^{14-31,15-29}_{173}\text{Ch}^{ie}$

12. Construct Formulas of the Fine-structure Constant with 137 instead of 112 or 173

$$\alpha_{1-7(137)} = \frac{4 \cdot 11}{7 \cdot e^2 \frac{e^2}{\left(\frac{2}{1}\right)^3} \frac{e^2}{\left(\frac{3}{2}\right)^5} \frac{e^2}{\left(\frac{4}{3}\right)^7} \dots \frac{e^2}{\left(\frac{2 \cdot 126 - 1}{2 \cdot 125}\right)^{3 \cdot 167}}} \frac{1}{137 + \frac{1}{37 \cdot 173 - \frac{5}{32}}}$$

$$= 1/137.035999037435$$

${}^{14,15}_7\text{N}$, ${}^{23}_{11}\text{Na}$, ${}^{28,29,30}_{14}\text{Si}$, ${}^{35,37}_{17}\text{Cl}$, ${}^{47,48,49,50}_{22}\text{Ti}$, ${}^{55}_{25}\text{Mn}$, ${}^{58,60}_{28}\text{Ni}$, ${}^{83,84}_{36}\text{Kr}$,
 ${}^{70,72,73,74,76}_{32}\text{Ge}$, ${}^{38,40,41,42,44}_{37}\text{Rb}$, ${}^{85,87}_{48,50}\text{Ru}$, ${}^{99,100}_{44}\text{Ru}$, ${}^{112,113}_{48}\text{Cd}$, ${}^{113,115}_{49}\text{In}$, ${}^{125,126}_{52}\text{Te}$,
 ${}^{136,137}_{56}\text{Ba}$, ${}^{167,168}_{68}\text{Er}$, ${}^{187,188}_{75}\text{Re}$, ${}^{209}_{83}\text{Bi}^*$, ${}^{209}_{84}\text{Po}^*$, ${}^{6-37}_{86}\text{Rn}^*$, ${}^{15-19}_{112}\text{Cn}^*$, ${}^{286}_{113}\text{Nh}^{ie}$,
 ${}^{288,289}_{115}\text{Mc}^{ie}$, ${}^{312}_{125}\text{Ch}^{ie}$, ${}^{314}_{126}\text{Ch}^{ie}$, ${}^{2-173}_{137}\text{Fy}^{ie}$, ${}^{2-209}_{167}\text{Ch}^{ie}$, ${}^{14-31,15-29}_{173}\text{Ch}^{ie}$


$$\alpha_{1-39(137)} = \frac{5 \cdot 7^2}{39 \cdot e^2 \frac{e^2}{\left(\frac{2}{1}\right)^3} \frac{e^2}{\left(\frac{3}{2}\right)^5} \frac{e^2}{\left(\frac{4}{3}\right)^7} \dots \frac{e^2}{\left(\frac{4 \cdot 3 \cdot 13^2 - 1}{2 \cdot (4 \cdot 11 \cdot 23 + 1)}\right)^{3 \cdot 7 \cdot 193}}} \frac{1}{137 + \frac{1}{13 \cdot 29 \cdot (4 \cdot 3 \cdot 5 \cdot 47 - 1)}}$$

$$= 1/137.035999037435$$

${}^{23}_{11}\text{Na}$, ${}^{27}_{13}\text{Al}$, ${}^{46,47,48,49,50}_{22}\text{Ti}$, ${}^{50,51}_{23}\text{V}$, ${}^{54,56,58}_{26}\text{Fe}$, ${}^{63,65}_{29}\text{Cu}$, ${}^{79,81}_{35}\text{Br}$, ${}^{89}_{39}\text{Y}$,
 ${}^{94,98}_{42}\text{Mo}$, ${}^{99,100,102,104}_{44}\text{Ru}$, ${}^{104,106,110}_{46}\text{Pd}$, ${}^{107,109}_{47}\text{Ag}$, ${}^{113,115}_{49}\text{In}$, ${}^{136,137}_{56}\text{Ba}$,
 ${}^{140,142}_{58}\text{Ce}$, ${}^{141}_{59}\text{Pr}$, ${}^{160,164}_{66}\text{Dy}$, ${}^{169}_{69}\text{Tm}$, ${}^{4-47,189,192}_{76}\text{Os}$, ${}^{191,193}_{77}\text{Ir}$, ${}^{227}_{89}\text{Ac}^*$,
 ${}^{5-47,238}_{92}\text{U}^*$, ${}^{244}_{94}\text{Pu}^*$, ${}^{15-19}_{112}\text{Cn}^*$, ${}^{286}_{113}\text{Nh}^{ie}$, ${}^{288,289}_{115}\text{Mc}^{ie}$, ${}^{2-173}_{137}\text{Fy}^{ie}$, ${}^{314}_{126}\text{Ch}^{ie}$,
 ${}^{318,11-29,320}_{127}\text{Ch}^{ie}$, ${}^{4-89,21-17}_{141}\text{Ch}^{ie}$, ${}^{14-31,15-29}_{173}\text{Ch}^{ie}$

$$\alpha_{1-46(137)} = \frac{17^2}{2 \cdot 23 \cdot e^2 \frac{e^2}{\left(\frac{2}{1}\right)^3} \frac{e^2}{\left(\frac{3}{2}\right)^5} \frac{e^2}{\left(\frac{4}{3}\right)^7} \dots \frac{e^2}{\left(\frac{3 \cdot 13 \cdot 25}{2 \cdot (2 \cdot 3^5 + 1)}\right)^{1949}}} \frac{1}{137 + \frac{1}{2 \cdot 5 \cdot 13 \cdot (4 \cdot 5 \cdot 163 - 1) - \frac{7}{8}}}$$


$$= 1/137.035999037435$$



$$\alpha_{1-71(137)}$$


$$= \frac{2 \cdot (2 \cdot 112 - 1)}{71 \cdot e^2 \frac{e^2}{\left(\frac{2}{1}\right)^3} \frac{e^2}{\left(\frac{3}{2}\right)^5} \frac{e^2}{\left(\frac{4}{3}\right)^7} \dots \frac{e^2}{\left(\frac{6 \cdot (6 \cdot 11 \cdot 17 + 1) - 1}{16 \cdot (4 \cdot 3 \cdot 5 \cdot 7 + 1)}\right)^{27 \cdot (6 \cdot 83 + 1)}}} \frac{1}{137 + \frac{1}{256 \cdot 11 \cdot (8 \cdot 27 \cdot 7 - 1)}}$$

$$= 1/137.035999037435$$




$$\alpha_{1-103(137)} = \frac{8 \cdot 81 - 1}{103 \cdot e^2 \frac{e^2}{\left(\frac{2}{1}\right)^3} \frac{e^2}{\left(\frac{3}{2}\right)^5} \frac{e^2}{\left(\frac{4}{3}\right)^7} \dots \frac{e^2}{\left(\frac{2 \cdot 29 \cdot (6 \cdot 7 \cdot 23 + 1)}{15 \cdot (6 \cdot 7 \cdot 89 + 1)}\right)^{23 \cdot (4 \cdot 23 \cdot 53 + 1)}}} \frac{1}{137 + \frac{2 \cdot 41 \cdot 163 + 1}{125 \cdot 10^{11}}}$$

$$= 1/137.035999037435$$



$$\alpha_{1-110(137)} = \frac{4 \cdot 173 - 1}{110 \cdot e^2 \frac{e^2}{\left(\frac{2}{1}\right)^3} \frac{e^2}{\left(\frac{3}{2}\right)^5} \frac{e^2}{\left(\frac{4}{3}\right)^7} \dots \frac{e^2}{\left(\frac{2 \cdot (168 \cdot 11 - 1)}{3 \cdot (112 \cdot 11 - 1)}\right)^{83 \cdot 89}}} \frac{1}{137 + \frac{1}{3 \cdot 23 \cdot 71 \cdot (270 - 1)}}$$

$$= 1/137.035999037435$$



$$\alpha_{2-7(137)} = \frac{7 \cdot e^2 \frac{e^2}{\left(\frac{2}{1}\right)^3} \frac{e^2}{\left(\frac{3}{2}\right)^5} \frac{e^2}{\left(\frac{4}{3}\right)^7} \dots \frac{e^2}{\left(\frac{6 \cdot 199}{8 \cdot 149 + 1}\right)^{7 \cdot 11 \cdot 31}}}{4 \cdot 11} \frac{1}{137 - \frac{1}{17 \cdot (4 \cdot 5 \cdot 7 \cdot 31 + 1) - \frac{13}{3 \cdot 19}}}$$

$$= \frac{7 \cdot e^2 \frac{e^2}{\left(\frac{2}{1}\right)^3} \frac{e^2}{\left(\frac{3}{2}\right)^5} \frac{e^2}{\left(\frac{4}{3}\right)^7} \dots \frac{e^2}{\left(\frac{6 \cdot 199}{8 \cdot 149 + 1}\right)^{7 \cdot 11 \cdot 31}}}{4 \cdot 11} \frac{1}{137 - \frac{1}{17 \cdot (2 \cdot 13 \cdot 167 - 1) - \frac{13}{3 \cdot 19}}}$$

$$= 1/137.035999111818$$

¹⁹ F ₁₀	²³ Na ₁₁	²⁷ Al ₁₃	^{28,29,30} Si ₁₄	^{35,37} Cl ₁₇	^{39,40,41} K ₁₉	⁴⁸ Ti ₂₂	^{54,56,57,58} Fe ₂₆
^{58,60,61,62,64} Ni ₂₈	^{30,32,33,34,36} Ni ₃₀	^{69,71} Ga ₃₁	^{76,77,78,80} Se ₃₄	^{79,81} Br ₃₅	^{83,84} Kr ₃₆	⁸⁹ Y ₃₉	^{28,30,31,32} Fe ₂₆
^{99,100,101,102,104} Ru ₄₄	^{55,56,57,58,60} Ru ₄₄	^{110,112,113,114,116} Cd ₄₈	^{113,115} In ₄₉	^{121,123} Sb ₅₁	^{70,72} Te ₅₂	^{130,131,132} Xe ₅₄	^{136,137} Ba ₅₆
^{122,124,128,130} Te ₅₂	^{70,72,76,78} Te ₅₂	^{130,131,132} Xe ₅₄	^{76,77,78} Xe ₅₄	^{136,137} Ba ₅₆	¹⁴⁹ Sm ₆₂	^{167,168} Er ₆₈	^{99,100} Er ₆₈
^{171,172,173,174,176} Yb ₇₀	^{101,102,103,104,106} Yb ₇₀	^{185,187} Re ₇₅	^{186,187,188,189} Os ₇₆	^{191,193} Ir ₇₇	^{199,204} Hg ₈₀	²⁰⁹ Bi ₈₃	²⁰⁹ Bi ₈₃
^{192,195,196} Pt ₇₈	^{114,117,118} Pt ₇₈	^{199,204} Hg ₈₀	^{7-17,124} Hg ₈₀	²⁰⁹ Bi ₈₃	²⁰⁹ Bi ₈₃	²²⁷ Ac ₈₉	¹⁵⁻¹⁹ Cn ₁₁₂
³¹⁰ Ch ₁₂₄	^{326,328} Ch ₁₂₄	^{344,2-173} Fy ₁₂₄	³⁷⁶ Ch ₁₄₉	²²⁻¹⁹ Ch ₁₆₇	^{14-31,435} Ch ₁₇₃	^{284,22-13} Nh ₁₁₃	^{9-19,173} Nh ₁₁₃
⁶⁻³¹ Ch ₁₂₄	¹²⁹ Ch ₁₂₄	^{197,199} Ch ₁₂₄	^{136,137} Fy ₁₂₄	^{208,209} Fy ₁₂₄	¹⁴⁹ Ch ₁₆₇	²⁵¹ Ch ₁₆₇	^{9-19,262} Ch ₁₇₃

13. The Meanings of the Value of the Speed of Light in Atomic Unites

$$c_{au} = 137.035999074627 = 137 + \frac{1}{27} - \frac{1}{9 \cdot 107} + \frac{1}{8 \cdot 137 \cdot (4 \cdot 7 \cdot 71 - 1)}$$

$$c_{au} = 137.035999074627 = 137 + \frac{1}{27} - \frac{1}{9 \cdot 107} + \frac{1}{3 \cdot 17 \cdot (4 \cdot 7 \cdot 25 \cdot 61 + 1)}$$

⁷ Li ₃	⁹ Be ₄	^{10,11} B ₅	^{12,13} C ₆	^{14,15} N ₇	^{16,17,18} O ₈	¹⁹ F ₉	^{20,21,22} Ne ₁₀	²⁷ Al ₁₃	^{28,29,30} Si ₁₄
³¹ P ₁₅	^{32,33,34,36} S ₁₆	^{16,17,18,20} S ₁₆	^{35,37} Cl ₁₇	^{39,40,41} K ₁₉	⁴⁵ Sc ₂₁	^{47,49} Ti ₂₂	^{50,51} V ₂₃	⁵⁵ Mn ₂₅	⁵⁹ Co ₂₇
^{58,60,61,62,64} Ni ₂₈	^{30,32,33,34,36} Ni ₃₀	^{63,65} Cu ₂₉	^{64,66,68} Zn ₃₀	^{69,71} Ga ₃₁	^{70,72,74} Ge ₃₂	^{79,81} Br ₃₅	^{83,84} Kr ₃₆	⁸⁹ Y ₃₉	^{28,29,30} Fe ₂₆
^{83,84,86} Kr ₃₆	^{47,48,50} Kr ₃₆	^{85,87} Rb ₃₇	⁸⁹ Y ₃₉	^{96,97,98} Mo ₄₂	^{97,98,99} Tc ₄₃	¹⁰³ Rh ₄₅	^{105,106,108} Pd ₄₆	^{112,113} Os ₇₆	^{118,119,122} Sn ₅₀
^{96,98,99,100,102,104} Ru ₄₄	^{52,54,55,56,58,60} Ru ₄₄	^{107,109} Ag ₄₇	^{112,113} Cd ₄₈	^{113,115} In ₄₉	^{118,119,122} Sn ₅₀	¹³¹ Xe ₅₄	^{121,123} Sb ₅₁	^{5-27,8-17,137,138} Ba ₅₆	^{140,142} Ce ₅₈
^{121,123} Sb ₅₁	^{70,72} Te ₅₂	⁵⁶ Ba ₅₆	^{79,80,81,82} La ₅₇	^{145,146,147} Pm ₆₁	¹⁵⁷ Gd ₆₄	^{162,163} Dy ₆₆	¹⁶⁸ Er ₆₈	¹⁶⁹ Tm ₆₉	^{170,171,172,173,174} Yb ₇₀
¹⁶⁸ Er ₆₈	¹⁶⁹ Tm ₆₉	^{170,171,172,173,174} Yb ₇₀	^{100,101,102,103,104} Lu ₇₁	^{175,176} Lu ₇₁	^{3-59,179,180} Hf ₇₂	^{185,187} Re ₇₅	^{188,189} Os ₇₆	^{203,205} Tl ₈₁	²⁰⁹ Bi ₈₃
²³² Th ₉₀	²⁴⁷ Bk ₉₇	²⁵⁷ Fm ₁₀₀	²⁵⁸ Md ₁₀₁	²⁵⁹ No ₁₀₂	²⁶² Lr ₁₀₃	²⁶⁸ Db ₁₀₅	^{269,271} Sg ₁₀₆	²²⁷ Fr ₈₇	²²⁶ Ra ₈₈
¹⁵⁻¹⁹ Cn ₁₁₂	^{4-71,286} Nh ₁₁₃	^{288,289} Mc ₁₁₅	³⁰⁴ Ch ₁₂₂	^{344,2-173,348} Fy ₁₂₄	^{2-179,360} Ch ₁₄₂	¹⁴⁻²⁷ Ch ₁₅₀	^{216,218} Ch ₁₇₃	²²⁸ Ch ₁₇₃	²²⁸ Ch ₁₇₃
⁴⁰⁰ Ch ₁₅₇	⁴¹⁰ Ch ₁₆₃	⁶⁻⁷¹ Ch ₁₆₉	^{33-13,430} Ch ₁₇₁	^{430,16-27} Ch ₁₇₂	^{14-31,15-29} Ch ₁₇₃	^{9-29,262} Ch ₁₇₃	^{216,218} Ch ₁₇₃	²²⁸ Ch ₁₇₃	²²⁸ Ch ₁₇₃

References

1. G. Chen, T-M. Chen and T-Y. Chen, viXra:2002.0203
(<https://vixra.org/abs/2002.0203>).
2. G. Chen, T-M. Chen and T-Y. Chen, Copyright Registration, Chirality and Poetry Model of Atomic Nuclei, GuoZuoDengZi-2018-L-00421847.

Acknowledgement

Yichang Huifu Silicon Material Co., Ltd., Guangzhou Huifu Research Institute Co., Ltd. and Yichang Huifu Nanometer Material Co., Ltd. have been giving Dr. Gang Chen a part-time employment since Dec. 2018. Thank these companies for their financial support. Specially thank Dr. Yuelin Wang and other colleagues of these companies for their appreciation, support and help.

Appendix I: Research History

1	1-10	2020/7/8-23
2	11-12	2020/7/11-12
3	12-14	2018/8/21-9/6
3-1	13	2018/8/21-25
3-2	13	2018/9/2-6
3-3	14	2018/9/2-6
3-4	14	2018/9/5-6
4	14-15	2020/6/28-30
5	16	2020/6/30-7/1
6	16-17	2020/6/30-7/1,7/5
7	17-18	2020/7/3-5
8	18-19	2020/7/20-21
9	19	2020/7/21-25
10	19-20	2020/7/27-28
11	20	2020/7/28
12	20-22	2020/7/28-30
13	22	2020/8/2
Preparing this paper	1-23	2020/7/8-2020/8/4

Notes: Dates were recorded according to Beijing Time; *ie* means ideal extended elements; *GL* means Gregory-Leibniz formula.