

Supplement Formulas of the Fine-structure Constant α , New Formulas of Euler Number e and Their Relationships with Nuclides

Gang Chen[†], Tianman Chen, Tianyi Chen

Guangzhou Huifu Research Institute Co., Ltd., Guangzhou, P. R. China

7-20-4, Greenwich Village, Wangjianglu 1, Chengdu, P. R. China

[†]Correspondence to: gang137.chen@connect.polyu.hk

Dedicated to Prof. Albert Sun-Chi Chan on the occasion of his 70th birthday

Abstract

This paper is a subsequent paper to the paper “Chen’s Formulas of the Fine-structure Constant” (viXra:2002.0203) for giving some supplements. In the previous paper, many formulas of the fine-structure constant α based on the most important key number 112 had been given. In this paper, some new formulas of α based on a subsequent key number 173 were deduced, some formulas of α were expressed as fractional numbers, some new formulas of Euler number e and their relationships with nuclides were given, the relationships of some formulas of 2π with nuclides were revealed, the relationships between some constants (e , γ , γ_c , γ_g and γ_{cg}) and nuclides were disclosed, a picture showing the unification of mathematics and physics through α was depicted, the most important formula of the speed of light in atomic unites c_{au} was revised to be more reasonable, a Fibonacci sequence containing 173 and its relationships with nuclides were proposed, the meanings of the numerical values of α and c_{au} were discovered, some formulas of α based on 137, 83, 83^2 , 112×173 , 163×173 , $36/112$, 100×112 and so on were presented, continued fractions of α and c_{au} were gained, an overall picture of the set of formulas of α was designed, and comparison of the calculated and measured values of α was exhibited.

Keywords: formulas of the fine-structure constant α , formulas of Euler number e ; the speed of light; the unification of mathematics and physics; relationships; nuclides.


1. Construct Formulas of α with 173 instead of 112

Referring to ${}_{112}\text{Cn}_{173}$, ${}_{137}\text{Fy}_{209}$ and ${}_{173}\text{Ch}_{261,262}$ presented in the previous paper

“Chen’s Formulas of the Fine-structure Constant” (viXra:2002.0203)¹, the natural end of elements is ${}_{112}\text{Cn}$, the Fynmann end of elements is ${}_{137}\text{Fy}$, and the end of ideal extended elements is ${}_{173}\text{Ch}$. We had already constructed formulas of α with 112 which is double of the most stable number 56 in the world of nuclides according to our Chirality and Poetry Model of Atomic Nuclei², and 173 seems to be a subsequent stable number connected to 112, so it should be possible to construct some reasonable (but may less important) formulas of α with 173 instead of 112 as follows. And the factors in these formulas are supposed to relate to nuclides as in the previous paper¹.


$$\alpha_{1-(173)} = \frac{8}{e^2 \frac{e^2}{\left(\frac{2}{1}\right)^3} \frac{e^2}{\left(\frac{3}{2}\right)^5} \frac{e^2}{\left(\frac{4}{3}\right)^7} \dots \frac{e^2}{\left(\frac{20}{19}\right)^{39}}} \frac{1}{173 + \frac{1}{31} - \frac{1}{10 \cdot 227 - \frac{103}{7 \cdot 193} \text{ or } \frac{60}{6 \cdot 131 + 1} \text{ or } \frac{112}{13 \cdot 113}}}$$

$$= 1/137.035999037435$$




$$\alpha_{1-(173)\text{-Wallis}} = \frac{2}{\left(2 \frac{2}{3} \frac{4}{3} \frac{4}{5} \frac{6}{5} \frac{6}{7} \frac{8}{7} \dots \frac{58}{59} \frac{4 \cdot 3 \cdot 5}{2 \cdot 29 + 1}\right)} \frac{1}{173 + \frac{1}{31} - \frac{1}{8 \cdot 11 \cdot 23 + \frac{171}{2 \cdot 112}}}$$

$$= 1/137.035999037435$$




$$\alpha_{1-(173)\text{-GL}} = \frac{1}{1 - \frac{1}{3} + \frac{1}{5} - \frac{1}{7} + \dots + \frac{1}{2 \cdot 2 \cdot 19 + 1}} \frac{1}{173 + \frac{1}{14} - \frac{1}{4 \cdot 61} + \frac{1}{2 \cdot 173 \cdot 191 + \frac{1}{50}}}$$

$$= 1/137.035999037435$$



$$\alpha_{1-(173)\text{-NC}} = \frac{8}{(2\pi)_{\text{NC}-1}} \frac{1}{173 + \frac{1}{10} - \frac{1}{17 \cdot 31} + \frac{1}{2 \cdot 47 \cdot 53 \cdot 127}} = 1/137.035999037435$$




$$= \frac{8}{6 + \frac{1}{3}} \frac{1}{173 + \frac{1}{10} - \frac{9 \cdot 19 \cdot (3 \cdot 11 \cdot 112 + 1)}{2 \cdot 17 \cdot 31 \cdot 47 \cdot 53 \cdot 127}} = \frac{24}{19} \frac{1}{173 + \frac{1}{10} - \frac{171 \cdot (2 \cdot 43^2 - 1)}{2 \cdot 17 \cdot 31 \cdot 47 \cdot 53 \cdot 127}}$$



Note: $(2\pi)_{NC-k} = 6 + \sum_{n=1}^k \frac{(-1)^{n+1}}{n(n+1/2)(n+1)}$


$$\alpha_{1-15(173)} = \frac{7 \cdot 17}{3 \cdot 5 \cdot e^2 \frac{e^2}{\left(\frac{2}{1}\right)^3} \frac{e^2}{\left(\frac{3}{2}\right)^5} \frac{e^2}{\left(\frac{4}{3}\right)^7} \dots \frac{e^2}{\left(\frac{2 \cdot (6 \cdot 47 - 1)}{6 \cdot 11 \cdot 17 + 1}\right)^{3 \cdot 7 \cdot 107}}} \frac{1}{173 + \frac{1}{20 \cdot (138 + 1) \cdot 227}}$$

= 1/137.035999037435




$$\alpha_{1-15(173)-Wallis} = \frac{7 \cdot 17}{4 \cdot 3 \cdot 5 \cdot \left(2 \frac{2}{3} \frac{4}{3} \frac{4}{5} \frac{6}{5} \dots \frac{3370}{3371} \frac{4 \cdot 3 \cdot 281}{2 \cdot 5 \cdot 337 + 1}\right)} \frac{1}{173 + \frac{1}{11 \cdot 103 \cdot (18 \cdot 31 - 1) + \frac{7}{10}}}$$

= 1/137.035999037435




$$\alpha_{1-15(173)-GL} = \frac{7 \cdot 17}{8 \cdot 3 \cdot 5 \cdot \left(1 - \frac{1}{3} + \frac{1}{5} - \frac{1}{7} + \dots + \frac{1}{2 \cdot 2 \cdot 29 \cdot 37 + 1}\right)} \frac{1}{173 + \frac{1}{2 \cdot 19 \cdot 23 \cdot 157 - \frac{10}{13}}}$$

= 1/137.035999037435





$$\alpha_{1-15(173)-NC} = \frac{7 \cdot 17}{3 \cdot 5 \cdot (2\pi)_{NC-9}} \frac{1}{173 + \frac{1}{2 \cdot 41} - \frac{1}{2 \cdot 9 \cdot (2 \cdot 199 - 1) - \frac{29}{139}}}$$

= 1/137.035999037435




$$\alpha_{1-59(173)} = \frac{4 \cdot 9 \cdot 13}{59 \cdot e^2 \frac{e^2}{\left(\frac{2}{1}\right)^3} \frac{e^2}{\left(\frac{3}{2}\right)^5} \frac{e^2}{\left(\frac{4}{3}\right)^7} \dots \frac{e^2}{\left(\frac{2 \cdot (8 \cdot 13 \cdot 137 + 1)}{3 \cdot 7 \cdot 23 \cdot 59}\right)^{5 \cdot (2 \cdot 41 \cdot 139 + 1)}}} \frac{1}{173 + \frac{2 \cdot 9 \cdot 11 \cdot 59}{5 \cdot 10^{11}}}$$

= 1/137.035999037435




$$\alpha_{1-59(173)-Wallis} = \frac{9 \cdot 13}{59 \cdot \left(2 \frac{2}{3} \frac{4}{3} \frac{4}{5} \frac{6}{5} \dots \frac{85482}{85483} \frac{4 \cdot 7 \cdot 43 \cdot 71}{2 \cdot 27 \cdot (2 \cdot 7 \cdot 113 + 1) + 1}\right)} \frac{1}{173 + \frac{9 \cdot 7 \cdot 71}{4 \cdot 10^{11}}}$$

= 1/137.035999037435




$$\alpha_{1-59(173)-GL} = \frac{9 \cdot 13}{2 \cdot 59 \cdot (1 - \frac{1}{3} + \frac{1}{5} - \frac{1}{7} + \dots + \frac{1}{2 \cdot 4 \cdot 3 \cdot 5 \cdot (4 \cdot 227 - 1) + 1})} \frac{1}{173 + \frac{9 \cdot 79}{4 \cdot 10^{10}}}$$

$$= 1/137.035999037435$$




$$\alpha_{1-59(173)-NC} = \frac{4 \cdot 9 \cdot 13}{59 \cdot (2\pi)_{NC-23}} \frac{1}{173 + \frac{1}{32 \cdot 9 \cdot (10 \cdot 19 + 1) - \frac{29}{2 \cdot 17}}} = 1/137.035999037435$$




$$\alpha_{2-(173)} = \frac{\frac{e^2}{\binom{2}{1}^3} \frac{e^2}{\binom{3}{2}^5} \frac{e^2}{\binom{4}{3}^7} \dots \frac{e^2}{\binom{37}{36}^{73}}}{5} \frac{1}{173 - \frac{1}{5 \cdot 11} + \frac{1}{2 \cdot 7 \cdot (2 \cdot 17^2 - 1) + \frac{2 \cdot 47}{3 \cdot 103} \text{ or } \frac{5 \cdot 23}{14 \cdot 27}}}$$

$$= 1/137.035999111818$$




$$\alpha_{2-(173)-Wallis} = \frac{4 \cdot (2 \frac{2}{3} \frac{4}{3} \frac{4}{5} \frac{6}{5} \dots \frac{108}{109} \frac{2 \cdot 5 \cdot 11}{2 \cdot 2 \cdot 27 + 1})}{5} \frac{1}{173 - \frac{1}{7 \cdot 13} + \frac{1}{4 \cdot 25 \cdot 19 \cdot 23 - \frac{10}{71}}}$$

$$= 1/137.035999111818$$




$$\alpha_{2-(173)-GL} = \frac{8 \cdot (1 - \frac{1}{3} + \frac{1}{5} - \frac{1}{7} + \dots + \frac{1}{2 \cdot 4 \cdot 17 + 1})}{5} \frac{1}{173 - \frac{1}{128 \cdot 7} + \frac{1}{5 \cdot 11^2 \cdot 19 \cdot 73}}$$

$$= 1/137.035999111818$$




$$\alpha_{2-1(173)-NC} = \frac{(2\pi)_{NC-3}}{5} \frac{1}{173-1+\frac{1}{2}-\frac{1}{10}+\frac{1}{2\cdot 5\cdot 23}-\frac{1}{4\cdot 9\cdot 7\cdot (400+1)}+\frac{1}{10}}$$

$$= 1/137.035999111818$$




$$\alpha_{2-44(173)} = \frac{4\cdot 11\cdot e^2 \frac{e^2}{\left(\frac{2}{1}\right)^3} \frac{e^2}{\left(\frac{3}{2}\right)^5} \frac{e^2}{\left(\frac{4}{3}\right)^7} \dots \frac{e^2}{\left(\frac{3\cdot (8\cdot 131+1)}{2\cdot 11^2\cdot 13}\right)^{7\cdot 29\cdot 31}}}{3\cdot 7\cdot 3} \frac{1}{173-\frac{1}{11\cdot 29\cdot (62\cdot 59+1)}+\frac{5}{6}}$$

$$= 1/137.035999111818$$




$$\alpha_{2-44(173)-Wallis} = \frac{16\cdot 11\cdot \left(2\frac{2}{3}\frac{4}{3}\dots\frac{9440}{9441}\frac{9442}{2\cdot 16\cdot 5\cdot 59+1}\right)}{3\cdot 7\cdot 3} \frac{1}{173-\frac{1}{59\cdot (2\cdot 3\cdot 7\cdot 13\cdot 17+1)}-\frac{4}{11}}$$

$$= 1/137.035999111818$$




$$\alpha_{2-44(173)-GL} = \frac{32\cdot 11\cdot \left(1-\frac{1}{3}+\frac{1}{5}-\dots+\frac{1}{2\cdot 10\cdot (14\cdot 43-1)+1}\right)}{3\cdot 7\cdot 3} \frac{1}{173-\frac{1}{(8\cdot 61-1)\cdot (42\cdot 23-1)}}$$

$$= 1/137.035999111818$$




$$\alpha_{2-44(173)-NC} = \frac{4\cdot 11\cdot (2\pi)_{11}}{3\cdot 7\cdot 3} \frac{1}{173-\frac{1}{7\cdot 113}+\frac{2\cdot 7\cdot 29\cdot 31\cdot 47}{25\cdot 10^{11}}} = 1/137.035999111818$$




$$\alpha_{2-45(173)} = \frac{9 \cdot 5 \cdot e^2 \frac{e^2}{\left(\frac{2}{1}\right)^3} \frac{e^2}{\left(\frac{3}{2}\right)^5} \frac{e^2}{\left(\frac{4}{3}\right)^7} \dots \frac{e^2}{\left(\frac{8 \cdot 5 \cdot 27}{13 \cdot 83}\right)^{17 \cdot 127}}}{2 \cdot 112} \frac{1}{173 - \frac{1}{2 \cdot 151 \cdot 173 - \frac{9}{8 \cdot 5}}}$$

$$= 1/137.035999111818$$




$$\alpha_{2-45(173)-Wallis} = \frac{9 \cdot 5 \cdot \left(2 \frac{2}{3} \frac{4}{3} \dots \frac{3236}{3237} \frac{2 \cdot (20 \cdot 81 - 1)}{2 \cdot 2 \cdot (8 \cdot 101 + 1) + 1}\right)}{8 \cdot 7} \frac{1}{173 - \frac{1}{8 \cdot 101 \cdot (4 \cdot 9 \cdot 13 - 1) - \frac{2}{15}}}$$

$$= 1/137.035999111818$$




$$\alpha_{2-45(173)-GL} = \frac{9 \cdot 5 \cdot \left(1 - \frac{1}{3} + \frac{1}{5} - \dots + \frac{1}{2 \cdot 2 \cdot (10 \cdot 103 + 1) + 1}\right)}{4 \cdot 7} \frac{1}{173 - \frac{1}{4 \cdot 17 \cdot (44 \cdot 13 - 1) - \frac{32}{3 \cdot 19}}}$$

$$= 1/137.035999111818$$



$$\alpha_{2-45(173)-NC} = \frac{9 \cdot 5 \cdot (2\pi)_7}{2 \cdot 112} \frac{1}{173 - \frac{1}{3 \cdot 17 \cdot 59 + \frac{121}{320}}} = \frac{9 \cdot 5 \cdot (2\pi)_7}{2 \cdot 112} \frac{1}{173 - \frac{1}{2 \cdot 5 \cdot 7 \cdot 43 - \frac{199}{320}}}$$


$$= 1/137.035999111818$$



$$\alpha_{2-87(173)} = \frac{3 \cdot 29 \cdot e^2 \frac{e^2}{\left(\frac{2}{1}\right)^3} \frac{e^2}{\left(\frac{3}{2}\right)^5} \frac{e^2}{\left(\frac{4}{3}\right)^7} \dots \frac{e^2}{\left(\frac{341846}{341845}\right)^{683691}}}{14 \cdot 31 - 1} \frac{1}{173 - \frac{14560}{10^{13}}}$$

$$= \frac{3 \cdot 29 \cdot e^2 e^2 \frac{e^2}{\left(\frac{2}{1}\right)^3} \frac{e^2}{\left(\frac{3}{2}\right)^5} \frac{e^2}{\left(\frac{4}{3}\right)^7} \dots \frac{e^2}{\left(\frac{2 \cdot 59 \cdot (2 \cdot 9 \cdot 7 \cdot 23 - 1)}{5 \cdot 7 \cdot (24 \cdot 11 \cdot 37 - 1)}\right)^{3 \cdot (4 \cdot 163 + 1) \cdot (12 \cdot 29 + 1)}}}{2 \cdot 7 \cdot 31 - 1} \frac{1}{173 - \frac{112 \cdot 13}{10^{12}}}$$


$$= 1/137.035999111818$$



$$\alpha_{2-87(173)-Wallis} = \frac{4 \cdot 87 \cdot \left(2 \frac{2}{3} \frac{4}{3} \frac{4}{5} \frac{6}{5} \dots \frac{1044088}{1044089} \frac{1044090}{1044089+1}\right)}{433} \frac{1}{173 - \frac{434 \text{ or } 435}{10^{13}}}$$


$$= \frac{4 \cdot 3 \cdot 29 \cdot \left(2 \frac{2}{3} \frac{4}{3} \frac{4}{5} \frac{6}{5} \dots \frac{1044088}{1044089} \frac{2 \cdot 81 \cdot 5 \cdot (23 \cdot 56 + 1)}{2 \cdot 4 \cdot 19 \cdot (4 \cdot 17 \cdot 101 + 1)}\right)}{2 \cdot 7 \cdot 31 - 1} \frac{1}{173 - \frac{7 \cdot 31}{5 \cdot 10^{12}} \text{ or } \frac{3 \cdot 29}{2 \cdot 10^{12}}}$$

$$= 1/137.035999111818$$




$$\alpha_{2-87(173)-GL} = \frac{8 \cdot 3 \cdot 29 \cdot \left(1 - \frac{1}{3} + \frac{1}{5} - \frac{1}{7} + \dots + \frac{1}{2 \cdot 16 \cdot (72 \cdot (2 \cdot 17^2 - 1) + 1)}\right)}{2 \cdot 7 \cdot 31 - 1} \frac{1}{173 - \frac{137}{125 \cdot 10^{11}}}$$

$$= 1/137.035999111818$$




$$\alpha_{2-87(173)-NC} = \frac{3 \cdot 29 \cdot (2\pi)_{NC-55}}{2 \cdot 7 \cdot 31 - 1} \frac{1}{173 - \frac{1}{2 \cdot 3 \cdot 7 \cdot 29 \cdot 61 + \frac{7}{4 \cdot 3}}} = 1/137.035999111818$$




$$\alpha_{2-89(173)} = \frac{89 \cdot e^2 \frac{e^2}{\left(\frac{2}{1}\right)^3} \frac{e^2}{\left(\frac{3}{2}\right)^5} \frac{e^2}{\left(\frac{4}{3}\right)^7} \dots \frac{e^2}{\left(\frac{3 \cdot 13 \cdot 41}{2 \cdot 17 \cdot 47}\right)^{23 \cdot (138+1)}}}{2 \cdot 13 \cdot 17 + 1} \frac{1}{173 - \frac{1}{7 \cdot 17 \cdot (4 \cdot 11 \cdot 29 + 1) + \frac{2}{25}}}$$

$$= 1/137.035999111818$$




$$\alpha_{2-89(173)\text{-Wallis}} = \frac{4 \cdot 89 \cdot \left(2 \frac{2}{3} \frac{4}{3} \frac{4}{5} \frac{6}{5} \dots \frac{4794}{4795} \frac{4 \cdot 11 \cdot 109}{2 \cdot 3 \cdot 17 \cdot 47 + 1}\right)}{4 \cdot 3 \cdot 37 - 1} \frac{1}{173 - \frac{1}{2 \cdot 49 \cdot (32 \cdot 113 + 1) + \frac{7}{8}}}$$

$$= 1/137.035999111818$$




$$\alpha_{2-89(173)\text{-GL}} = \frac{8 \cdot 89 \cdot \left(1 - \frac{1}{3} + \frac{1}{5} - \frac{1}{7} + \dots + \frac{1}{2 \cdot 4 \cdot 7 \cdot 109 + 1}\right)}{4 \cdot 3 \cdot 37 - 1} \frac{1}{173 - \frac{1}{9 \cdot (4 \cdot 5 \cdot 49 \cdot 47 + 1) + \frac{3}{8}}}$$

$$= 1/137.035999111818$$



$$\alpha_{2-89(173)\text{-NC}} = \frac{89 \cdot (2\pi)_{\text{NC-9}}}{4 \cdot 3 \cdot 37 - 1} \frac{1}{173 - \frac{1}{9 \cdot 25} + \frac{1}{13 \cdot (2 \cdot 3 \cdot 7 \cdot 19^2 - 1) + \frac{6}{17}}}$$


$$= 1/137.035999111818$$



$$\alpha_{2-131(173)}$$


$$= \frac{131 \cdot e^2 \frac{e^2}{\left(\frac{2}{1}\right)^3} \frac{e^2}{\left(\frac{3}{2}\right)^5} \frac{e^2}{\left(\frac{4}{3}\right)^7} \dots \frac{e^2}{\left(\frac{4 \cdot 3 \cdot 13 \cdot 59}{2 \cdot 43 \cdot 107 + 1}\right)^{79 \cdot (8 \cdot 29 + 1)}}}{4 \cdot 163} \cdot \frac{1}{173 - \frac{4 \cdot 59 \cdot (2 \cdot 11 \cdot 19 + 1)}{25 \cdot 10^{11}}}$$

$$= 1/137.035999111818$$




$$\alpha_{2-131(173)\text{-Wallis}} = \frac{131 \cdot \left(2 \frac{2}{3} \frac{4}{3} \dots \frac{27610}{27611} \frac{4 \cdot 9 \cdot 13 \cdot 59}{2 \cdot 2 \cdot 5 \cdot 11 \cdot (4 \cdot 9 \cdot 7 - 1) + 1}\right)}{163} \cdot \frac{1}{173 - \frac{8 \cdot 67 \cdot 157}{25 \cdot 10^{11}}}$$

$$= 1/137.035999111818$$




$$\alpha_{2-131(173)\text{-GL}} = \frac{2 \cdot 131 \cdot \left(1 - \frac{1}{3} + \frac{1}{5} - \frac{1}{7} + \dots + \frac{1}{2 \cdot 2 \cdot 11 \cdot 17 \cdot 47 + 1}\right)}{163} \cdot \frac{1}{173 - \frac{11 \cdot 67 \cdot 97}{4 \cdot 10^{11}}}$$

$$= 1/137.035999111818$$



$$\alpha_{2-131(173)\text{-NC}} = \frac{131 \cdot (2\pi)_{\text{NC}-17}}{4 \cdot 163} \cdot \frac{1}{173 - \frac{1}{20 \cdot 64} + \frac{49 \cdot (12 \cdot 269 + 1)}{25 \cdot 10^{11}}}$$


$$= 1/137.035999111818$$



$\alpha_{2-175(173)}$


$$= \frac{7 \cdot 25 \cdot e^2 \cdot \frac{e^2}{\left(\frac{2}{1}\right)^3} \cdot \frac{e^2}{\left(\frac{3}{2}\right)^5} \cdot \frac{e^2}{\left(\frac{4}{3}\right)^7} \cdots \frac{e^2}{\left(\frac{4 \cdot 3 \cdot 11 \cdot 47 - 1}{14 \cdot (2 \cdot 13 \cdot 17 + 1)}\right)^{15 \cdot (14 \cdot 59 + 1)}}}{13 \cdot 67} \cdot \frac{1}{173 - \frac{1}{2 \cdot 167 \cdot (32 \cdot 3 \cdot 49 - 1)}}$$

$$= 1/137.035999111818$$

 $\alpha_{2-175(173)-Wallix}$


$$= \frac{4 \cdot 7 \cdot 25 \cdot \left(2 \frac{2 \ 4 \ 4 \ 6 \ 6 \ 8}{3 \ 3 \ 5 \ 5 \ 7 \ 7} \cdots \frac{18606}{19607} \frac{16 \cdot (2 \cdot 7 \cdot 83 + 1)}{2 \cdot 3 \cdot 7 \cdot (2 \cdot 13 \cdot 17 + 1) + 1}\right)}{13 \cdot 67} \cdot \frac{1}{173 - \frac{1}{5 \cdot (16 \cdot 9 \cdot 5 \cdot 17 \cdot 41 + 1)}}$$

$$= 1/137.035999111818$$


 $\alpha_{2-175(173)-GL}$

$$= \frac{8 \cdot 7 \cdot 25 \cdot \left(1 - \frac{1}{3} + \frac{1}{5} - \frac{1}{7} + \cdots + \frac{1}{2 \cdot 2 \cdot (2 \cdot 9 \cdot 7 \cdot 47 + 1) + 1}\right)}{13 \cdot 67} \cdot \frac{1}{173 - \frac{1}{5 \cdot 59 \cdot (4 \cdot 5 \cdot 13 \cdot 17 + 1)}}$$

$$= 1/137.035999111818$$




$$\alpha_{2-175(173)-NC} = \frac{7 \cdot 25 \cdot (2\pi)_{NC-15}}{13 \cdot 67} \cdot \frac{1}{173 - \frac{1}{2 \cdot (3 \cdot 128 - 1)} + \frac{1}{125 \cdot 7 \cdot 29^2}} = 1/137.035999111818$$




2. Formulas of α_{1-7-NC} and $\alpha_{2-13-NC}$ Expressed as Fractional Numbers

$$\begin{aligned}
 \alpha_{1-7-NC} &= \frac{36}{7 \cdot (2\pi)_{NC-3}} \frac{1}{112 + \frac{1}{4 \cdot 7} - \frac{1}{2 \cdot 5 \cdot (3 \cdot 7)^2 - \frac{113}{7 \cdot 17}}} \\
 &= \frac{36}{7 \cdot (6 + \sum_{n=1}^3 \frac{(-1)^{n+1}}{n(n+1/2)(n+1)})} \frac{1}{112 + \frac{1}{4 \cdot 7} - \frac{1}{2 \cdot 5 \cdot (3 \cdot 7)^2 - \frac{113}{7 \cdot 17}}} \\
 &= \frac{36}{7 \cdot (6 + \frac{1}{1 \cdot \frac{3}{2} \cdot 2} - \frac{1}{2 \cdot \frac{5}{2} \cdot 3} + \frac{1}{3 \cdot \frac{7}{2} \cdot 4})} \frac{1}{112 + \frac{1}{4 \cdot 7} - \frac{1}{2 \cdot 5 \cdot (3 \cdot 7)^2 - \frac{113}{7 \cdot 17}}} \\
 &= \frac{36}{7 \cdot (6 + \frac{1}{3} - \frac{1}{15} + \frac{1}{42})} \frac{1}{112 + \frac{1}{4 \cdot 7} - \frac{1}{2 \cdot 5 \cdot (3 \cdot 7)^2 - \frac{113}{7 \cdot 17}}} \\
 &= \frac{36}{7 \cdot (6 + \frac{61}{210})} \frac{1}{112 + \frac{1}{4 \cdot 7} - \frac{1}{2 \cdot 5 \cdot (3 \cdot 7)^2 - \frac{113}{7 \cdot 17}}} \\
 &= \frac{36}{7 \cdot (\frac{44}{7} + \frac{1}{210})} \frac{1}{112 + \frac{1}{4 \cdot 7} - \frac{1}{2 \cdot 5 \cdot (3 \cdot 7)^2 - \frac{113}{7 \cdot 17}}} \\
 &= \frac{36}{44 + \frac{1}{30}} \frac{1}{112 + \frac{1}{4 \cdot 7} - \frac{1}{41 \cdot 67 \cdot 191}} \\
 &= \frac{1080}{1321} \frac{1}{112 + \frac{5 \cdot 11 \cdot 9479}{4 \cdot 7 \cdot 41 \cdot 67 \cdot 191}} = \frac{1080}{1321} \frac{28 \cdot 41 \cdot 67 \cdot 191}{81 \cdot 89 \cdot 229 \cdot 997} \\
 &= \frac{2^5 \cdot 5 \cdot 7 \cdot (2^3 \cdot 5 + 1)(2 \cdot 3 \cdot 11 + 1)(2 \cdot 5 \cdot 19 + 1)}{3 \cdot (2^3 \cdot 11 + 1)(2^3 \cdot 3 \cdot 5 \cdot 11 + 1)(4 \cdot 3 \cdot 19 + 1)(4 \cdot 3 \cdot 83 + 1)} \\
 &= 1/137.035999037435
 \end{aligned}$$



$$\alpha_{2-13-NC} = \frac{13 \cdot (2\pi)_{NC-5}}{100} \frac{1}{112 - \frac{1}{4 \cdot 9} + \frac{1}{1600} - \frac{1}{2(2 \cdot 7 \cdot 199 \cdot 257 + 1)}}$$

$$= 1/137.035999111818$$



$$(2\pi)_{NC-5} = 6 + \sum_{n=1}^5 \frac{(-1)^{n+1}}{n(n+1/2)(n+1)} = 6 + \frac{1}{1 \cdot 3} - \frac{1}{3 \cdot 5} + \frac{1}{2 \cdot 3 \cdot 7} - \frac{1}{2 \cdot 3^2 \cdot 5} + \frac{1}{3 \cdot 5 \cdot 11}$$

$$= 6 + \frac{2 \cdot 3 \cdot 5 \cdot 7 \cdot 11}{2 \cdot 3^2 \cdot 5 \cdot 7 \cdot 11} - \frac{2 \cdot 3 \cdot 7 \cdot 11}{2 \cdot 3^2 \cdot 5 \cdot 7 \cdot 11} + \frac{3 \cdot 5 \cdot 11}{2 \cdot 3^2 \cdot 5 \cdot 7 \cdot 11} - \frac{7 \cdot 11}{2 \cdot 3^2 \cdot 5 \cdot 7 \cdot 11} + \frac{2 \cdot 3 \cdot 7}{2 \cdot 3^2 \cdot 5 \cdot 7 \cdot 11}$$


$$= 6 + \frac{2310 - 462 + 165 - 77 + 42}{2 \cdot 3^2 \cdot 5 \cdot 7 \cdot 11} = 6 + \frac{1978}{2 \cdot 3^2 \cdot 5 \cdot 7 \cdot 11} = 6 + \frac{989}{5 \cdot 7 \cdot 9 \cdot 11} = \frac{29 \cdot 751}{5 \cdot 7 \cdot 9 \cdot 11}$$

$$\alpha_{2-13-NC} = \frac{13 \cdot 29 \cdot (2 \cdot 3 \cdot 5^3 + 1)}{2^2 \cdot 5^3 \cdot 7 \cdot 9 \cdot 11} \frac{1}{112 - \frac{1}{4 \cdot 9} + \frac{1}{1600} - \frac{1}{2(2 \cdot 7 \cdot 199 \cdot 257 + 1)}}$$

$$= \frac{13 \cdot 29 \cdot (2 \cdot 3 \cdot 5^3 + 1)}{2^2 \cdot 5^3 \cdot 7 \cdot 9 \cdot 11} \frac{1}{112 - \frac{1}{2} \left(\frac{1}{2 \cdot 9} - \frac{1}{800} + \frac{1}{(2 \cdot 7 \cdot 199 \cdot 257 + 1)} \right)}$$

$$= \frac{13 \cdot 29 \cdot (2 \cdot 3 \cdot 5^3 + 1)}{2^2 \cdot 3^2 \cdot 5^3 \cdot 7 \cdot 11} \frac{1}{112 - \frac{13 \cdot 19 \cdot (2 \cdot 17^2 \cdot 37 \cdot 53 + 1)}{2^6 \cdot 3^2 \cdot 5^2 \cdot (2 \cdot 7 \cdot 199 \cdot 257 + 1)}}$$

$$= 1/137.035999111818$$



3. Deduction of New Formulas of e

Define $\infty = \lim_{n \rightarrow \infty} n$

$$e = \left(1 + \frac{1}{\infty}\right)^\infty = 1 + \frac{\infty}{1! \infty} + \frac{\infty(\infty-1)}{2! \infty^2} + \frac{\infty(\infty-1)(\infty-2)}{3! \infty^3} + \dots$$

$$= \left(1 + \frac{1}{1!} + \frac{1}{2!} + \frac{1}{3!} + \dots\right) + \left(\frac{1}{2!} + \frac{1+2}{3!} + \frac{1+2+3}{4!} + \dots\right) \frac{1}{\infty} +$$

$$\left[\frac{1 \cdot 2}{3!} + \frac{1 \cdot 2 + (1+2)3}{4!} + \frac{1 \cdot 2 + (1+2)3 + (1+2+3)4}{5!} + \dots\right] \frac{1}{\infty^2} +$$

$$\left\{\frac{1 \cdot 2 \cdot 3}{4!} + \frac{1 \cdot 2 \cdot 3 + [1 \cdot 2 + (1+2)3]4}{5!} + \dots\right\} \frac{1}{\infty^3} + \dots$$

3-1. There are or should be some formulas as follows.

$$e = 1 + \frac{1}{1!} + \frac{1}{2!} + \frac{1}{3!} + \dots = 1 + \sum_{k=1}^{\infty} \frac{1}{k!} = 2.718281828459045 \dots$$

$$e = 2 \left(\frac{1}{2!} + \frac{1+2}{3!} + \frac{1+2+3}{4!} + \dots \right) = 2 \sum_{k=2}^{\infty} \frac{\sum_{l=1}^{k-1} l}{k!} = 1 + \sum_{k=1}^{\infty} \frac{1}{k!}$$

$$e = \frac{24}{11} \left[\frac{1 \cdot 2}{3!} + \frac{1 \cdot 2 + (1+2)3}{4!} + \frac{1 \cdot 2 + (1+2)3 + (1+2+3)4}{5!} + \dots \right] = \frac{24}{11} \sum_{k=3}^{\infty} \frac{\sum_{l=2}^{k-1} l \sum_{m=1}^{l-1} m}{k!}$$

$$e = \frac{16}{7} \left\{ \frac{1 \cdot 2 \cdot 3}{4!} + \frac{1 \cdot 2 \cdot 3 + [1 \cdot 2 + (1+2)3]4}{5!} + \dots \right\} = \frac{16}{7} \sum_{k=4}^{\infty} \frac{\sum_{l_1=3}^{k-1} l_1 \sum_{l_2=2}^{l_1-1} l_2 \sum_{m=1}^{l_2-1} m}{k!}$$

$$\frac{1}{e} = 1 - \frac{1}{1!} + \frac{1}{2!} - \frac{1}{3!} + \dots = 1 + \sum_{k=1}^{\infty} \frac{(-1)^k}{k!} = 1/2.718281828459045 \dots$$

$$\frac{1}{e} = 2 \left(\frac{1}{2!} - \frac{1+2}{3!} + \frac{1+2+3}{4!} - \dots \right) = 2 \sum_{k=2}^{\infty} \frac{(-1)^{k-2} \sum_{l=1}^{k-1} l}{k!} = 1 + \sum_{k=1}^{\infty} \frac{(-1)^k}{k!}$$

$$\frac{1}{e} = \frac{24}{5} \left[\frac{1 \cdot 2}{3!} - \frac{1 \cdot 2 + (1+2)3}{4!} + \frac{1 \cdot 2 + (1+2)3 + (1+2+3)4}{5!} - \dots \right] = \frac{24}{5} \sum_{k=3}^{\infty} \frac{(-1)^{k-3} \sum_{l=2}^{k-1} l \sum_{m=1}^{l-1} m}{k!}$$

$$\frac{1}{e} = \frac{48}{5} \left\{ \frac{1 \cdot 2 \cdot 3}{4!} - \frac{1 \cdot 2 \cdot 3 + [1 \cdot 2 + (1+2)3]4}{5!} + \dots \right\} = \frac{48}{5} \sum_{k=4}^{\infty} \frac{(-1)^{k-4} \sum_{l_1=3}^{k-1} l_1 \sum_{l_2=2}^{l_1-1} l_2 \sum_{m=1}^{l_2-1} m}{k!}$$

3-2. There are or should be some general formulas as follows.

$$e^x = 1 + \frac{x}{1!} + \frac{x^2}{2!} + \frac{x^3}{3!} + \dots = 1 + \sum_{k=1}^{\infty} \frac{x^k}{k!} = 1 + x \left(\frac{1}{1!} + \frac{x}{2!} + \frac{x^2}{3!} + \dots \right) = 1 + x \sum_{k=1}^{\infty} \frac{x^{k-1}}{k!}$$

$$e^x = 2 \left[\frac{1}{2!} + \frac{1+2}{3!} x + \frac{1+2+3}{4!} x^2 + \dots \right] = 2 \left(\frac{1}{2!} + \sum_{k=3}^{\infty} \frac{x^{k-2} \sum_{m=1}^{k-1} m}{k!} \right) = 2 \sum_{k=2}^{\infty} \frac{x^{k-2} \sum_{m=1}^{k-1} m}{k!}$$

$$e^x = \frac{8}{x+8/3} \left[\frac{1 \cdot 2}{3!} + \frac{1 \cdot 2 + (1+2)3}{4!} x + \dots \right] = \frac{8}{x+8/3} \sum_{k=3}^{\infty} \frac{x^{k-3} \sum_{l=2}^{k-1} l \sum_{m=1}^{l-1} m}{k!}$$

$$e^x = \frac{6 \cdot 8}{(x+2)(x+6)} \left\{ \frac{1 \cdot 2 \cdot 3}{4!} + \frac{1 \cdot 2 \cdot 3 + [1 \cdot 2 + (1+2)3]4}{5!} x + \dots \right\}$$

$$= \frac{6 \cdot 8}{(x+2)(x+6)} \sum_{k=4}^{\infty} \frac{x^{k-4} \sum_{l_1=3}^{k-1} l_1 \sum_{l_2=2}^{l_1-1} l_2 \sum_{m=1}^{l_2-1} m}{k!} \quad (x \in \mathbb{R}, 0^0 = 1)$$

3-3. There should be some special zero points for the above formulas as follows.

$$\sum_{k=3}^{\infty} \frac{\left(-\frac{8}{3}\right)^{k-3} \sum_{l=2}^{k-1} l \sum_{m=1}^{l-1} m}{k!} = \frac{1 \cdot 2}{3!} + \frac{1 \cdot 2 + (1+2)3}{4!} \left(-\frac{8}{3}\right) + \frac{1 \cdot 2 + (1+2)3 + (1+2+3)4}{5!} \left(-\frac{8}{3}\right)^2 + \dots = 0$$

$$\sum_{k=4}^{\infty} \frac{(-2)^{k-4} \sum_{l_1=3}^{k-1} l_1 \sum_{l_2=2}^{l_1-1} l_2 \sum_{m=1}^{l_2-1} m}{k!} = \frac{1 \cdot 2 \cdot 3}{4!} + \frac{1 \cdot 2 \cdot 3 + [1 \cdot 2 + (1+2)3]4}{5!} (-2) + \frac{1 \cdot 2 \cdot 3 + [1 \cdot 2 + (1+2)3]4 + [1 \cdot 2 + (1+2)3 + (1+2+3)4]5}{6!} (-2)^2 + \dots = 0$$

$$\sum_{k=4}^{\infty} \frac{(-6)^{k-3} \sum_{l_1=3}^{k-1} l_1 \sum_{l_2=2}^{l_1-1} l_2 \sum_{m=1}^{l_2-1} m}{k!} = \frac{1 \cdot 2 \cdot 3}{4!} + \frac{1 \cdot 2 \cdot 3 + [1 \cdot 2 + (1+2)3]4}{5!} (-6) + \frac{1 \cdot 2 \cdot 3 + [1 \cdot 2 + (1+2)3]4 + [1 \cdot 2 + (1+2)3 + (1+2+3)4]5}{6!} (-6)^2 + \dots = 0$$

3-4. There should be some special extended formulas as follows.

$$e = \frac{5760}{2447} \sum_{k=5}^{\infty} \frac{\sum_{l_1=4}^{k-1} l_1 \sum_{l_2=3}^{l_1-1} l_2 \sum_{l_3=2}^{l_2-1} l_3 \sum_{m=1}^{l_3-1} m}{k!} = \frac{2^7 \cdot 3^2 \cdot 5}{2 \cdot 9 \cdot 136 - 1} \sum_{k=5}^{\infty} \frac{\sum_{l_1=4}^{k-1} l_1 \sum_{l_2=3}^{l_1-1} l_2 \sum_{l_3=2}^{l_2-1} l_3 \sum_{m=1}^{l_3-1} m}{k!}$$


$$\frac{1}{e} = \frac{5760}{337} \sum_{k=5}^{\infty} \frac{(-1)^{k-5} \sum_{l_1=4}^{k-1} l_1 \sum_{l_2=3}^{l_1-1} l_2 \sum_{l_3=2}^{l_2-1} l_3 \sum_{m=1}^{l_3-1} m}{k!} = \frac{2^7 \cdot 3^2 \cdot 5}{3 \cdot 112 + 1} \sum_{k=5}^{\infty} \frac{(-1)^{k-5} \sum_{l_1=4}^{k-1} l_1 \sum_{l_2=3}^{l_1-1} l_2 \sum_{l_3=2}^{l_2-1} l_3 \sum_{m=1}^{l_3-1} m}{k!}$$

$$e = \frac{2304}{959} \sum_{k=6}^{\infty} \frac{\sum_{l_1=5}^{k-1} l_1 \sum_{l_2=4}^{l_1-1} l_2 \sum_{l_3=3}^{l_2-1} l_3 \sum_{l_4=2}^{l_3-1} l_4 \sum_{m=1}^{l_4-1} m}{k!} = \frac{2^8 \cdot 3^2}{7 \cdot 137} \sum_{k=6}^{\infty} \frac{\sum_{l_1=5}^{k-1} l_1 \sum_{l_2=4}^{l_1-1} l_2 \sum_{l_3=3}^{l_2-1} l_3 \sum_{l_4=2}^{l_3-1} l_4 \sum_{m=1}^{l_4-1} m}{k!}$$

$$\frac{1}{e} = \frac{3840}{137} \sum_{k=6}^{\infty} \frac{(-1)^{k-6} \sum_{l_1=5}^{k-1} l_1 \sum_{l_2=4}^{l_1-1} l_2 \sum_{l_3=3}^{l_2-1} l_3 \sum_{l_4=2}^{l_3-1} l_4 \sum_{m=1}^{l_4-1} m}{k!} = \frac{2^8 \cdot 3 \cdot 5}{137} \sum_{k=6}^{\infty} \frac{(-1)^{k-6} \sum_{l_1=5}^{k-1} l_1 \sum_{l_2=4}^{l_1-1} l_2 \sum_{l_3=3}^{l_2-1} l_3 \sum_{l_4=2}^{l_3-1} l_4 \sum_{m=1}^{l_4-1} m}{k!}$$

4. Relationships between the New Formulas of e and Nuclides





$$e = \frac{8 \cdot 3}{11} \sum_{k=3}^{\infty} \frac{\sum_{l=2}^{k-1} l \sum_{m=1}^{l-1} m}{k!} \quad \frac{1}{e} = \frac{8 \cdot 3}{5} \sum_{k=3}^{\infty} \frac{(-1)^{k-3} \sum_{l=2}^{k-1} l \sum_{m=1}^{l-1} m}{k!}$$



$$e = \frac{16}{7} \sum_{k=4}^{\infty} \frac{\sum_{l_1=3}^{k-1} \sum_{l_2=2}^{l_1-1} \sum_{m=1}^{l_2-1} m}{k!}$$

$$\frac{1}{e} = \frac{16 \cdot 3}{5} \sum_{k=4}^{\infty} \frac{(-1)^{k-4} \sum_{l_1=3}^{k-1} \sum_{l_2=2}^{l_1-1} \sum_{m=1}^{l_2-1} m}{k!}$$

$$\frac{1}{e^4} = -12 \sum_{k=4}^{\infty} \frac{(-4)^{k-4} \sum_{l_1=3}^{k-1} \sum_{l_2=2}^{l_1-1} \sum_{m=1}^{l_2-1} m}{k!}$$



$$e = \frac{5760}{2447} \sum_{k=5}^{\infty} \frac{\sum_{l_1=4}^{k-1} \sum_{l_2=3}^{l_1-1} \sum_{l_3=2}^{l_2-1} \sum_{m=1}^{l_3-1} m}{k!} = \frac{2^7 \cdot 3^2 \cdot 5}{2 \cdot 9 \cdot 136 - 1} \sum_{k=5}^{\infty} \frac{\sum_{l_1=4}^{k-1} \sum_{l_2=3}^{l_1-1} \sum_{l_3=2}^{l_2-1} \sum_{m=1}^{l_3-1} m}{k!}$$

$$\frac{1}{e} = \frac{5760}{337} \sum_{k=5}^{\infty} \frac{(-1)^{k-5} \sum_{l_1=4}^{k-1} \sum_{l_2=3}^{l_1-1} \sum_{l_3=2}^{l_2-1} \sum_{m=1}^{l_3-1} m}{k!} = \frac{2^7 \cdot 3^2 \cdot 5}{3 \cdot 112 + 1} \sum_{k=5}^{\infty} \frac{(-1)^{k-5} \sum_{l_1=4}^{k-1} \sum_{l_2=3}^{l_1-1} \sum_{l_3=2}^{l_2-1} \sum_{m=1}^{l_3-1} m}{k!}$$





$$e = \frac{2304}{959} \sum_{k=6}^{\infty} \frac{\sum_{l_1=5}^{k-1} \sum_{l_2=4}^{l_1-1} \sum_{l_3=3}^{l_2-1} \sum_{l_4=2}^{l_3-1} \sum_{m=1}^{l_4-1} m}{k!}$$

$$= \frac{2^8 \cdot 3^2}{7 \cdot 137} \sum_{k=6}^{\infty} \frac{\sum_{l_1=5}^{k-1} \sum_{l_2=4}^{l_1-1} \sum_{l_3=3}^{l_2-1} \sum_{l_4=2}^{l_3-1} \sum_{m=1}^{l_4-1} m}{k!}$$

$$\frac{1}{e} = \frac{3840}{137} \sum_{k=6}^{\infty} \frac{(-1)^{k-6} \sum_{l_1=5}^{k-1} \sum_{l_2=4}^{l_1-1} \sum_{l_3=3}^{l_2-1} \sum_{l_4=2}^{l_3-1} \sum_{m=1}^{l_4-1} m}{k!}$$

$$= \frac{2^8 \cdot 3 \cdot 5}{137} \sum_{k=6}^{\infty} \frac{(-1)^{k-6} \sum_{l_1=5}^{k-1} \sum_{l_2=4}^{l_1-1} \sum_{l_3=3}^{l_2-1} \sum_{l_4=2}^{l_3-1} \sum_{m=1}^{l_4-1} m}{k!}$$



5. Relationships between Formulas of 2π and Nuclides

$$\pi = \frac{22}{7} - \int_0^1 \frac{x^4(1-x)^4}{1+x^2} dx \quad 2\pi = \frac{4 \cdot 11}{7} - 2 \int_0^1 \frac{x^4(1-x)^4}{1+x^2} dx$$

$^{14,15}_7N_{7,8}$ $^{23}_{11}Na_{12}$ $^{28,29,30}_{14}Si_{14,15,16}$ $^{46,47,48,49,50}_{22}Sc_{24,25,26,27,28}$ $^{58,60,61,62,64}_{28}Ni_{30,32,33,34,36}$ $^{77}_{34}Se_{43}$
 $^{88}_{38}Sr_{50}$ $^{96,98,99,100,102,104}_{44}Ru_{52,54,55,56,58,60}$ $^{150}_{62}Sm_{88}$ $^{226}_{88}Ra_{138}^*$

$$\pi = \frac{355}{113} - \frac{1}{3164} \int_0^1 \frac{x^8(1-x)^8(25+816x^2)}{1+x^2} dx$$

$$2\pi = \frac{2 \cdot 5 \cdot 71}{113} - \frac{1}{2 \cdot 7 \cdot 113} \int_0^1 \frac{x^8(1-x)^8(25+16 \cdot 3 \cdot 17x^2)}{1+x^2} dx$$

$^{14,15}_7N_{7,8}$ $^{16,17,18}_8O_{8,9,10}$ $^{31}_{15}P_{16}$ $^{32,33,34,36}_{16}S_{16,17,18,20}$ $^{35,37}_{17}Cl_{18,20}$ $^{55}_{25}Mn_{30}$ $^{69,71}_{31}Ga_{38,40}$ $^{112,113}_{48}Cd_{64,65}$
 $^{77,78,80,82}_{34}Se_{43,44,46,48}$ $^{118,119}_{50}Sn_{68,69}$ $^{121,122}_{51}Sb_{70,72}$ $^{136,137,138}_{56}Ba_{80,81,82}$ $^{168}_{68}Er_{100}$ $^{169}_{69}Tm_{100}$ $^{175,114}_{71}Lu_{104,105}$
 $^{170,171,172,173,176}_{70}Yb_{100,101,102,103,106}$ $^{189}_{76}Os_{113}$ $^{226}_{88}Ra_{138}^*$ $^{257}_{100}Fm_{157}$ $^{259}_{102}Fm_{157}$ $^{4 \cdot 71, 2 \cdot 11 \cdot 13}_{113}Nh_{171,173}^{ie}$ $^{2 \cdot 11 \cdot 17}_{148}Ch_{226}^{ie}$

6. Relationships between γ , e , γ_c , γ_g and γ_{cg} and Nuclides

$$\text{Euler-Mascheroni constant } \gamma = \lim_{N \rightarrow \infty} \left(\sum_{n=1}^N \frac{1}{n} - \ln n \right) = 0.5772156649 \dots$$

$$\gamma = 0.5772156649 \dots \approx \frac{3 \cdot 5}{2 \cdot 13} \approx \frac{3 \cdot 41}{71}$$

$^{11}_5B_6$ $^{12,13}_6C_{6,7}$ $^{31}_{15}P_{16}$ $^{39}_{19}K_{20}$ $^{54,56,57,58}_{26}Fe_{28,30,31,32}$
 $^{64,66}_{30}Zn_{34,36}$ $^{69,71}_{31}Ga_{38,40}$ $^{89}_{39}Y_{50}$ $^{93}_{41}Nb_{52}$ $^{121,341}_{51}Sb_{70,72}$ $^{3 \cdot 41}_{52}Te_{71}$ $^{175,176}_{71}Lu_{104,105}$ $^{18 \cdot 17, 4 \cdot 77}_{123}Ch_{183,185}^{ie}$

$$e = 2.718281828 \dots \approx \frac{3 \cdot 29}{32} \approx \frac{193}{71}$$

$^{48}_{22}Ti_{26}$ $^{53}_{24}Cr_{29}$ $^{54,56,57,58}_{26}Fe_{28,30,31,32}$ $^{63,65}_{29}Cu_{34,36}$ $^{87,84}_{36}Kr_{47,48}$ $^{85,87}_{37}Rb_{48,50}$ $^{106,112,113,116}_{48}Cd_{58,64,65,68}$
 $^{113,115}_{49}In_{64,66}$ $^{175,176}_{71}Lu_{104,105}$ $^{191,193}_{77}Ir_{114,116}$ $^{4 \cdot 71, 286}_{113}Nh_{171,173}^*$ $^{11 \cdot 29, 320}_{127}Ch_{3 \cdot 64, 193}^{ie}$ $^{434}_{173}Ch_{9 \cdot 29}^{ie}$

$$e^2 \approx \frac{37}{5} \approx \frac{7 \cdot 19}{2 \cdot 9}$$

$^{10,11}_5B_{5,6}$ $^{14,15}_7N_{7,8}$ $^{19}_9F_{10}$ $^{28,29,30}_{14}Si_{14,15,16}$ $^{35,37}_{17}Cl_{18,20}$ $^{38}_{18}Ar_{20}$ $^{67,68}_{30}Zn_{37,38}$ $^{85,87}_{37}Rb_{48,50}$ $^{84,87}_{38}Sr_{46,49}$
 $^{7 \cdot 19}_{55}Cs_{78}$ $^{9 \cdot 19}_{70}Yb_{101}$ $^{185,187}_{75}Tm_{110,112}$ $^{284,286}_{113}Nh_{9 \cdot 19, 173}^{ie}$ $^{4 \cdot 77}_{123}Ch_{185}^{ie}$ $^{312}_{125}Ch_{187}^{ie}$ $^{3 \cdot 112}_{133}Ch_{7 \cdot 29}^{ie}$ $^{429,430}_{171}Ch_{258,7 \cdot 37}^{ie}$

$$e^\gamma = 1.7810724 \dots \approx \frac{3 \cdot 19}{32} \approx \frac{7 \cdot 43}{167}$$

7_3Li_4 $^{48}_{22}Ti_{26}$ $^{54,56,57,58}_{26}Fe_{28,30,31,32}$ $^{70}_{32}Ge_{38}$ $^{77}_{34}Se_{43}$ $^{84}_{36}Kr_{48}$ $^{86,87}_{38}Sr_{48,49}$ $^{99}_{43}Tc_{56}^*$ $^{112,113,114}_{48}Cd_{64,65,66}$
 $^{167,168}_{68}Er_{99,100}$ $^{171}_{70}Yb_{101}$ $^{15 \cdot 19}_{112}Cn_{173}^*$ $^{284,22 \cdot 13}_{113}Nh_{9 \cdot 19, 173}^{ie}$ $^{33 \cdot 13, 430}_{171}Ch_{258, 259}^{ie}$ $^{22 \cdot 19}_{167}Ch_{251}^{ie}$

$$e^{\gamma_c} = e^{0.0810614668 \dots} = 1.08443755 \dots \approx \frac{7 \cdot 11}{71} \approx \frac{5 \cdot 131}{4 \cdot 151}$$

$^{69,71}_{31}Ga_{38,40}$ $^{121,123}_{51}Sb_{70,72}$ $^{175,176}_{71}Lu_{104,105}$ $^{77}_{34}Se_{43}$ $^{131}_{54}Xe_{77}$ $^{151,153}_{63}Eu_{88,90}$ $^{191,193}_{77}Ir_{114,116}$ $^{247}_{96}Cm_{151}^*$

$$e^{2\gamma_c} = e^{2 \times 0.0810614668 \dots} = 1.17600480 \dots \approx \frac{4 \cdot 5}{17} \approx \frac{3 \cdot 49}{125} \approx \frac{167}{2 \cdot 71}$$

${}_{17}^{35,37}\text{Cl}_{18,20}$ ${}_{22}^{49}\text{Ti}_{27}$ ${}_{30}^{68}\text{Ga}_{38}$ ${}_{31}^{69,71}\text{Ga}_{38,40}$ ${}_{37}^{85,87}\text{Rb}_{48,50}$ ${}_{38}^{87}\text{Sr}_{49}$ ${}_{49}^{113,115}\text{In}_{64,66}$ ${}_{50}^{118}\text{Sn}_{68}$ ${}_{51}^{121,123}\text{Sb}_{70,72}$
 ${}_{52}^{125}\text{Te}_{73}$ ${}_{62}^{147}\text{Sm}_{85}$ ${}_{68}^{167,168}\text{Er}_{99,100}$ ${}_{71}^{175,176}\text{Lu}_{104,105}$ ${}_{84}^{209}\text{Po}_{125}$ ${}_{85}^{210}\text{At}_{125}$ ${}_{125}^{312}\text{Ch}_{11-17}^{ie}$ ${}_{147}^{12-31}\text{Ch}_{225}^{ie}$ ${}_{167}^{418}\text{Ch}_{251}^{ie}$

$$2(1 - \gamma_c) = 2(1 - 0.0810614668 \dots) \approx \frac{4 \cdot 17}{37} \quad \text{Note: } 2\pi = \left(\frac{e}{e^{\gamma_c}}\right)^2$$

${}_{17}^{35,37}\text{Cl}_{18,20}$ ${}_{30}^{64,67,68}\text{Zn}_{34,37,38}$ ${}_{34}^{74}\text{Se}_{40}$ ${}_{37}^{85,87}\text{Rb}_{38,40}$ ${}_{50}^{118}\text{Sn}_{68}$ ${}_{60}^{145}\text{Nd}_{85}$ ${}_{68}^{168}\text{Er}_{100}$ ${}_{75}^{185,187}\text{Tm}_{110,112}$
 ${}_{85}^{210}\text{At}_{125}$ ${}_{123}^{4-77}\text{Ch}_{185}^{ie}$ ${}_{125}^{312}\text{Ch}_{187}^{ie}$

$$2(1 - \gamma_g) = 2(1 - 0.7742086474 \dots) \approx \frac{2 \cdot 7}{31} \quad \text{Note: } \frac{\pi}{2} = \left(\frac{e}{e^{\gamma_g}}\right)^2$$

${}_{7}^{14,15}\text{N}_{7,8}$ ${}_{14}^{28,29,30}\text{Si}_{14,15,16}$ ${}_{15}^{31}\text{P}_{16}$ ${}_{26}^{54,56,57,58}\text{Fe}_{28,30,31,32}$ ${}_{28}^{62}\text{Ni}_{34}$ ${}_{31}^{69,71}\text{Ga}_{38,40}$ ${}_{62}^{147,148,150,152}\text{Sm}_{85,86,88,90}$

$$e^{2\gamma_{cg}} \approx \frac{17}{3 \cdot 5} \approx \frac{127}{112} \approx \frac{144}{127}, \quad 2\gamma_{cg} = 2 \times 0.0628164798 \dots \approx \frac{23}{3 \cdot 61} \approx \frac{8 \cdot 3}{191} \approx \frac{25}{199} \quad \frac{\pi}{2} = \left(\frac{e^{\gamma/2}}{e^{\gamma_{cg}}}\right)^2$$

${}_{23}^{50,51}\text{V}_{27,28}$ ${}_{24}^{53}\text{Cr}_{29}$ ${}_{30}^{64}\text{Zn}_{34}$ ${}_{36}^{83,84}\text{Kr}_{47,48}$ ${}_{48}^{112}\text{Cd}_{64}$ ${}_{53}^{127}\text{I}_{74}$ ${}_{60}^{144}\text{Nd}_{84}$ ${}_{74}^{3-61,186}\text{W}_{109,112}$ ${}_{75}^{185,187}\text{Tm}_{110,112}$ ${}_{80}^{199}\text{Hg}_{7-17}$
 ${}_{77}^{191,193}\text{Ir}_{114,116}$ ${}_{83}^{209,210}\text{Bi}_{126,127}$ ${}_{93}^{237}\text{Np}_{144}$ ${}_{112}^{285}\text{Cn}_{173}$ ${}_{123}^{18-17}\text{Ch}_{3-31}^{ie}$ ${}_{127}^{6-53,11-29,320}\text{Ch}_{191,192,193}^{ie}$ ${}_{129}^{328}\text{Ch}_{199}^{ie}$ ${}_{144}^{6-61}\text{Ch}_{222}^{ie}$

7. Integrated Relationships between 2π , γ , e , γ_c , γ_g and γ_{cg} and Nuclides

As we had demonstrated that 2π is directly and indirectly related to nuclides in the previous paper¹, it should be reasonable for some constants comparable to 2π such as γ , e , e^γ , $2(1-\gamma_c)$, $2(1-\gamma_g)$ and $2\gamma_{cg}$ to directly relate to nuclides. The above examples exhibit not only the relationships between the above constants and nuclides respectively, but also the integrated relationships between them and nuclides. For example, it seems they cooperatively define all the 4 stable isotopes of Fe as follows.

$$\gamma \approx \frac{3 \cdot 5}{2 \cdot 13} \quad e \approx \frac{3 \cdot 29}{32} \quad e^\gamma \approx \frac{3 \cdot 19}{32} \quad 2(1 - \gamma_g) \approx \frac{2 \cdot 7}{31}$$

${}_{26}^{54,56,57,58}\text{Fe}_{28,30,31,32}$

The following is another example of this kind of integrated relationships.

$$2\pi = \frac{4 \cdot 11}{7} - 2 \int_0^1 \frac{x^4(1-x)^4}{1+x^2} dx$$

$$2\pi = \frac{2 \cdot 5 \cdot 71}{113} - \frac{1}{2 \cdot 7 \cdot 113} \int_0^1 \frac{x^8(1-x)^8(25+16 \cdot 3 \cdot 17x^2)}{1+x^2} dx$$

$$2\pi \approx \frac{4 \cdot 157}{100}, \quad \gamma \approx \frac{3 \cdot 5}{2 \cdot 13} \approx \frac{3 \cdot 41}{71}, \quad e \approx \frac{3 \cdot 29}{32} \approx \frac{193}{71}, \quad e^2 \approx \frac{37}{5} \approx \frac{7 \cdot 19}{2 \cdot 9}, \quad e^\gamma \approx \frac{3 \cdot 19}{32} \approx \frac{7 \cdot 43}{167}$$


$$e^{\gamma_c} \approx \frac{7 \cdot 11}{71} \approx \frac{5 \cdot 131}{4 \cdot 151}, \quad e^{2\gamma_c} \approx \frac{4 \cdot 5}{17} \approx \frac{3 \cdot 49}{125} \approx \frac{167}{2 \cdot 71}, \quad e^{2\gamma_{cg}} \approx \frac{17}{3 \cdot 5} \approx \frac{127}{112} \approx \frac{127}{16 \cdot 9}$$

$$2(1-\gamma_c) \approx \frac{4 \cdot 17}{37}, \quad 2(1-\gamma_g) \approx \frac{2 \cdot 7}{31}, \quad 2\gamma_{cg} \approx \frac{23}{3 \cdot 61} \approx \frac{8 \cdot 3}{191} \approx \frac{25}{199}$$

²³Na₁₂ ^{35,37}Cl_{17,20} ^{48,49}Ti_{26,27} ^{50,51}V_{23,28} ⁵³Cr₂₄ ⁶¹Ni₂₈ ⁶⁴Zn₃₀ ^{69,71}Ga_{31,34} ⁷⁷Se₃₄ ^{85,87}Rb_{37,48,50}
⁸⁷Sr₃₈ ⁹³Nb₄₁ ⁹⁵Mo₄₂ ^{98,99}Tc₄₃ ¹⁰⁰Ru₄₄ ¹¹²⁻¹¹⁴Cd₄₈ ^{113,115}In₄₉ ^{121,123}Sb₅₁ ^{3-41,125}Te_{52,71,73}
¹²⁷I₅₃ ¹³¹Xe₅₄ ¹³⁶⁻¹³⁸Ba₅₆ ¹⁴⁴Nd₆₀ ^{5-29,146,3-49}Pm₆₁ ^{144,147-150,152,154}Sm₆₂ ^{82,85-88,90,92} ¹⁵⁷Gd₆₄
¹⁶²Dy₆₆ ^{166,167,168,170}Er₆₈ ¹⁶⁹Tm₆₉ ^{168,170-174,176}Yb₇₀ ^{175,176}Lu₇₁ ^{3-61,6-31}W₇₄ ^{109,112}
^{185,187}Tm₇₅ ^{188,189}Os₇₆ ^{191,193}Ir₇₇ ¹⁹⁹Hg₈₀ ^{209,210}Po₈₃ ²⁰⁹Po₈₄ ²¹⁰At₈₅ ⁶⁻³⁷Rn₈₆ ¹³⁶
²²³Fr₈₇ ²⁻¹¹⁶Ra₈₈ ²³⁷Np₉₃ ²⁴³Am₉₅ ¹³⁻¹⁹Cm₉₆ ²⁵⁷Fm₁₀₀ ⁶⁻⁴³Md₁₀₁ ⁷⁻³⁷No₁₀₂ ^{9-29,262}Lr₁₀₃ ^{158,159}
²⁸¹Ds₁₁₀ ¹⁵⁻¹⁹Cn₁₁₂ ^{4-71,22-13}Nh₁₁₃ ^{18-17,4-77}Ch₁₁₃ ^{3-61,185}Ch₁₂₅ ³¹²Ch₁₂₅ ^{6-53,11-29,320}Ch₁₂₇ ^{191,3-64,193}Ch₁₂₉ ³²⁸Ch₁₂₉ ¹⁹⁹
⁴⁻⁸³Ch₁₃₁ ^{8-43,2-173,12-29}Fy₁₃₁ ^{16-13,11-19,210} ⁶⁻⁶¹Ch₁₄₄ ¹²⁻³¹Ch₁₄₇ ²²⁻¹⁷Ch₁₄₈ ³⁸⁰Ch₁₅₁ ⁴⁰⁰Ch₁₅₇ ²²⁻¹⁹Ch₁₆₇ ²⁵¹
^{33-13,430}Ch₁₇₁ ^{6-43,7-37} ^{430,432}Ch₁₇₂ ^{6-43,260} ^{14-31,15-29}Ch₁₇₃ ^{9-29,262}

These relationships are marvelous, they should not be just coincidences, and they should be science. This mechanism is analogous to that between DNA and protein.

8. Unification of Mathematics and Physics



Unification of Mathematics and Physics through α

Gang Chen, Tianman Chen, Tianyi Chen. 2018/4/12-2020/7/20-21

Fig. 1

Mathematics and science are usually regarded to be independent to each other, although mathematics is used as tool or language of science. It seems science has mathematic properties, so on the other hand, does mathematics has science features? We found the fine-structure constant α could act as a bridge between mathematics and

physics (**Fig. 1**). For example, Schrödinger equation of hydrogen atom could be simplified to a reasonable and pure mathematic equation through α (red color parts).

9. Formula of the Speed of Light in Atomic Unites

In the previous paper¹, many formulas of the speed of light in atomic unites c_{au} had been deduced. Among them the most important should be the following formula.

$$c_{au}^2 = \frac{1}{\alpha_c^2} = \frac{1}{\alpha_1 \alpha_2} = \frac{2\pi a_0}{\lambda_e} \frac{\lambda_e}{2\pi r_e} = \frac{a_0}{r_e} = \left(\frac{c}{v_e}\right)^2$$

$$= 137.035999037435 \times 137.035999111818 = 137.035999074627^2$$

$$= 112 \times \left(168 - \frac{1}{3} + \frac{1}{12 \cdot 47} - \frac{1}{6 \cdot 29 \cdot 53 \cdot 59 - 79 / 47}\right)$$


Here, we try to revise it to the following more reasonable form.

$$c_{au}^2 = \frac{1}{\alpha_c^2} = \frac{1}{\alpha_1 \alpha_2} = \frac{2\pi a_0}{\lambda_e} \frac{\lambda_e}{2\pi r_e} = \frac{a_0}{r_e} = \left(\frac{c}{v_e}\right)^2$$

$$= 137.035999037435 \times 137.035999111818 = 137.035999074626^2$$

$$= 112 \times \left(168 - \frac{1}{3} + \frac{1}{12 \cdot 47} - \frac{1}{14 \cdot 112 \cdot (2 \cdot 173 + 1)}\right)$$

$$= 112 \times 167.668437878402 = 18778.865042381$$




10. Fibonacci Sequence He and its Relationships with Nuclides

We noticed $0.618 \times (112 + 168) = 0.618 \times 280 \approx 173$, so we construct the following

Fibonacci sequence and present its relationships with nuclides.

Fibonacci Sequence He : 2 7 9 16 25 41 66 107 173 280



11. The Meanings of the Numerical Values of the Fine-structure Constant

$$\alpha_1 = \frac{1}{137.035999037435} = \frac{1}{56+81+\frac{1}{27}-\frac{1}{9\cdot 107}+\frac{1}{4\cdot 79\cdot(2\cdot 23\cdot 163+1)}}$$

⁷Li₄ ⁹Be₅ ¹⁹F₁₀ ²³Na₁₂ ²⁷Al₁₄ ^{46,47,49}Ti_{24,25,27} ^{50,51}V_{27,28} ⁵⁹Co₃₂ ^{64,66}Zn_{34,36} ^{79,81}Br_{44,46} ⁹²Zr₅₂
^{105,106,108}Pd_{46,59,60,62} ^{107,109}In_{47,60,62} ^{5-27,136,137,6-23}Ba_{56,79,80,81,82} ³⁻⁴⁷Pr₅₉ ^{156,157,158}Gd₆₄ ^{162,163}Dy_{66,96,97}
¹⁶⁸Er₆₈ ¹⁶⁹Tm₆₉ ^{179,180}Hf_{72,107,108} ^{180,181}Ta_{73,107,108} ¹⁹⁷Au₇₉ ²²⁶Ra₈₈ ²²⁷Ac₈₉ ^{5-47,238}U₉₂ ^{143,146}
²⁴⁷Bk₉₇ ²⁴³Am₉₈ ²⁵⁷Fm₁₀₀ ²⁷⁰Bh₁₀₇ ^{344,2-173,348}Fy_{136,137,138} ⁴⁰⁰Ch₁₅₇ ⁴¹⁰Ch₁₆₃

$$\alpha_2 = \frac{1}{137.035999111818} = \frac{1}{56+81+\frac{1}{27}-\frac{1}{9\cdot 107}+\frac{1}{5\cdot 17\cdot 137\cdot 173}}$$

^{10,11}B_{5,6} ¹⁹F₉ ²⁷Al₁₃ ³¹P₁₅ ^{35,37}Cl_{17,18,20} ⁴⁹Ti₂₂ ^{50,51}V₂₃ ^{85,87}Rb₃₇ ^{107,109}In₄₇ ¹³¹Xe₅₄ ¹⁷³Yb₇₀
^{5-27,8-17,137,138}Ba_{56,79,80,81,82} ^{179,180}Hf_{72,107,108} ^{180,181}Ta_{73,107,108} ²¹⁰At₈₅ ²²²Rn₈₆ ²²³Fr₈₇ ²⁻¹³¹Lr₁₀₃
²⁷⁰Bh₁₀₇ ¹⁵⁻¹⁹Cn₁₁₂ ²⁸⁴Nh₁₁₃ ^{288,17²}Mc₁₁₅ ^{344,2-173,348}Fy_{136,137,138} ^{14-31,15-29}Ch₁₇₃

12. Construct Formulas of the Fine-structure Constant with 137 instead of 112 or 173

$$\alpha_{1-7(137)} = \frac{4\cdot 11}{7\cdot e^2 \frac{e^2}{\left(\frac{2}{1}\right)^3} \frac{e^2}{\left(\frac{3}{2}\right)^5} \frac{e^2}{\left(\frac{4}{3}\right)^7} \dots \frac{e^2}{\left(\frac{2\cdot 126-1}{2\cdot 125}\right)^{3\cdot 167}}} \frac{1}{137+\frac{1}{37\cdot 173-\frac{5}{32}}}$$

$$= 1/137.035999037435$$

^{14,15}N_{7,8} ²³Na₁₁ ^{28,29,30}Si_{14,15,16} ^{35,37}Cl₁₇ ^{47,48,49,50}Ti_{18,20} ⁵⁵Mn₂₅ ^{58,60}Ni₂₈ ^{83,84}Kr₃₆
^{70,72,73,74,76}Ge₃₂ ^{38,40,41,42,44}Rb₃₇ ^{99,100}Ru₄₄ ^{112,113}Cd₄₈ ^{113,115}In₄₉ ^{125,126}Te₅₂
^{136,137}Ba₅₆ ^{167,168}Er₆₈ ^{187,188}Re₇₅ ²⁰⁹Bi₈₃ ²⁰⁹Po₈₄ ⁶⁻³⁷Rn₈₆ ¹⁵⁻¹⁹Cn₁₁₂ ²⁸⁶Nh₁₁₃
^{288,289}Mc₁₁₅ ³¹²Ch₁₂₅ ³¹⁴Ch₁₂₆ ²⁻¹⁷³Fy₁₃₇ ²⁻²⁰⁹Ch₁₆₇ ^{14-31,15-29}Ch₁₇₃


$$\alpha_{1-39(137)} = \frac{5\cdot 7^2}{39\cdot e^2 \frac{e^2}{\left(\frac{2}{1}\right)^3} \frac{e^2}{\left(\frac{3}{2}\right)^5} \frac{e^2}{\left(\frac{4}{3}\right)^7} \dots \frac{e^2}{\left(\frac{4\cdot 3\cdot 13^2-1}{2\cdot(4\cdot 11\cdot 23+1)}\right)^{3\cdot 7\cdot 193}}} \frac{1}{137+\frac{1}{13\cdot 29\cdot(4\cdot 3\cdot 5\cdot 47-1)}}$$

$$= 1/137.035999037435$$

²³Na₁₁ ²⁷Al₁₃ ^{46,47,48,49,50}Ti₂₂ ^{50,51}V₂₃ ^{54,56,58}Fe₂₆ ^{63,65}Cu₂₉ ^{79,81}Br₃₅ ⁸⁹Y₃₉
^{94,98}Mo₄₂ ^{99,100,102,104}Ru₄₄ ^{104,106,110}Pd₄₆ ^{107,109}Ag₄₇ ^{113,115}In₄₉ ^{136,137}Ba₅₆
^{140,142}Ce₅₈ ¹⁴¹Pr₅₉ ^{160,164}Dy₆₆ ¹⁶⁹Tm₆₉ ^{4-47,189,192}Os₇₆ ^{191,193}Ir₇₇ ²²⁷Ac₈₉
^{5-47,238}U₉₂ ²⁴⁴Pu₉₄ ¹⁵⁻¹⁹Cn₁₁₂ ²⁸⁶Nh₁₁₃ ^{288,289}Mc₁₁₅ ²⁻¹⁷³Fy₁₃₇ ³¹⁴Ch₁₂₆
^{318,11-29,320}Ch₁₂₇ ^{4-89,21-17}Ch₁₄₁ ^{14-31,15-29}Ch₁₇₃

$$\alpha_{1-46(137)} = \frac{17^2}{2 \cdot 23 \cdot e^2 \frac{e^2}{\left(\frac{2}{1}\right)^3} \frac{e^2}{\left(\frac{3}{2}\right)^5} \frac{e^2}{\left(\frac{4}{3}\right)^7} \dots \frac{e^2}{\left(\frac{3 \cdot 13 \cdot 25}{2 \cdot (2 \cdot 3^5 + 1)}\right)^{1949}}} \frac{1}{137 + \frac{1}{2 \cdot 5 \cdot 13 \cdot (4 \cdot 5 \cdot 163 - 1) - \frac{7}{8}}}$$


$$= 1/137.035999037435$$



$$\alpha_{1-71(137)}$$


$$= \frac{2 \cdot (2 \cdot 112 - 1)}{71 \cdot e^2 \frac{e^2}{\left(\frac{2}{1}\right)^3} \frac{e^2}{\left(\frac{3}{2}\right)^5} \frac{e^2}{\left(\frac{4}{3}\right)^7} \dots \frac{e^2}{\left(\frac{6 \cdot (6 \cdot 11 \cdot 17 + 1) - 1}{16 \cdot (4 \cdot 3 \cdot 5 \cdot 7 + 1)}\right)^{27 \cdot (6 \cdot 83 + 1)}}} \frac{1}{137 + \frac{1}{256 \cdot 11 \cdot (8 \cdot 27 \cdot 7 - 1)}}$$

$$= 1/137.035999037435$$




$$\alpha_{1-103(137)} = \frac{8 \cdot 81 - 1}{103 \cdot e^2 \frac{e^2}{\left(\frac{2}{1}\right)^3} \frac{e^2}{\left(\frac{3}{2}\right)^5} \frac{e^2}{\left(\frac{4}{3}\right)^7} \dots \frac{e^2}{\left(\frac{2 \cdot 29 \cdot (6 \cdot 7 \cdot 23 + 1)}{15 \cdot (6 \cdot 7 \cdot 89 + 1)}\right)^{23 \cdot (4 \cdot 23 \cdot 53 + 1)}}} \frac{1}{137 + \frac{2 \cdot 41 \cdot 163 + 1}{125 \cdot 10^{11}}}$$

$$= 1/137.035999037435$$



$$\alpha_{1-110(137)} = \frac{4 \cdot 173 - 1}{110 \cdot e^2 \frac{e^2}{\left(\frac{2}{1}\right)^3} \frac{e^2}{\left(\frac{3}{2}\right)^5} \frac{e^2}{\left(\frac{4}{3}\right)^7} \dots \frac{e^2}{\left(\frac{2 \cdot (168 \cdot 11 - 1)}{3 \cdot (112 \cdot 11 - 1)}\right)^{83 \cdot 89}}} \frac{1}{137 + \frac{1}{3 \cdot 23 \cdot 71 \cdot (270 - 1)}}$$


$$= 1/137.035999037435$$



$$\alpha_{2-7(137)} = \frac{7 \cdot e^2 \frac{e^2}{\left(\frac{2}{1}\right)^3} \frac{e^2}{\left(\frac{3}{2}\right)^5} \frac{e^2}{\left(\frac{4}{3}\right)^7} \dots \frac{e^2}{\left(\frac{6 \cdot 199}{8 \cdot 149 + 1}\right)^{7 \cdot 11 \cdot 31}}}{4 \cdot 11} \frac{1}{137 - \frac{1}{17 \cdot (4 \cdot 5 \cdot 7 \cdot 31 + 1) - \frac{13}{3 \cdot 19}}}$$

$$= \frac{7 \cdot e^2 \frac{e^2}{\left(\frac{2}{1}\right)^3} \frac{e^2}{\left(\frac{3}{2}\right)^5} \frac{e^2}{\left(\frac{4}{3}\right)^7} \dots \frac{e^2}{\left(\frac{6 \cdot 199}{8 \cdot 149 + 1}\right)^{7 \cdot 11 \cdot 31}}}{4 \cdot 11} \frac{1}{137 - \frac{1}{17 \cdot (2 \cdot 13 \cdot 167 - 1) - \frac{13}{3 \cdot 19}}}$$

$$= 1/137.035999111818$$




13. The Meanings of the Numerical Value of the Speed of Light in Atomic Unites

$$c_{au} = 137.035999074626$$

$$= 56 + 81 + \frac{1}{27} - \frac{1}{9 \cdot 107} + \frac{1}{5 \cdot 23 \cdot 29 \cdot (4 \cdot 163 + 1)}$$

$$= 56 + 81 + \frac{1}{27} - \frac{1}{9 \cdot 107} + \frac{1}{4 \cdot 49 \cdot 41 \cdot (16 \cdot 17 - 1)}$$


$$= 56 + 81 + \frac{1}{27} - \frac{1}{9 \cdot 107} + \frac{1}{4 \cdot 49 \cdot 41 \cdot (270 + 1)}$$



14. Other Formulas of the Fine-structure Constant with 137

$$\alpha_{1-7(137)\text{-Wallis}} = \frac{11}{7 \cdot \left(2 \frac{2}{3} \frac{4}{3} \frac{4}{5} \frac{6}{5} \frac{6}{7} \frac{8}{7} \dots \frac{750}{751} \frac{16 \cdot 47}{2 \cdot 3 \cdot 125 + 1}\right) 137 + \frac{1}{13 \cdot 37 \cdot 59 - \frac{4 \cdot 11}{3 \cdot 25}}}$$


$$= 1/137.035999037435$$



$$\alpha_{1-7(137)\text{-GL}} = \frac{11}{2 \cdot 7 \cdot \left(1 - \frac{1}{3} + \frac{1}{5} - \frac{1}{7} + \dots + \frac{1}{2 \cdot 2 \cdot (2 \cdot 7 \cdot 17 + 1) + 1}\right) 137 + \frac{1}{4 \cdot 11 \cdot (4 \cdot 7^2 + 1) + \frac{19}{27}}}$$

$$= \frac{11}{2 \cdot 7 \cdot \left(1 - \frac{1}{3} + \frac{1}{5} - \frac{1}{7} + \dots + \frac{1}{2 \cdot 2 \cdot (2 \cdot 7 \cdot 17 + 1) + 1}\right) 137 + \frac{1}{4 \cdot 11 \cdot (2 \cdot 9 \cdot 11 - 1) + \frac{19}{27}}}$$


$$= 1/137.035999037435$$



$$\alpha_{1-7(137)\text{-NC}} = \frac{4 \cdot 11}{7 \cdot (2\pi)_{\text{NC-5}} 137 + \frac{1}{23} - \frac{1}{2 \cdot (4 \cdot 3 \cdot 5 \cdot 7 + 1)} + \frac{1}{2 \cdot 3 \cdot 7 \cdot (2 \cdot 5 \cdot 53 \cdot 83 + 1)}}$$


$$= \frac{4 \cdot 11}{7 \cdot (2\pi)_{\text{NC-5}} 137 + \frac{1}{23} - \frac{1}{2 \cdot (4 \cdot 3 \cdot 5 \cdot 7 + 1)} + \frac{1}{2 \cdot 3 \cdot 7 \cdot (8 \cdot 9 \cdot 13 \cdot 47 + 1)}}$$


$$= 1/137.035999037435$$



$$\alpha_{1-39(137)\text{-Wallis}} = \frac{5 \cdot 7^2}{4 \cdot 39 \cdot \left(2 \frac{2}{3} \frac{4}{3} \frac{4}{5} \frac{6}{5} \frac{6}{7} \frac{8}{7} \dots \frac{6080}{6081} \frac{2 \cdot (2 \cdot 9 \cdot 13^2 - 1)}{2 \cdot 32 \cdot 5 \cdot 19 + 1}\right) 137 + \frac{1}{2 \cdot 3 \cdot 5^2 \cdot 7 \cdot 11 - \frac{1}{10}}}$$

$$= 1/137.035999037435$$







$$\alpha_{1-39(137)-GL} = \frac{5 \cdot 7^2}{8 \cdot 39 \cdot \left(1 - \frac{1}{3} + \frac{1}{5} - \frac{1}{7} + \dots + \frac{1}{2 \cdot 2 \cdot 9 \cdot 5 \cdot 43 + 1}\right)} \frac{1}{137 + \frac{1}{8 \cdot 5 \cdot 7 \cdot (2 \cdot 5 \cdot 23 \cdot 27 - 1)}}$$

$$= \frac{5 \cdot 7^2}{8 \cdot 39 \cdot \left(1 - \frac{1}{3} + \frac{1}{5} - \frac{1}{7} + \dots + \frac{1}{2 \cdot 2 \cdot 9 \cdot 5 \cdot 43 + 1}\right)} \frac{1}{137 + \frac{1}{8 \cdot 5 \cdot 7 \cdot (64 \cdot 97 + 1)}}$$

$$= 1/137.035999037435$$




$$\alpha_{1-39(137)-NC} = \frac{5 \cdot 7^2}{39 \cdot (2\pi)_9} \frac{1}{137 + \frac{109 \cdot (12 \cdot 29 + 1)}{4 \cdot 10^{11}}} = 1/137.035999037435$$



$$\alpha_{1-46(137)-Wallis}$$


$$= \frac{17^2}{8 \cdot 23 \cdot \left(2 \frac{2}{3} \frac{4}{3} \frac{4}{5} \frac{6}{5} \frac{6}{7} \frac{8}{7} \dots \frac{2924}{9 \cdot 25 \cdot 13} \frac{2 \cdot 7 \cdot 11 \cdot 19}{2 \cdot 2 \cdot 17 \cdot 43 + 1}\right)} \frac{1}{137 + \frac{1}{4 \cdot 3 \cdot 11 \cdot 17 \cdot 43 - \frac{13}{17}}}$$

$$= 1/137.035999037435$$




$$\alpha_{1-46(137)-GL} = \frac{17^2}{16 \cdot 23 \cdot \left(1 - \frac{1}{3} + \frac{1}{5} - \frac{1}{7} + \dots + \frac{1}{2 \cdot 2 \cdot 49 \cdot 19 + 1}\right)} \frac{1}{137 + \frac{1}{16 \cdot 3 \cdot 17 \cdot 79 - \frac{3 \cdot 13}{4 \cdot 11}}}$$

$$= 1/137.035999037435$$



$$\alpha_{1-46(137)-NC} = \frac{17^2}{2 \cdot 23 \cdot (2\pi)_7} \frac{1}{137 + \frac{1}{5 \cdot 79} - \frac{1}{3 \cdot 19 \cdot (4 \cdot 3 \cdot 7 \cdot 47 - 1) + \frac{4}{13}}}$$


$$= 1/137.035999037435$$



$$\alpha_{1-71(137)-Wallis}$$

$$= \frac{2 \cdot 112 - 1}{2 \cdot 71 \cdot (2 \frac{2 \cdot 4 \cdot 4 \cdot 6 \cdot 6 \cdot 8}{3 \cdot 3 \cdot 5 \cdot 5 \cdot 7 \cdot 7} \dots \frac{20208}{20209} \frac{2 \cdot 5 \cdot 43 \cdot 47}{16 \cdot 3 \cdot (4 \cdot 3 \cdot 5 \cdot 7 + 1) + 1})} \frac{1}{137 + \frac{2 \cdot 9 \cdot 7 \cdot 13 \cdot 109}{25 \cdot 10^{11}}}$$


$$= 1/137.035999037435$$




$$\alpha_{1-71(137)-GL}$$

$$= \frac{2 \cdot 112 - 1}{4 \cdot 71 \cdot (1 - \frac{1}{3} + \frac{1}{5} - \frac{1}{7} + \dots + \frac{1}{2 \cdot 2 \cdot 7 \cdot (2 \cdot 27 \cdot 17 + 1) + 1})} \frac{1}{137 + \frac{1}{2 \cdot 5 \cdot 7 \cdot 31 \cdot (2 \cdot 3 \cdot 7 \cdot 31 - 1)}}$$

$$= 1/137.035999037435$$



$$\alpha_{1-71(137)-NC} = \frac{2 \cdot (2 \cdot 112 - 1)}{71 \cdot (2\pi)_{NC-15}} \frac{1}{137 + \frac{1}{2 \cdot 27 \cdot 25 + \frac{3 \cdot 11}{4 \cdot 131}}} = 1/137.035999037435$$




$$\alpha_{1-103(137)-Wallis}$$

$$= \frac{8 \cdot 81 - 1}{4 \cdot 103 \cdot (2 \frac{2 \cdot 4 \cdot 4 \cdot 6 \cdot 6 \cdot 8}{3 \cdot 3 \cdot 5 \cdot 5 \cdot 7 \cdot 7} \dots \frac{168234}{168235} \frac{4 \cdot 137 \cdot (4 \cdot 7 \cdot 11 - 1)}{2 \cdot 3 \cdot 11 \cdot (4 \cdot 49 \cdot 13 + 1) + 1})} \frac{1}{137 + \frac{113 \cdot 157}{5 \cdot 10^{12}}}$$


$$= \frac{8 \cdot 81 - 1}{4 \cdot 103 \cdot (2 \frac{2 \cdot 4 \cdot 4 \cdot 6 \cdot 6 \cdot 8}{3 \cdot 3 \cdot 5 \cdot 5 \cdot 7 \cdot 7} \dots \frac{168234}{168235} \frac{4 \cdot 137 \cdot (4 \cdot 7 \cdot 11 - 1)}{2 \cdot 3 \cdot 11 \cdot (2 \cdot 3 \cdot 25 \cdot 17 - 1) + 1})} \frac{1}{137 + \frac{7 \cdot 37 \cdot 137}{10^{13}}}$$

$$= 1/137.035999037435$$




$$\alpha_{1-103(137)-GL} = \frac{8 \cdot 81 - 1}{8 \cdot 103 \cdot \left(1 - \frac{1}{3} + \frac{1}{5} - \frac{1}{7} + \dots + \frac{1}{2 \cdot 2 \cdot (2 \cdot 9 \cdot 25 \cdot 7 \cdot 17 + 1)}\right)} \frac{1}{137 + \frac{19 \cdot 173}{5 \cdot 10^{11}}}$$

$$= 1/137.035999037435$$




$$\alpha_{1-103(137)-NC} = \frac{8 \cdot 81 - 1}{103 \cdot (2\pi)_{NC-29}} \frac{1}{137 + \frac{1}{32 \cdot 3 \cdot 7 \cdot 13 \cdot 29 + \frac{2}{15}}} = 1/137.035999037435$$



$\alpha_{1-110(137)-Wallis}$

$$= \frac{4 \cdot 173 - 1}{4 \cdot 110 \cdot \left(2 \frac{2}{3} \frac{4}{3} \frac{4}{5} \frac{6}{5} \frac{6}{7} \frac{8}{7} \dots \frac{11080}{11081} \frac{2 \cdot 3 \cdot (168 \cdot 11 - 1)}{2 \cdot 8 \cdot 5 \cdot (12 \cdot 23 + 1)}\right)} \frac{1}{137 + \frac{1}{4 \cdot 27 \cdot 29 \cdot (420 + 1)}}$$


$$= 1/137.035999037435$$



$\alpha_{1-110(137)-GL}$


$$= \frac{4 \cdot 173 - 1}{8 \cdot 110 \cdot \left(1 - \frac{1}{3} + \frac{1}{5} - \frac{1}{7} + \dots + \frac{1}{2 \cdot 2 \cdot (8 \cdot 9 \cdot 49 - 1)}\right)} \frac{1}{137 + \frac{1}{3 \cdot 7 \cdot 11 \cdot (8 \cdot 3 \cdot 5 \cdot 41 - 1)}}$$

$$= 1/137.035999037435$$




$$\alpha_{1-110(137)-NC} = \frac{4 \cdot 173 - 1}{110 \cdot (2\pi)_{NC-13}} \frac{1}{137 + \frac{1}{3 \cdot 149} - \frac{1}{29 \cdot (2 \cdot 3 \cdot 13 \cdot 137 + 1) + \frac{4}{7}}}$$

$$= \frac{4 \cdot 173 - 1}{110 \cdot (2\pi)_{NC-13}} \frac{1}{137 + \frac{1}{3 \cdot 149} - \frac{1}{29 \cdot (64 \cdot 167 - 1) + \frac{4}{7}}} = 1/137.035999037435$$




$$\alpha_{2-7(137)-wallis} = \frac{7 \cdot (2 \frac{2}{3} \frac{4}{3} \frac{4}{5} \frac{6}{5} \frac{6}{7} \frac{8}{7} \dots \frac{3580}{3579} \frac{4 \cdot 5 \cdot 179}{2 \cdot (4 \cdot 3 \cdot 149 + 1) + 1})}{11} \frac{1}{137 - \frac{1}{32 \cdot 9 \cdot 7 \cdot 173 + 1}}$$

$$= 1/137.035999111818$$




$$\alpha_{2-7(137)-GL} = \frac{2 \cdot 7 \cdot (1 - \frac{1}{3} + \frac{1}{5} - \frac{1}{7} + \dots + \frac{1}{2 \cdot 2 \cdot 17 \cdot 67 + 1})}{11} \frac{1}{137 - \frac{1}{4 \cdot 7 \cdot 19 \cdot (2 \cdot 9 \cdot 31 - 1) - \frac{10}{37}}}$$

$$= 1/137.035999111818$$



$$\alpha_{2-7(137)-NC} = \frac{7 \cdot (2\pi)_{NC-9}}{4 \cdot 11} \frac{1}{137 - \frac{1}{7 \cdot 17} + \frac{1}{3 \cdot 19 \cdot (8 \cdot 61 - 1) - \frac{61}{100}}} = 1/137.035999111818$$



15. Formulas of the Fine-structure Constant with 83

As the 83th element $_{83}\text{Bi}$ should be the end of stable elements and the start of radioactive elements (except $_{43}\text{Tc}$ and $_{61}\text{Pm}$) in the periodic table of elements, some formulas of the fine-structure constant could be constructed with the factor 83 instead of 112, 173 and 137 as follows.

$$\alpha_{1-31(83)} = \frac{2 \cdot 59}{31 \cdot e^2 \frac{e^2}{\left(\frac{2}{1}\right)^3} \frac{e^2}{\left(\frac{3}{2}\right)^5} \frac{e^2}{\left(\frac{4}{3}\right)^7} \dots \frac{e^2}{\left(\frac{9 \cdot 83}{2 \cdot (2 \cdot 11 \cdot 17 - 1)}\right)^{1493}}} \frac{1}{83 + \frac{1}{3 \cdot 29 \cdot (6 \cdot 83 - 1) - \frac{19}{2 \cdot 37}}}$$

$$= \frac{2 \cdot 59}{31 \cdot e^2 \frac{e^2}{\left(\frac{2}{1}\right)^3} \frac{e^2}{\left(\frac{3}{2}\right)^5} \frac{e^2}{\left(\frac{4}{3}\right)^7} \dots \frac{e^2}{\left(\frac{9 \cdot 83}{2 \cdot (12 \cdot 31 + 1)}\right)^{1493}}} \frac{1}{83 + \frac{1}{3 \cdot 29 \cdot (16 \cdot 31 + 1) - \frac{19}{2 \cdot 37}}}$$

$$= 1/137.035999037435$$

$_{19}^9\text{F}$ $_{23}^{11}\text{Na}$ $_{31}^{15}\text{P}$ $_{35,37}^{17}\text{Cl}$ $_{36,38,40}^{18}\text{Ar}$ $_{39,40,41}^{19}\text{K}$ $_{46,47,48,49,50}^{22}\text{Ti}$ $_{59}^{27}\text{Co}$
 $_{54,56,57,58}^{26}\text{Fe}$ $_{63,65}^{29}\text{Co}$ $_{64,66,67,68}^{30}\text{Zn}$ $_{69,71}^{31}\text{Ga}$ $_{74,76,77,78,80,82}^{34}\text{Se}$
 $_{82,83,84}^{36}\text{Kr}$ $_{85,87}^{37}\text{Rb}$ $_{84,86,87,88}^{38}\text{Sr}$ $_{99,100,102}^{44}\text{Ru}$ $_{105,107}^{46}\text{Pd}$ $_{107,109}^{47}\text{Ag}$
 $_{110,111,112,113,114,116}^{48}\text{Cd}$ $_{126}^{50}\text{Sn}$ $_{126}^{52}\text{Te}$ $_{136,137,138}^{56}\text{Ba}$ $_{140,142}^{58}\text{Ce}$ $_{3,47}^{59}\text{Pr}$
 $_{143}^{60}\text{Nd}$ $_{149}^{62}\text{Sm}$ $_{166,167,168,170}^{68}\text{Er}$ $_{173}^{70}\text{Yb}$ $_{184,6,31}^{74}\text{W}$ $_{185,11,17}^{75}\text{Re}$ $_{209}^{83}\text{Bi}^*$
 $_{209}^{84}\text{Po}^*$ $_{285}^{112}\text{Cn}^*$ $_{286}^{113}\text{Nh}^{ie}$ $_{294}^{118}\text{Og}^{ie}$ $_{344,2,173,12,29}^{136,137,138}\text{Fy}^{ie}$

$$\alpha_{1-31(83)\text{-Wallis}} = \frac{59}{2 \cdot 31 \cdot \left(2 \frac{2}{3} \frac{4}{3} \frac{4}{5} \frac{6}{5} \frac{6}{7} \frac{8}{7} \dots \frac{2238}{2239} \frac{4 \cdot 5 \cdot 112}{2 \cdot 3 \cdot (2 \cdot 11 \cdot 17 - 1) + 1}\right)} \frac{1}{83 + \frac{1}{2 \cdot 83 \cdot (3 \cdot 128 - 1) - \frac{5}{11}}}$$

$$= 1/137.035999037435$$


$_{10,11}^5\text{B}$ $_{20,21,22}^{10}\text{Ne}$ $_{23}^{11}\text{Na}$ $_{112}^{48}\text{Cd}$ $_{185,11,17}^{75}\text{Re}$ $_{285}^{112}\text{Cn}^*$ $_{344,2,173,12,29}^{136,137,138}\text{Fy}^{ie}$

$$\alpha_{1-31(83)\text{-GL}} = \frac{59}{4 \cdot 31 \cdot \left(1 - \frac{1}{3} + \frac{1}{5} - \frac{1}{7} + \dots + \frac{1}{2 \cdot 16 \cdot 89 + 1}\right)} \frac{1}{83 + \frac{1}{13 \cdot 17 \cdot (14 \cdot 73 - 1) - \frac{13}{4 \cdot 7}}}$$

$$= 1/137.035999037435$$


$_{27}^{13}\text{Al}$ $_{28,29,30}^{14}\text{Si}$ $_{54,56,57,58}^{26}\text{Fe}$ $_{59}^{27}\text{Co}$ $_{58,60,62,64}^{28}\text{Ni}$ $_{73}^{32}\text{Ge}$ $_{89}^{39}\text{Y}$ $_{125}^{52}\text{Te}$
 $_{136,137,138}^{56}\text{Ba}$ $_{151,153}^{63}\text{Eu}$ $_{227}^{89}\text{Ac}^*$ $_{285}^{112}\text{Cn}^*$ $_{24,13}^{125}\text{Ch}^{ie}$ $_{344,2,173,12,29}^{136,137,138}\text{Fy}^{ie}$

$$\alpha_{1-31(83)-NC} = \frac{2 \cdot 59}{31 \cdot (2\pi)_{NC-7}} \frac{1}{83 + \frac{1}{13^2} - \frac{1}{2 \cdot (4 \cdot 81 \cdot 47 - 1) - \frac{47}{61}}} = 1/137.035999037435$$




$$\alpha_{2-8(83)} = \frac{8 \cdot e^2 \frac{e^2}{\left(\frac{2}{1}\right)^3} \frac{e^2}{\left(\frac{3}{2}\right)^5} \frac{e^2}{\left(\frac{4}{3}\right)^7} \dots \frac{e^2}{\left(\frac{2 \cdot (4 \cdot 25 \cdot 7 + 1)}{3 \cdot (4 \cdot 9 \cdot 13 - 1)}\right)^{2803}}}{83} \frac{1}{83 - \frac{1}{2 \cdot 31 \cdot (2 \cdot 3 \cdot 5 \cdot 7 \cdot 13 + 1) - \frac{1}{10}}}$$

$$= 1/137.035999111818$$




$$\alpha_{2-8(83)-Wallis} = \frac{32 \cdot \left(2 \frac{2}{3} \frac{4}{3} \frac{4}{5} \frac{6}{5} \frac{6}{7} \frac{8}{7} \dots \frac{4202}{4203} \frac{4 \cdot (2 \cdot 3 \cdot 25 \cdot 7 + 1)}{2 \cdot 11 \cdot (2 \cdot 5 \cdot 19 + 1)}\right)}{83} \frac{1}{83 - \frac{1}{4 \cdot 7 \cdot 89 \cdot (4 \cdot 83 - 1)}}$$


$$= 1/137.035999111818$$



$$= 1/137.035999111818$$




$$= 1/137.035999111818$$




16. Formulas of the Fine-structure Constant with 83²

$$\alpha_{1-(50)/83^2} = \frac{50 + \frac{1}{3} - \frac{1}{16} + \frac{1}{43 \cdot 37} - \frac{4 \cdot 3 \cdot 5 \cdot 41 - 1}{125 \cdot 10^{10}}}{83^2} = 1/137.035999037435$$

Note: $\frac{1}{3} - \frac{1}{16} = \frac{13}{16 \cdot 3}$




$$\alpha_{1-(50)/83^2} = \frac{50 + \frac{1}{3} - \frac{1}{16} + \frac{1}{43 \cdot 37 + \frac{59 \cdot (4 \cdot 53 - 1)}{25 \cdot 10^5}}}{83^2} = 1/137.035999037435$$




$$\alpha_{1-(50)/83^2} = \frac{50 + \frac{1}{3} - \frac{1}{16} + \frac{1}{43 \cdot 37 + \frac{1}{200 + \frac{2 \cdot 7}{17}}}}{83^2} = \frac{50 + \frac{1}{3} - \frac{1}{16} + \frac{1}{43 \cdot 37 + \frac{17}{2 \cdot 3 \cdot (8 \cdot 71 + 1)}}}{83^2}$$


$$= 1/137.035999037435$$



$$\alpha_{2-(50)/83^2} = \frac{50 + \frac{1}{3} - \frac{1}{16} + \frac{1}{43 \cdot 37} - \frac{27 \cdot 11 \cdot (2 \cdot 9 \cdot 11 - 1)}{2 \cdot 10^{12}}}{83^2} = 1/137.035999111818$$




$$\alpha_{2-(50)/83^2} = \frac{50 + \frac{1}{3} - \frac{1}{16} + \frac{1}{43 \cdot 37 + \frac{43 \cdot 79 \cdot 109}{5 \cdot 10^6}}}{83^2} = 1/137.035999111818$$




$$\alpha_{2-(50)/83^2} = \frac{50 + \frac{1}{3} - \frac{1}{16} + \frac{1}{43 \cdot 37 + \frac{2}{27 + \frac{7}{1000}}}}{83^2} = \frac{50 + \frac{13}{16 \cdot 3} + \frac{1}{43 \cdot 37 + \frac{16 \cdot 125}{113 \cdot (2 \cdot 7 \cdot 17 + 1)}}}{83^2}$$

$$= 1/137.035999111818$$




17. Formulas of the Fine-structure Constant with 112×173

$$\alpha_{1-(141)/112 \cdot 173} = \frac{3 \cdot 47 + \frac{1}{2} - \frac{1}{9} + \frac{1}{8 \cdot 27} - \frac{1}{2 \cdot 31 \cdot (2 \cdot 5 \cdot 107 - 1) - \frac{5}{17}}}{112 \cdot 173} = 1/137.035999037435$$




$$\alpha_{2-(141)/112 \cdot 173} = \frac{3 \cdot 47 + \frac{1}{2} - \frac{1}{9} + \frac{1}{8 \cdot 27} - \frac{1}{9 \cdot 17 \cdot (16 \cdot 27 - 1) - \frac{2 \cdot 17}{47}}}{112 \cdot 173} = 1/137.035999111818$$




18. Formulas of the Fine-structure Constant with 163×173

$163 \times 173 \approx 167.9^2 \approx 168^2$, so in the world of nuclides, 163 should also be a sub-stable number, or 163 and 173 could be regarded as twin numbers split from 168, and hence some formulas of the fine-structure constant could be constructed with 163×173 as follows.

$$\alpha_{1-(206)/163 \cdot 173} = \frac{2 \cdot 103 + \frac{1}{4} - \frac{1}{5 \cdot 7} + \frac{1}{4 \cdot 25 \cdot 19 + \frac{2 \cdot 7 \cdot 17 - 1}{2 \cdot 81 \cdot 7}}}{163 \cdot 173} = 1/137.035999037435$$




$$\alpha_{2-(206)/163 \cdot 173} = \frac{2 \cdot 103 + \frac{1}{4} - \frac{1}{5 \cdot 7} + \frac{1}{4 \cdot 25 \cdot 19 - \frac{2 \cdot 23}{2 \cdot 7 \cdot 17 - 1}}}{163 \cdot 173} = 1/137.035999111818$$




$$\alpha_{1-(206)/163-173} = \frac{2 \cdot 103 + \frac{1}{4} - \frac{1}{5 \cdot 7} + \frac{1}{9 \cdot (2 \cdot 3 \cdot 5 \cdot 7 + 1)} - \frac{1}{4 \cdot 47 \cdot 83 \cdot 191}}{163 \cdot 173}$$

$$= 1/137.035999037435$$




$$\alpha_{2-(206)/163-173} = \frac{2 \cdot 103 + \frac{1}{4} - \frac{1}{5 \cdot 7} + \frac{1}{2 \cdot 13 \cdot 73} - \frac{1}{27 \cdot 5 \cdot 7 \cdot (64 \cdot 3 \cdot 11 - 1)}}{163 \cdot 173}$$

$$= 1/137.035999111818$$




19. Formulas of the Fine-structure Constant with 36/112 and 100 × 112

$$\alpha_{1-36/(44) \cdot 112} = \frac{36}{(44 + \frac{1}{3 \cdot 7} - \frac{1}{4 \cdot 7 \cdot 107} + \frac{1}{2 \cdot 27 \cdot 25 \cdot 43 \cdot 127}) \cdot 112} = 1/137.035999037435$$




$$\alpha_{2-36/(44) \cdot 112} = \frac{36}{(44 + \frac{1}{3 \cdot 7} - \frac{1}{4 \cdot 7 \cdot 107} + \frac{1}{3 \cdot 7 \cdot 157 \cdot (4 \cdot 25 \cdot 19 + 1)}) \cdot 112}$$


$$= 1/137.035999111818$$




$$\alpha_{1-36/(44) \cdot 112} = \frac{36}{\left(44 + \frac{1}{3 \cdot 7} - \frac{1}{81 \cdot 37 + \frac{11^2}{3 \cdot 5 \cdot 37}}\right) \cdot 112} = 1/137.035999037435$$




$$\alpha_{2-36/(44) \cdot 112} = \frac{36}{\left(44 + \frac{1}{3 \cdot 7} - \frac{1}{81 \cdot 37 + \frac{2 \cdot 9 \cdot 17}{7 \cdot 101}}\right) \cdot 112} = 1/137.035999111818$$



$$\alpha_{1-(82)/100 \cdot 112} = \frac{82 - \frac{1}{3} + \frac{1}{3 \cdot 5} - \frac{1}{5 \cdot 67} + \frac{1}{2 \cdot 7 \cdot 29 \cdot (8 \cdot 5 \cdot 113 - 1)}}{100 \cdot 112} = 1/137.035999037435$$




$$\alpha_{2-(82)/100 \cdot 112} = \frac{82 - \frac{1}{3} + \frac{1}{3 \cdot 5} - \frac{1}{5 \cdot 67} + \frac{1}{32 \cdot 9 \cdot 5 \cdot 19 \cdot 73}}{100 \cdot 112} = 1/137.035999111818$$




20. Other Formulas of the Fine-structure Constant with Some Square Numbers


$$\alpha_{1-(29)/36 \cdot 112} = \frac{29 + \frac{1}{2} - \frac{1}{12} + \frac{1}{3 \cdot 53} - \frac{1}{3 \cdot 19 \cdot (2 \cdot 17^2 - 1) - \frac{2 \cdot 19}{5 \cdot 37}}}{36 \cdot 112} = 1/137.035999037435$$




$$\alpha_{2-(29)/36 \cdot 112} = \frac{29 + \frac{1}{2} - \frac{1}{12} + \frac{1}{3 \cdot 53} - \frac{1}{8 \cdot 7 \cdot (4 \cdot 3 \cdot 49 - 1)} - \frac{3 \cdot 11}{2 \cdot 5 \cdot 7}}{36 \cdot 112} = 1/137.035999111818$$




$$\alpha_{1-81/(66) \cdot 112} = \frac{66 + \frac{1}{4} - \frac{1}{4 \cdot 5} + \frac{1}{2 \cdot 9 \cdot 5 \cdot 7 + 1} - \frac{1}{64 \cdot 13^2 \cdot 41} - \frac{1}{7}}{81 \cdot 112} = 1/137.035999037435$$




$$\alpha_{2-81/(66) \cdot 112} = \frac{66 + \frac{1}{4} - \frac{1}{4 \cdot 5} + \frac{1}{2 \cdot 9 \cdot 5 \cdot 7 + 1} - \frac{1}{4 \cdot 9 \cdot 125 \cdot 97} + \frac{1}{8}}{81 \cdot 112} = 1/137.035999111818$$



$$\alpha_{1-23^2/(8 \cdot 81) \cdot 112} = \frac{23^2}{(8 \cdot 81 - 1 + \frac{1}{3} - \frac{1}{12} + \frac{1}{23 \cdot 112 - \frac{5 \cdot 89}{2 \cdot 13 \cdot 23 + 1}}) \cdot 112} = 1/137.035999037435$$




$$\alpha_{2-23^2/(8 \cdot 81) \cdot 112} = \frac{23^2}{(8 \cdot 81 - 1 + \frac{1}{3} - \frac{1}{4 \cdot 3} + \frac{1}{31 \cdot 83 - \frac{3 \cdot 5}{4 \cdot 53}}) \cdot 112} = 1/137.035999111818$$




$$\alpha_{1-49/(60) \cdot 112} = \frac{49}{\left(60 - \frac{1}{3 \cdot 7} + \frac{1}{2 \cdot 25 \cdot 23} - \frac{1}{64 \cdot 5 \cdot (256 \cdot 13 + 1)}\right) \cdot 112}$$


$$= 1/137.035999037435$$




$$\alpha_{2-49/(60) \cdot 112} = \frac{49}{\left(60 - \frac{1}{3 \cdot 7} + \frac{1}{2 \cdot 25 \cdot 23} - \frac{1}{16 \cdot 7 \cdot 59 \cdot 167}\right) \cdot 112} = 1/137.035999111818$$



$$\alpha_{1-(5 \cdot 157)/31^2 \cdot 112} = \frac{5 \cdot 157 + \frac{1}{2} - \frac{1}{2 \cdot 7} + \frac{1}{2 \cdot 5 \cdot 17 \cdot 73 + \frac{50}{3 \cdot 23}}}{31^2 \cdot 112} = 1/137.035999037435$$



$$\alpha_{2-(5 \cdot 157)/31^2 \cdot 112} = \frac{5 \cdot 157 + \frac{1}{2} - \frac{1}{2 \cdot 7} + \frac{1}{4 \cdot (16 \cdot 3 \cdot 5 \cdot 13 - 1) + \frac{37}{50}}}{31^2 \cdot 112} = 1/137.035999111818$$



21. Formulas of the Fine-structure Constant in Continued Fraction Form

Some natural constant such as ϕ , e and 2π can be expressed as continued fraction form as follows.

$$\sqrt{2} = 1 + \frac{1}{2 + \frac{1}{2 + \frac{1}{2 + \frac{1}{\dots}}}}$$

$$\varphi = 1 + \frac{1}{1 + \frac{1}{1 + \frac{1}{1 + \frac{1}{\dots}}}} = 1.618\dots$$

$$e = 1 + 1 + \frac{1}{1 + \frac{1}{2 + \frac{1}{1 + \frac{1}{1 + \frac{1}{4 + \frac{1}{1 + \frac{1}{1 + \frac{1}{6 + \frac{1}{\dots}}}}}}}}}} = 2.71828\dots$$

$$2\pi = 6 + \frac{2}{6 + \frac{9}{6 + \frac{25}{6 + \frac{49}{6 + \frac{\dots}{\dots}}}}} = 6.283185\dots$$


$$\frac{\pi}{2} = 1 + \frac{1}{1 + \frac{1}{1/2 + \frac{1}{1/3 + \frac{1}{1/4 + \frac{1}{\dots}}}}} = 1.570796\dots$$

$$\left(\sqrt{\frac{\sqrt{5}+5}{2}} - \frac{\sqrt{5}+1}{2}\right)e^{\frac{2\pi}{5}} = 1 + \frac{1}{1 + \frac{e^{-2\pi}}{1 + \frac{e^{-4\pi}}{1 + \frac{e^{-6\pi}}{1 + \frac{\dots}{\dots}}}}}}$$

As we have demonstrated the formulas of the fine-structure constant α are related to e , 2π and nuclides (φ is related to nuclides too), it should be reasonable to express α in continued fraction form as follows. When these continued fractions are calculated, they miraculously give some specific integers which should correspond to some typical nuclides.


$$\alpha_1 = \frac{1}{137 + \frac{1}{28 - \frac{1}{4 + \frac{1}{2 - \frac{1}{17 + \frac{1}{16 - \frac{1}{1 + \frac{1}{10 - \frac{1}{3}}}}}}}}}} = \frac{1}{56 + 81 + \frac{1}{28 - \frac{13 \cdot (112 \cdot 11 - 1)}{3 \cdot 5 \cdot (112 \cdot 43 + 1)}}$$

$$= 1/137.035999037435$$



$$\alpha_2 = \frac{1}{137 + \frac{1}{28 - \frac{1}{4 + \frac{1}{2 - \frac{1}{18 + \frac{1}{3 - \frac{1}{1 + \frac{1}{5 - \frac{1}{2}}}}}}}}}} = \frac{1}{56 + 81 + \frac{1}{28 - \frac{2 \cdot (16 \cdot 27 - 1)}{3 \cdot (16 \cdot 81 + 1)}}$$


$$= 1/137.035999111818$$



22. Set of Formulas of the Fine-structure Constant

We had found many formulas of the fine-structure constant with hard efforts for more than two years. In the end of this paper, we realized that all of these formulas should constitute a mathematical set in which some formulas exhibit much more importance than others. The set and the four most important formulas are depicted as

follows (**Fig. 2**). The set is designed as a circle, the two originally found formulas should be close to the center of the circle, and the two last found continued fraction formulas should be on the circumference of the circle.



Set of Formulas of the Fine-structure Constant

Gang Chen, Tianman Chen, Tianyi Chen
2018/4/12-2020/8/18

Fig. 2

23. Formulas of the speed of light in atomic units in Continued Fraction Form

$$c_{au} = \frac{1}{\alpha_c} = 137 + \frac{1}{28 - \frac{1}{4 + \frac{1}{2 - \frac{1}{17 + \frac{1}{2 - \frac{1}{1 + \frac{1}{2 - \frac{1}{4 + \frac{1}{5 - \frac{1}{1 + \frac{1}{2}}}}}}}}}}}} = 137 + \frac{1}{28 - \frac{7135}{32211}}$$

$$= 56 + 81 + \frac{1}{28 - \frac{5 \cdot (4 \cdot 3 \cdot 7 \cdot 17 - 1)}{2 \cdot 5 \cdot (2 \cdot 5 \cdot (2 \cdot 7 \cdot 23) + 1) + 1}} = 137.035999074626$$

| | | | | | | | | | | | | | |
|-------------------|-------------------------------|---------------|----------------------------|-------------------|-------------------------------|---------------------------|-------------------------------------|---------------|------------------------------|-------------------|--|--------------------------------|--|
| 28,29,30 14 | <i>Si</i> _{14,15,16} | 35,37 17 | <i>Cl</i> _{18,20} | 50,51 23 | <i>V</i> _{27,28} | 58,60,62 28 | <i>Ni</i> _{30,32,34} | 63,65 29 | <i>Cu</i> _{34,36} | 76,80 34 | <i>Se</i> _{42,46} | 79,81 35 | <i>Br</i> _{44,46} |
| 90,91,92 40 | <i>Zr</i> _{50,51,52} | 100,102 44 | <i>Ru</i> _{56,58} | 102,105,106 46 | <i>Pd</i> _{56,59,60} | 112,115,118,119,120 50 | <i>Sn</i> _{62,65,68,69,70} | 121,123 51 | <i>Sb</i> _{70,72} | | | | |
| 136,137,138 56 | <i>Ba</i> _{80,81,82} | 156,157 64 | <i>Gd</i> _{92,93} | 168 68 | <i>Er</i> ₁₀₀ | 169 69 | <i>Tm</i> ₁₀₀ | 172,173 70 | <i>Yb</i> _{102,103} | 199,200,204 80 | <i>Hg</i> _{119,120,124} | | |
| 203,205 81 | <i>Tl</i> _{122,124} | 141,17 92 | <i>U</i> ₁₄₆ * | 257 100 | <i>Fm</i> ₁₅₇ * | 7,37 102 | <i>No</i> ₁₅₇ * | 15,19 112 | <i>Cn</i> ₁₇₃ * | 172 115 | <i>Mc</i> ₁₇₄ ^{ie} | 344,2,173,12,29 136,137,138 | <i>Fy</i> _{208,209,210} ^{ie} |


$$\begin{aligned}
c_{au} &= \frac{1}{\alpha_c} = 137 + \frac{1}{28 - \frac{1}{4 + \frac{1}{2 - \frac{1}{17 + \frac{1}{2 - \frac{1}{1 + \frac{1}{2 - \frac{1}{4 + \frac{1}{5 - \frac{1}{1 + \frac{1}{2}}}}}}}}}}}}}} \\
&= 56 + 81 + \frac{1}{28 - \frac{1}{4 + \frac{1}{2 - \frac{1}{17 + \frac{8 \cdot 19}{9 \cdot 23}}}}} = 137.035999074626
\end{aligned}$$

$^{16,17,18}_8 O_{8,9,10}$ $^{19}_9 F_{10}$ $^{23}_{11} Na_{12}$ $^{28,29,30}_{14} Si_{14,15,16}$ $^{35,37}_{17} Cl_{18,20}$ $^{36,38,40}_{18} Ar_{18,20,22}$ $^{39,40,41}_{19} K_{20,21,22}$
 $^{46,47,48,49,50}_{22} Ti_{24,25,26,27,28}$ $^{50,51}_{23} V_{27,28}$ $^{58,60,62,64}_{28} Ni_{30,32,34,36}$ $^{64,68}_{30} Zn_{34,38}$ $^{68,70}_{31} Ga_{38,40}$ $^{76,80}_{34} Se_{42,46}$
 $^{79,81}_{35} Br_{44,46}$ $^{83,84,86}_{36} Kr_{47,48,50}$ $^{84,86,87,88}_{38} Sr_{46,48,49,50}$ $^{100,102}_{44} Ru_{56,58}$ $^{102}_{46} Pd_{56}$ $^{136,137,138}_{56} Ba_{80,81,82}$
 $^{112,114,115,118,119}_{50} Sn_{62,64,65,68,69}$ $^{138,139}_{57} La_{81,82}$ $^{151,153}_{63} Eu_{88,90}$ $^{166,167,168,170}_{68} Er_{98,99,100,102}$ $^{169}_{69} Tm_{100}$
 $^{185,187}_{75} Re_{110,112}$ $^{188}_{76} Os_{112}$ $^{203,205}_{81} Tl_{122,124}$ $^{204,207,208}_{82} Pb_{122,125,126}$ $^{209}_{83} Bi_{126}^*$ $^{209}_{84} Po_{125}^*$ $^{210}_{85} At_{125}^*$
 $^{222}_{86} Rn_{136}^*$ $^{223}_{87} Fr_{136}^*$ $^{226}_{88} Ra_{138}^*$ $^{227}_{89} Ac_{138}^*$ $^{15-19}_{112} Cn_{173}^*$ $^{289}_{115} Mc_{174}^{ie}$ $^{344,2173,348}_{136,137,138} Fy_{208,209,210}^{ie}$ $^{382}_{152} Ch_{230}^{ie}$

24. Comparison of Calculated and Measured Values of α

In recent years there were some much accurate measurements of the fine-structure constant α . For example, in 2006 and 2007 G. Gabrielse *et al* reported α value of $1/137.035999084(51)$ by g-2 method^{3,4}, in 2008 D. Hanneke *et al* reported α value of $1/137.035999084(51)$ by g-2 method⁵, in 2011 R. Bouchendira *et al* reported α value of $1/137.035999037(91)$ by h/m_{Rb} method⁶, and R. H. Parker *et al* reported α value of $1/137.035999046(27)$ by h/m_{Cs} method⁷. Comparison of our calculated values of α to these relatively accurate measured values of α was exhibited in **Fig. 3**. It seems that α_1 corresponds to the values measured by h/m method and α_c (or α_2) corresponds to the values measured by g-2 method. These measurements should be good evidences of our points of view that there are two values of α , and in the future more accurate

measurements of α by these two methods or other methods may give better or even perfect proofs to our theories, formulas and values of the fine-structure constant.



Comparison of Calculated and Measured Values of $1/\alpha$
 Gang Chen, Tianman Chen and Tianyi Chen (2020/9/4-5, 10-11)

Fig. 3

In **Fig. 3**, it seems that the green line 2 and 1 have a trend to focus on the calculated value of $1/\alpha_1$ and the black line 4 and 3 have a trend to focus on the calculated value of $1/\alpha_c$. But there is still a lack of more accurate green and black lines to more precisely point to the calculated values of $1/\alpha_1$ and c_{au} , and there is a lack of measurements of $1/\alpha_2$. Based on these analyses of **Fig. 3**, we suggest experimental physicists should develop new measurement methods corresponding to α_2 and improve the measurement accuracy of all methods (which could be called green, red and black methods), so someday some measurement results which can't overlap each other and embrace the calculated values of α_1 , α_2 and α_c (especially almost as centers) could be achieved, and hence confirm the calculated values of α_1 , α_2 and α_c .

25. The Speed of Light in Atomic Units Expressed as Fractional Numbers


$$c_{au} = \frac{1}{\alpha_c} = 137 + \frac{1}{28 - \frac{1}{4 + \frac{1}{2 - \frac{1}{17 + \frac{1}{2 - \frac{1}{1 + \frac{1}{2 - \frac{1}{4 + \frac{1}{5 - \frac{1}{1 + \frac{1}{2}}}}}}}}}}}} = 137 + \frac{1}{28 - \frac{7135}{32211}}$$

$$= 137 + \frac{32211}{894773} = \frac{122616112}{894773}$$

$$= \frac{16 \cdot (2 \cdot 3 \cdot 137 \cdot (2 \cdot 59 \cdot 79 + 1) + 1)}{11 \cdot (64 \cdot 31 \cdot 41 - 1)}$$

$$= \frac{16 \cdot (2 \cdot 3 \cdot 137 \cdot (4 \cdot 9 \cdot 7 \cdot 37 - 1) + 1)}{11 \cdot (2 \cdot 9 \cdot (8 \cdot 5 \cdot 113 - 1) + 1)} = \frac{16 \cdot (2 \cdot 3 \cdot 137 \cdot (4 \cdot 9 \cdot 7 \cdot 37 - 1) + 1)}{11 \cdot (2 \cdot 9 \cdot (2 \cdot 9 \cdot (4 \cdot 9 \cdot 7 - 1) + 1) + 1)}$$


$$= 137.035999074626$$



$$c_{au} = \frac{1}{\alpha_c} = 137 + \frac{32211}{894773}$$

$$= 56 + 81 + \frac{27 \cdot (8 \cdot 149 + 1)}{11 \cdot (64 \cdot 31 - 1)} = 56 + 81 + \frac{27 \cdot (2 \cdot 3 \cdot (2 \cdot 9 \cdot 11 + 1) - 1)}{11 \cdot (2 \cdot 9 \cdot (2 \cdot 9 \cdot (4 \cdot 9 \cdot 7 - 1) + 1) + 1)}$$

$$= 137.035999074626$$




26. The Fine-structure Constant Expressed as Fractional Numbers

$$\alpha_1 = \frac{1}{137 + \frac{1}{28 - \frac{1}{4 + \frac{1}{1 + \frac{1}{1 + \frac{1}{16 + \frac{1}{15 + \frac{1}{10 + \frac{1}{1 + \frac{1}{2}}}}}}}}}}}} = \frac{1}{56 + 81 + \frac{1}{28 - \frac{13 \cdot (112 \cdot 11 - 1)}{3 \cdot 5 \cdot (112 \cdot 43 + 1)}}}$$

$$= \frac{1}{137 + \frac{72255}{2007137}} = \frac{1}{56 + 81 + \frac{3 \cdot 5 \cdot (112 \cdot 43 + 1)}{11 \cdot (4 \cdot 11^2 \cdot 13 \cdot 29 - 1)}} = \frac{1}{56 + 81 + \frac{3 \cdot 5 \cdot (2 \cdot 3 \cdot 11 \cdot 73 - 1)}{11 \cdot (4 \cdot 11^2 \cdot 13 \cdot 29 - 1)}}$$

$$= \frac{2007137}{275050024} = \frac{11 \cdot (4 \cdot 11^2 \cdot 13 \cdot 29 - 1)}{8 \cdot 71 \cdot (2 \cdot 3 \cdot 11^2 \cdot 23 \cdot 29 + 1)} = 1/137.035999037435$$




$$\alpha_2 = \frac{1}{137 + \frac{1}{28 - \frac{1}{4 + \frac{1}{2 - \frac{1}{18 + \frac{1}{3 - \frac{1}{1 + \frac{1}{5 - \frac{1}{2}}}}}}}}}} = \frac{1}{137 + \frac{1}{28 - \frac{2 \cdot (16 \cdot 27 - 1)}{3 \cdot (16 \cdot 81 + 1)}}}$$

$$= \frac{1}{137 + \frac{3891}{108086}} = \frac{1}{56 + 81 + \frac{3 \cdot (16 \cdot 81 + 1)}{2 \cdot 11 \cdot 17^3}} = \frac{1}{56 + 81 + \frac{3 \cdot (2 \cdot 11 \cdot 59 - 1)}{2 \cdot 11 \cdot 17^3}}$$

$$= \frac{108086}{14811673} = \frac{2 \cdot 11 \cdot 17^3}{(4 \cdot 9 \cdot 11 + 1) \cdot (2 \cdot 5 \cdot 7 \cdot 13 \cdot 41 - 1)} = \frac{2 \cdot 11 \cdot 17^3}{(4 \cdot 9 \cdot 11 + 1) \cdot (4 \cdot 3 \cdot (4 \cdot 3 \cdot 7 \cdot 37 + 1) + 1)}$$

$$= 1/137.035999111818$$



References

1. G. Chen, T-M. Chen and T-Y. Chen, viXra:2002.0203 (<https://vixra.org/abs/2002.0203>).
2. G. Chen, T-M. Chen and T-Y. Chen, Copyright Registration, Chirality and Poetry Model of Atomic Nuclei, GuoZuoDengZi-2018-L-00421847.
3. G. Gabrielse, D. Hanneke, T. Kinoshita, M. Nio, and B. Odom, *Phys. Rev. Lett.* **97**, 030802 (2006).
4. G. Gabrielse, D. Hanneke, T. Kinoshita, M. Nio, and B. Odom, *Phys. Rev. Lett.* **99**, 039902, 1-2 (2007).
5. D. Hanneke, S. Fogwell, G. Gabrielse, *Phys. Rev. Lett.* **100**, 120801 (2008).
6. R. Bouchendira, P. Clad é S. Guellati-Kh éfifa, F. Nez, F. Biraben, *Phys. Rev. Lett.* **106**, 080801 (2011).
7. R. H. Parker, C-H. Yu, W-C. Zhong, B. Estey, H. Müller, *Science* **360**, 191–195 (2018).

Acknowledgements

Yichang Huifu Silicon Material Co., Ltd., Guangzhou Huifu Research Institute Co., Ltd. and Yichang Huifu Nanometer Material Co., Ltd. have been giving Dr. Gang Chen a part-time employment since Dec. 2018. Thank these companies for their financial support. Specially thank Dr. Yuelin Wang and other colleagues of these companies for their appreciation, support and help.

Appendix I: Research History

| Section | Page | Date | Remarks |
|----------------------|-------|--------------------|--------------------|
| 1 | 1-10 | 2020/7/8-23 | |
| 2 | 11-12 | 2020/7/11-12 | |
| 3 | 12-14 | 2018/8/21-9/6 | |
| 3-1 | 13 | 2018/8/21-25 | |
| 3-2 | 13 | 2018/9/2-6 | |
| 3-3 | 14 | 2018/9/2-6 | |
| 3-4 | 14 | 2018/9/5-6 | |
| 4 | 14-15 | 2020/6/28-30 | |
| 5 | 16 | 2020/6/30-7/1 | |
| 6 | 16-17 | 2020/6/30-7/1, 7/5 | |
| 7 | 17-18 | 2020/7/3-5 | |
| 8 | 18-19 | 2020/7/20-21 | |
| 9 | 19 | 2020/7/21-25 | Revise: 2020/8/23 |
| 10 | 19-20 | 2020/7/27-28 | |
| 11 | 20 | 2020/7/28 | |
| 12 | 20-22 | 2020/7/28-30 | |
| 13 | 22 | 2020/8/2 | Revise: 2020/9/6-7 |
| 14 | 23-27 | 2020/8/4-8 | |
| 15 | 28-29 | 2020/8/11-13 | |
| 16 | 30 | 2020/8/13-14 | |
| 17 | 31 | 2020/8/14 | |
| 18 | 31-32 | 2020/8/15-17 | |
| 19 | 32-33 | 2020/8/15-17 | |
| 20 | 33-35 | 2020/8/15-16 | |
| 21 | 35-37 | 2020/8/17 | |
| 22 | 37-38 | 2020/8/18-21 | |
| 23 | 38 | 2020/8/23, 9/2-3 | |
| 24 | 39-40 | 2020/9/4-5, 10-11 | |
| 25 | 41 | 2020/9/8-9 | |
| 26 | 42 | 2020/9/9-10 | |
| References | 43 | | |
| Acknowledgement | 43 | | |
| Appendix I | 44 | | |
| Preparing this paper | 1-44 | 2020/7/8-2020/9/12 | |

Notes: Dates were recorded according to Beijing Time; *ie* means ideal extended elements; *GL* means Gregory-Leibniz formula.